ST ALBANS
THE MUSELIUM
HERTFORD SHIRE
1911 – 1920

FORM A2.
BRITISH RAINFALL.
5 FEB 1912

FALL IN 1911

Ke

in

by

RAIN GAUGE	Pattern Snowdon (Hicks)
	Diameter of top 5 in.
	Height of top above Ground 1 ft. - in.
	Sea Level 390 ft.

Time of Observation 9 a.m.

Nearest Railway Station { Name
Distance Direction

pr ed daily at 9 a.m., and the result entered to the
re orm to this almost universal rule, he is earnestly
fo ary of the following year in the space provided
th tions for the measurement of rain,
C articulars as to the British Rainfall
I ers," sent post-free on application to

Jan. 1, following.

Da							July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
							in.	in.	in.	in.	in.	in.	
	02						10	06					1
2	06			33	18						13	11	2
3	04	01			24						10	09	3
4	07	04	10	09						07	15	40	4
5				02						10		03	5
6	41		06								11	47	6
7	04		01	01						10	33	26	7
8	16		21								11	17	8
9	10		01	03							01	03	9
10	03	08	17								08	58	10
11	28				79						65	01	11
12	08		47		03				02		27	01	12
13			10		28				45	68	01	31	13
14		01	04		78							40	14
15		06	19							03	08	02	15
16			03			17					41	11	16
17			12			11				01	15	25	17
18		12	02			17					36	29	18
19		01				24			04	05	30	14	19
20	02	05	04					54	25	03		67	20
21	03	17				01		15		49		10	21
22	08		08			11		01		05	01	58	22
23		19	29			67			23			17	23
24	01	10	03			10	01	02		71		20	24
25		05	03	08	04	16	22		01				25
26		03		15	01	05	06	02		12	04	23	26
27		39	07	02			03	01	12		03	10	27
28	02	40		27	01			10			05		28
29				04		18	13		24	28			29
30			01	01	07	09				27		02	30
31					1.03					61			31
Total	1·45	1·71	2·08	1·45	3·46	2·06	·55	·91	1·36	3·00	3·38	5·75	TOTAL for year 27·16
No. of Rain Days	16	15	20	12	11	12	6	8	8	15	20	26	169

9,000, IX. '10.

1766

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
5 FEB 1912

Kept at The County Museum St Albans
in the County of Hertford 2
by the caretaker for John Hopkinson

RAIN GAUGE
Pattern Snowdon (Hicks)
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
Sea Level 390 ft.

Grnd level 384
Time of Observation 9 a.m.

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	02			40			10	06					1
2	06			33	18						13	11	2
3	04	01			24						10	09	3
4	07	04	10	09						07	15	40	4
5				02						10		03	5
6	41		06								11	47	6
7	04		01	01						10	33	26	7
8	16		21								11	17	8
9	10		01	03							01	03	9
10	03	08	17								08	58	10
11	28				79						65	01	11
12	08		47		03				02		27	01	12
13			10		28				45	68	01	31	13
14		01	04		78							40	14
15		06	19							03	08	02	15
16			03			17					41	11	16
17			12			11				01	15	25	17
18		12	02			17					36	29	18
19		01				24			04	05	30	14	19
20	02	05	04					54	25	03		67	20
21	03	17				01		15		49		10	21
22	08		08			11		01		05	01	58	22
23		19	29			67			23			17	23
24	01	10	03			10	01	02		71		20	24
25		05	03	08	04	16	22		01				25
26		03		15	01	05	06	02		12	04	23	26
27		39	07	02			03	01	12		03	10	27
28	02	40		27	01			10			05		28
29				04		18	13		24	28			29
30			01	01	07	09				27		02	30
31					1.03					61			31
Total	1.45	1.71	2.08	1.45	3.46	2.06	.55	.91	1.36	3.00	3.38	5.75	TOTAL for year 27.16
No. of Rain Days	16	15	20	12	11	12	6	8	8	15	20	26	169

9,000, IX. '10.

5 FEB 1912

Weetwood, Watford.

5 Feb. 1912

Dear Dr Mill,

I have now had for examination the St Albans observation book & I find that a few mistakes have been made in the newspaper from which I have taken the entries of rainfall for your monthly tables.

I therefore now send you a complete amended Return for 1911 to replace the monthly cards.

Yours very truly,

John Hopkinson

81 [illegible] 4.1.13 8.III.13 W. H[illegible] 144

FORM A2.
BRITISH RAINFALL.

24 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at St Albans
in the County of Hertfordshire 2
by J. Hopkinson

RAIN GAUGE
Pattern
Diameter of top ... in.
Height of top above Ground ... ft. ... in.
" " " Sea Level ... ft.
Time of Observation
Nearest Railway Station — Name
Distance ... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.06			.13	~~.08~~ .05		.03	.29		.20	1
2		.01	.07	.01		.13	.32	.02				.01	2
3	.12		.08		.12	.21	.02	.21	.02			.11	3
4	.23	.02	.70		.26	.26		.06			.28		4
5	.17		.26					.36			.08	.01	5
6	.27	.10						.31	.01			.10	6
7	.02	.02	.02		.03	.56		.34				.09	7
8	.42	.35	.21				.07	.09				.05	8
9	.12	.13		.06		.50	.02	.06	.02			.29	9
10		.04	.04			.01		.23	.05		.23	.11	10
11	.11	.36	.01			.03		.10	.04		.01	.19	11
12	.09	.17	.13		.03	.10					.09		12
13		.01				.06			.01		.19	.05	13
14	.01		.04		.03			.06			.19	.03	14
15	.01	.04	.12		.15	.38		.04		.04		.17	15
16	.32		.06		.06	.03		.09		.10			16
17	.44		.29			.13		.10			.07	.01	17
18	.05		.13					.20		.01	.01	.13	18
19	.17	.09	.14				.56	.66		.01	.02		19
20	.02		.22				.01	.15		.45			20
21	.01	.04	.43		.15			.20		.10	.01		21
22	.38	.18	.02		.01		.09	.19		.01		.02	22
23	.32	.38	.36		.01		1.53	.48		.01	.12	.14	23
24	.33	.02				.13	.01	.14		.02		.23	24
25		.01				.17		.53			.35	.53	25
26		.03					.03	.34		.45	.67	.22	26
27						.02	.06			.30		.22	27
28		.04				.01	.04	.09	.03	.61	.33	.23	28
29		.07	.02			.22	.12	.30	1.40	.15	.01	.01	29
30					.46	.13	.03	.02	.89	.32			30
31	.01		.14		.07		.19	.11				.08	31
Total	3.62	2.41 2.11	3.55	.07	1.38	3.21	3.15	5.48	2.50	2.87	2.66	3.23	TOTAL for year 3383
No. of Rain Days.	21	20	22	2	12	19	16	27	10	15	16	24	204

W. 8,000, X. '11.

Ex JL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

4 - JAN 1914

Kept at County Museum, St. Albans
in the County of Hertford 2
By for John Hopkinson

Lat. 51° 45' 15" Long. 0° 19' 56"
Time of Observation 9 a.m.
Nearest Railway Station Midland
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 389 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	03	13	10	08					24	01	33	03	1
2	02	14	01				12		01	34	04		2
3	10		04	10	64							10	3
4	36		07		05		16			09	06	03	4
5	08	01			04	02	15		09	03		02	5
6		08	05	01	09	32	06			23	01	06	6
7		26			16	03	07			49	07	02	7
8		02	05		30	05				26	06		8
9		18		03	03	01	01		05		04	07	9
10	02		03	11			38	03			53		10
11	49			50				18		28	27		11
12		02			02					02	60		12
13	04	01	01	01				03	07		37		13
14	09	02	~~04~~ 11	05			34	09		15	04		14
15	11	03	~~42~~ 36	42			08		03		01		15
16	07	01	~~12~~ 38	12					04				16
17	02		~~06~~ 09	05		09	06				02	19	17
18	03		~~47~~ 19	47		05	03		03		03	01	18
19	30		05				13		43			01	19
20	07			03						54	07		20
21	02		05	13			05			11	47		21
22	45		18	03				11	21				22
23			19			03		02	03		02	13	23
24	02		02	04		01		04			01		24
25		01		23								01	25
26			20	18				10		62	01	20	26
27		03	07	10					01	03			27
28	30		18	14						13		02	28
29	05		06	64	36			06	01	04		03	29
30	44		01	04				06		18	09		30
31			02					35		03			31
													YEAR'S TOTAL
Total	3·11	·95	2·52	3·51	1·69	·61	1·64	1·04	1·25	3·58	3·15	·93	23·98
Rain Days.	21	14	24	22	9	9	13	11	13	18	21	15	190

W.7,000, XI. 13

Exc DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
8 - JAN 1915

Kept at Herts County Museum, St Albans

in the County of Hertford 2

by John Hopkinson

Lat. 51°45'15" N. Long. 0°19'56" W.

Time of Observation 9 a.m.

Nearest Railway Station 3 nearly equidistant

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 309 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								16			04	03	1
2				02			08	20			05	17	2
3	02		03		25		10	04			08	01	3
4	15		01	26	01			16			28	56	4
5	01	02	06	24	07	08	60	79			08		5
6		14			04	10	33	02			16	33	6
7		34	22	06	28	08	02	02				20	7
8	08	19	1.11		12	19	20	04					8
9	22		53	15	04	34		01	09			1.18	9
10	04	22	04	07	02				19				10
11		29	43		05	74			03		16	29	11
12	03	06	11				09		29		02	49	12
13		42	23						21	13	03	40	13
14		17	40				04		01	29	17	38	14
15	06	02	18				01		02	05	02	06	15
16			06				09		11		03		16
17		50	07						19			41	17
18		03	08						01			38	18
19		07	20			08	13		01		16	08	19
20		24	21			02	04		01			15	20
21		55	07			05				03		08	21
22		13	01		18	07	06	06		76			22
23	01	05	09		11	01	05	06		15			23
24		01	08	03			08	02		06	13		24
25	05		15					13		36	01	13	25
26	01		06					02		04	26	62	26
27	05		01								06	30	27
28		04			09		02			02	34	1.50	28
29	05		11							27	19	02	29
30		X	06							05	44	38	30
31	02	X		X	12	X	06		X		X	01	31
													YEAR'S TOTAL
Total	·80	3·49	4·61	·83	1·38	1·76	2·00	1·73	1·17	2·21	2·71	8·16	30·85
Rain Days.	14	19	26	7	13	11	17	14	12	12	20	24	189

W. 8,000. X. 14. Please substitute for monthly cards

Exe F.W.

1002

FORM A.
BRITISH RAINFALL.
8-FEB 1916

REGISTER OF RAINFALL IN 1915

Kept at County Museum, St Albans
in the County of Hertford
by H. Hammett for John Hopkinson

Lat. 51°45′15″ N. Long. 0°19′56″ W.
Time of Observation 9 a.m.
Nearest Railway Station Midland & L.N.W. [illegible]
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 389 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	45	16	06		04				17	08	07	36	1
2	20	27	26	12		02		1·04	02	03		18	2
3	45		03	15			14	93	03		01	24	3
4	08											45	4
5	03	42			15			03		03		22	5
6	20	05		34			84	03				15	6
7	06	40	07				39					27	7
8	07	41	02	03			02	08					8
9		07		08		04		03			19	58	9
10	43		01					11				09	10
11	01		02								81		11
12	07	01		26	40			14		11	56	04	12
13	01	53			1·33			01					13
14		06					68	08	05			74	14
15	29				04		01	22	01		30	14	15
16	01	58					74					10	16
17		39			41		20						17
18		20	16		03						05	01	18
19		03	01				14						19
20	37			04								24	20
21	15				02		03					04	21
22	94	28	37				61					24	22
23	02	25	13			04	09		55	46		31	23
24			12			01	04		35	09		32	24
25						04	04			04		19	25
26		17	02	06		19	12		04			53	26
27		01				21	19			41		07	27
28		10				09			1·26	11			28
29							06	16			15	01	29
30	03	╳				79				08	12		30
31	05	╳		╳		╳		03	╳	98	╳	26	31
Total	3·92	4·39	1·28	1·08	2·42	1·43	4·34	2·89	2·48	2·42	2·26	5·78	YEAR'S TOTAL 34·69
Rain Days.	20	19	13	8	8	9	17	13	9	11	9	24	160

W. 8,000. X. 15.

Dl

Exe Dl

972
127

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at St Albans

in the County of Hertfordshire

by J. Hopkinson

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10		·01		·05	·02			·08	·09	·33		1
2	·61	·02	·17		·24	·07	·02		·11	·24	·06		2
3		·49	·05				·02		·13	·38	·22		3
4	·34	·11	·01			·58			·01	·10	·40		4
5	·03	·02		·03	·04	·22				·13	·58		5
6	·02	·08	·24	·24		·13	·39			·10	·59		6
7	·12		·22		·09	·04	·25			·03	·56	·04	7
8			·02		·55						·02	·27	8
9					·29					·15		·07	9
10		·18	·14	·08		·52	·08					·07	10
11	·13	·10	·10	·16	·01	·12						·08	11
12	·05	·05	·13	·07	·44	·13	·09	·16	·01	·10		·01	12
13		·48	·14	·07		·04	·31	·50		·01			13
14		·44		·16	·11			·35		·10			14
15		·16	·43				·06	·21		·03		·13	15
16		·05	·28	·17	·06		·17	·11		·05			16
17	·15	·06		·16			·03	·08	·33	·57			17
18	·01	·06	·05	·12				·26	·11	·03	·58	·07	18
19	·11	·02	·22	·14				·20	·37		·63	·06	19
20	·24		·21	·01							·02	·51	20
21			·68				·08					·30	21
22		·07	·03		·08	·02				·04		·44	22
23	·01	·32				·09		·02		·02	·09	·10	23
24		·02	·02		·03	·44		·04		·19	·04	·28	24
25		·53	·10		·02			·19		·10	·08	·12	25
26		·15				·06		·08		·06			26
27	·14	·03	·81			·04		·23	·10	·15			27
28		·35	·35			·11		·02	·24	·10	·02	·27	28
29		·09				·30		1·33		·48		·12	29
30		×			·07	·04		·06		·31			30
31		×		×		×		·04	×	·12	×	·03	31
Total	2·06	3·88	4·41	1·41	2·08	2·97	1·50	3·88	1·49	3·68	4·22	2·97	YEAR'S TOTAL 34·55
Rain Days.	14	23	22	12	14	18	11	17	10	25	15	18	199

W. 8,000. X. 15.

Dl Esc D L 939

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at St: Albans

in the County of Hertfordshire

by J. Hopkinson

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·25				·91	·05		·08	·01	1
2				·12		·07		·13			·05		2
3				·03				·35		·40	·28		3
4		18						·11		·39			4
5	·20		·14	·19				·18	·27	·08	·14		5
6			·01						·05	·07	·03	·03	6
7	·25		·04			·04	·20			·35			7
8	·27			·12			·88	·70		·36	·25	·08	8
9	·04		·06	·14				·31	·02		·04	·09	9
10	·28		·15	·20				·14		·02	·02	·01	10
11	·07		·46	·09						·33			11
12	·13		·21		·09			·20		·40			12
13	·12		·05	·01				·16	·03	·02			13
14	·02		·01	·31				·05				·04	14
15	·01			·07			·02	·03		·07			15
16		·14		·25	·14	·06	·09			·94		·15	16
17		·22		·13	·75	·01	·24	·09	·47	·33			17
18	·07	·01		·10	·06	·12	·17	·03	·65	·10			18
19	·01	·19	·07		·06	·03			·26		·01		19
20	·02	·17	·09		·55		·14	·01	·01		·11		20
21	·05		·03	·02	·03					·13	·05		21
22			·16			·03		·07		·07			22
23		·08	·01		·14			·13		·31			23
24		·08				·02		·11		·10	·01	·04	24
25		·01	·01								·04		25
26			·11			·10		·16	·07		·35	·01	26
27			·02			·10		·67				·04	27
28			·03			·97		·19				·03	28
29			·02		·03	·07	·78	·24		·44		·12	29
30	·04		17				1·10	·11				·01	30
31	·03		·12				·39	·03		·01		·01	31
Total	1·61	1·08	1·97	2·03	1·85	1·62	4·01	5·11	1·88	4·92	1·46	·67	YEAR'S TOTAL 28·21
Rain Days.	16	9	21	15	9	12	10	24	10	20	14	14	174

W. 8,000, VIII. 16

81

~~23~~
~~116~~

FORM A.
BRITISH RAINFALL.

27.1.19

REGISTER OF RAINFALL IN 1918

Kept at St. Albans
in the County of Hertfordshire
by J. Hopkinson

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·02		·04							·18	·03	1
2		·07		·16				·12		·01	·20	·24	2
3		·01	·03	·01	·56			·03	·11		·51	·02	3
4		·11	·05	·01				·02	·40	·04	·55	·04	4
5		·02	·01		·12			·19	·08	·14			5
6	·11	·25		·29	·10			·02		·01		·10	6
7	·04	·09		·10	·12				·22	·17	·17		7
8	·01			·07					·19	·04	·02	·05	8
9	·07	·06		·01		·06	·36		·35	·18		·18	9
10	·05			·06			·24		·02			·21	10
11				·03	·08		·49		·04	·46	·05	·03	11
12	·02	·08			·25		·14		·03				12
13		·01		·01	·22		·16		·10			·19	13
14	·25			·02		·13	·06		·34	·20		·14	14
15	·96		·01	1·05			·23		·02			·11	15
16	·24			·56					·94	·08			16
17	·19			·32	·04	·25	·21					·19	17
18	·53		·05	·01		·17	·12		·30	·06		·17	18
19	·07	·02		·11		·11	·24		·02	·06		·25	19
20	·01	·14		·80		·03	·04		·21	·23	·01	·14	20
21	·02			·52					·43	·06		·01	21
22	·05				·19		·07		·10			·22	22
23	·01				·54		·69	·04	·04			·03	23
24		·19				·03	·04		·10		·15		24
25						·12	·11	·43	·01		·08	·01	25
26				·06			·09	·16		·02	·14	·27	26
27		·03					·06	·26	·09		·11	·04	27
28		·05	·22			·04			1·33		·25	·16	28
29									·02		·02		29
30			·33 ·38								·09	·06	30
31			·01							·08		·04	31
Total	2·63	1·15	·71·76 ~~·71~~	4·24	2·22	·94	3·35	1·27	5·49	1·84	2·53	2·93	YEAR'S TOTAL 29·3~~0~~5
Rain Days.	16	15	8	20	10	9	17	9	24	16	15	25	184

W. 8,000, VIII. 16

Copied by Col. J Hopkinson OX. ThG

887

8 MAR 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919

Kept at Herts. County Museum

in the County of Herts. (S. Albans)

by Henry Hammett Caretaker
under supervision of G. E. Bullen - Director

Lat. .... Long. ....
Time of Observation 9.30 a.m.
Nearest Railway Station S. Albans (M. R)
Diameter of Funnel of Rain Gauge 5½" in.
Height of top of Gauge above Ground ....ft. 10" in.
" " " " Sea Level ....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·48			—	·16	—	·20	—	·04 [illegible]	·32	·02	1·31	1
2	·25	—	·03	—	·04	—	·16	—	·32	·07	·15	·14	2
3	·39	—	·04	—	·02	—	·02	·02	·07	·04	·05	·27	3
4	·08	—	·30	—	—	·04	·08	—	·04	—	—	·16	4
5	·02	·05	·32	—	—	—	·21	—	—	—	·03	·22	5
6	—	·26	·70	—	—	—	—	—	—	—	·04	·13	6
7	·05	—	·11	—	—	—	—	—	—	—	·15	—	7
8	·18	—	·67	·10	—	—	—	—	—	—	·02	—	8
9	—	—	·10	·03	·07	—	—	—	—	—	·23	—	9
10	·08	—	—	·03	—	—	—	—	—	—	·03	·06	10
11	·07	—	·11	·22	—	—	—	—	—	—	—	·02	11
12	—	—	·10	·13	—	·06	·24	—	—	—	·02	·05	12
13	·03	—	·23	·31	—	—	·13	—	—	—	—	·04	13
14	·36	·05	—	·61	—	—	·10	—	[illegible]	—	—	—	14
15	·37	·03	—	·16	—	—	·09	—	—	—	·05	—	15
16	·05	·69	·15	·02	—	—	—	—	—	—	·11	·03	16
17	—	·83	—	—	—	—	—	—	—	—	·19	·03	17
18	—	·12	—	—	—	—	—	·07	·02 [illegible]	—	·10	·10	18
19	·06	·13	·10	—	—	·21	—	·15	[illegible]	—	·07	·02	19
20	·15	·09	·65 ·16	—	—	·69	·23	·35	—	—	—	—	20
21	·37	·37	·04	—	—	·03	·15	—	—	·02	·02	·08	21
22	—	·18	—	—	—	·02	·23	—	[illegible]	—	—	·36	22
23	—	—	—	—	—	·03	·09	·05 [illegible]	[illegible]	·02	·03	—	23
24	—	—	—	·10	—	—	—	·09	·10 [illegible]	·19	·08	·02	24
25	·09	·01	—	·10	·33	—	·67	·40	—	—	—	·06	25
26	·14	·28	·15	·14	—	—	—	·36	[illegible]	—	—	·36	26
27	·63	·02	·01	1·58	—	—	·23	·50	—	—	—	·08	27
28	·04	—	·01	·02	—	—	—	·71	—	·02	·02	·28	28
29	—		·04	·06	—	—	—	·15	—	·18	·19	·03	29
30	—	✕	—	·24	—	·14	—	·07	—	·03	·35	·42	30
31	—	✕	—	✕	—	✕	—	·14	✕	·02	✕	·02	31
TOTAL	3.89	3.11	4.01 ~~3.36~~	3.82 ~~2.62~~	.62	1.22	2.23	3.06	·59	.91	1.95	4.29	YEAR'S TOTAL 29.73 ~~27.85~~
Days with ·01 in. or more	20	14	20 ~~19~~	~~17~~ 16	5	8	15	13	6	10	21	24	~~167~~ 172

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Dl 48

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at St: Albans
in the County of Hertfordshire
by J. Hopkinson

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.48	—	.03		.16								1
2	.25		.04		.04	—							2
3	.39		.30		.02								3
4	.08	.05	.32			.04							4
5	.02	.26	.70										5
6			.11										6
7	.05		.67										7
8	.18		.10	.10									8
9			.01	.03	.07								9
10	.08		.11	.03									10
11	.07		.10	.22									11
12			.23	.13		.06							12
13	.03			.31									13
14	.36	.05		.61									14
15	.37	.03	.15	.16									15
16	.15	.69		.02									16
17		.83											17
18		.12	.10										18
19	.06	.13	.65			.21							19
20	.25	.09	.08			.69							20
21	.37	.37	.04			.03							21
22		.18				.02							22
23						.03							23
24				.10									24
25	.09	.01		.10	.33								25
26	.14	.27	.15	.14									26
27	.63	.02	.01	1.58									27
28			.11	.02									28
29	.04		.01	.07									29
30		×	.03	.24		.14							30
31		×		×		×			×		×		31
Total	4.09	3.10	4.05	3.86	.62	1.22							YEAR'S TOTAL
Rain Days.	20	14	22	16	5	8							

W, 6,500, VII. 18. W W C

839

7 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Hertfordshire County Museum

in the County of Hertfordshire

by H.Hammett, Caretaker, under superintendance of G.Ebsworth Bullen Director.

Lat. Long.
Time of Observation 9-30 A.M.
Nearest Railway Station ST. Albans.
Diameter of Funnel of Rain Gauge 5'' in.
Height of top of Gauge above Ground ft. 10'' in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. .12

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	.87	.17	—	.28	.53	—	.41	—	.21	1
2	—	—	.01	.03	—	—	.29	—	.08	.01	—	.03	2
3	—	—	—	.27	—	—	.24	.12	.09	.02	—	.06	3
4	—	.07	—	.05	—	—	.11	—	.03	.26	—	.06	4
5	—	—	.04	—	.03	—	.62	—	.04	—	—	.05	5
6	—	—	.25	—	.08	—	.32	.01	—	—	—	.02	6
7	—	—	.06	21	—	—	.20	.08	—	—	—	—	7
8	.13	—	—	—	.05	—	.17	.05	—	.01	—	—	8
9	.29	.05	—	26	—	—	.02	—	—	—	.03	—	9
10	.38	.06	.10	07	—	.04	.13	—	—	—	—	—	10
11	.17	—	.05	40	.06	.11	.13	—	—	—	.03	.05	11
12	—	—	—	13	—	.55	.02	—	—	—	.07	—	12
13	.07	.03	.12	24	—	—	—	—	—	—	.41	—	13
14	.13	.02	.38	26	—	.38	.07	—	.18	.16	.13	—	14
15	.02	.05	.15	33	—	—	.05	—	.28	—	—	.02	15
16	.02	—	.01	13	—	.18	—	—	.08	.09	—	—	16
17	—	—	—	02	.15	.05	.04		.15	—	—	.09	17
18	.02	—	—	01	.05	—	—	.62	.15	—	—	.04	18
19	.11	—	—	10	—	.08	—	.02	—	—	—	.01	19
20	.08	.01	—	29	—	.47	—	—	.04	—	—	.02	20
21	.06	—	—	—	—	—	.53	.05	.37	—	—	.13	21
22	—	—	—	21	—	—	—	—	.03	—	—	.20	22
23	.01	—	—	—	—	—	1.30	—	—	—	—	.40	23
24	.02	—	—	—	—	—	—	—	—	—	—	.05	24
25	.01	.05	.13	07	—	—	.29	—	—	—	—	.03	25
26	.11	—	.05	—	.55	—	.04	—	—	—	.04	.19	26
27	.28	.08	.10	19	—	.20	—	—	—	—	.70	—	27
28	.43	.01	—	—	.18	—	.09	—	—	—	.13	.34	28
29	.22	—	.10	04	.11	—	.35	—	—	—	.17	.24	29
30	.04		.07	02	—	.06	—	—	35	—	.32	—	30
31	.02		—		.06		—	—		—		.12	31
TOTAL	2.62	0.43	1.62	4.18	1.49	2.12	5.29	1.48	1.87	0.96	2.03	2.36	YEAR'S TOTAL 26.45
Days with ·01 in. or more	21	10	15	22	11	10	21	8	13	7	10	21	169
Days with ·04 in. or more	14	6	13	19	10	10	19	6	11	4	8	15	135

S.T. ALBANS.

HILL END ASYLUM
HERTFORDSHIRE
1911-1920

FORM A2.
BRITISH RAINFALL.

RAINFALL IN 1911

2 JAN 1912

RAIN GAUGE
Pattern Negretti Inner Cup 10½" deep
Diameter of top 5 in.
Height of top above Ground 1 ft. 0
" " " Sea Level abt 295 ft.

Time of Observation 10 am

Nearest Railway Station
Name Hill End G.N.R
Distance abt 100 yds Direction N.E.

easured daily at 9 a.m., and the result entered to the conform to this almost universal rule, he is earnestly January of the following year in the space provided nstructions for the measurement of rain, nd particulars as to the British Rainfall *Observers*," sent post-free on application to N.W.

Jan. 1, following.

						e.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
							·03	·03					1
2	·10			·31	·16						·13	·15	2
3				·01	·25							·07	3
4	·05		·08	·06						·09	·25	·44	4
5		·04								·08			5
6	·35		·06								·06	·58	6
7	·04									·05	·35		7
8	·18		·22								·14	·32	8
9	·10			·02							·03	·03	9
10		·08	·14								·06	·52	10
11	·26				·13						·63		11
12	Snow ·08		·45		·04	·04					·23		12
13			·08		·25				·49	·41		·28	13
14					·46							·45	14
15		·05	·22							·02	·10	·02	15
16			·02			·21					·40	·09	16
17			·13			·14					·15	·20	17
18		·13				·20					·42	·21	18
19						·15			·07	·06	·30	·11	19
20		·06	·04			·05		·58	·28	·02		·63	20
21	·01	·12				·00		·07		·53		·12	21
22	·12		·11			·06		·01		·08		·50	22
23		·18	·30			·65			·21			·06	23
24		·10	Snow ·04			·05				·73		·30	24
25		·05		·07		·20	·21						25
26		·01		·12		·05				·12		·20	26
27		·41	·07	·25				·01	·13		Snow ·03	·09	27
28		·41						·09			·08		28
29				·01		·16	·14		·24	·24			29
30					·02	·02				·22		·01	30
31					1·35								31
Total	1·30	1·64	1·96	1·43	2·66	1·98	·38	·79	1·42	2·65	3·36	5·38	TOTAL for year 24·95
No. of Rain Days.	11	12	14	9	8	13	3	6	6	13	16	22	133

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

2
JAN 1912

RAINFALL IN 19 11

Kept at Hill End Asylum near St Albans

in the County of Herts 2

by Geo Woodl

HILL END ASYLUM, ST. ALBANS
1 JAN. 1912
CLERK AND STEWARD

RAIN GAUGE
Pattern Negrettis Inner Cup 10½" deep
Diameter of top 5 in.
Height of top above Ground 1 ft. 0
" " " Sea Level abt 295 ft.

Time of Observation 10 am

Nearest Railway Station
Name Hill End G. N. R.
Distance abt 100 yds Direction N. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01			·58			·03	·03					1
2	·10			·31	·16						·13	·15	2
3				·01	·25							·07	3
4	·05		·08	·06						·09	·25	·44	4
5		·04								·08			5
6	·35		·06								·06	·58	6
7	·04									·05	·35		7
8	·18		·22								·14	·32	8
9	·10			·02							·03	·03	9
10		·08	·14								·06	·52	10
11	·26				·13						·63		11
12	Snow ·08		·45		·04	·04					·23		12
13			·08		·25				·49	·41		·28	13
14					·46							·45	14
15		·05	·22							·02	·10	·02	15
16			·02			·21					·40	·09	16
17			·13			·14					·15	·20	17
18		·13				·20					·42	·21	18
19						·15			·07	·06	·30	·11	19
20		·06	·04			·05		·58	·28	·02		·63	20
21	·01	·12				·00		·07		·53		·12	21
22	·12		·11			·06		·01		·08		·50	22
23		·18	·30			·65			·21			·06	23
24		·10	Snow ·04			·05				·73		·30	24
25		·05		·07		·20	·21						25
26		·01		·12		·05				·12		·20	26
27		·41	·07	·25				·01	·13		Snow ·03	·09	27
28		·41						·09			·08		28
29				·01		·16	·14		·24	·24			29
30					·02	·02				·22		·01	30
31					1·35								31
Total	1·30	1·64	1·96	1·43	2·66	1·98	·38	·79	1·42	2·65	3·36	5·38	TOTAL for year 24·95
No. of Rain Days.	11	12	14	9	8	13	3	6	6	13	16	22	133

W. 8,000, X. '11.

Exe DL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

2 [illegible] 1913

Kept at Herts County Asylum, St Albans

in the County of Hertford 2

by G. Goodchild

RAIN GAUGE
Pattern
Diameter of top 5" in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level ? 295 ft.

Time of Observation 10 a.m

Nearest Railway Station
Name Hill End G. N. R
Distance 100 yds Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	...	...	·05	...	...	·20	·04	...	...	·27	...	·14	1
2	...	...	·08	...	...	·05	·35	...	·04	...	...	...	2
3	·09	...	·10	...	·11	·15	...	·24	·01	...	...	·10	3
4	·25	...	·56	...	·28	·19	...	·08	...	...	·28	...	4
5	·18	SNOW ·06	·18	...	...	...	...	·28	...	...	·05	...	5
6	·30	·08	...	...	...	...	...	·17	...	...	...	·03	6
7	·02	...	·05	...	·02	·52	...	·37	...	...	...	·07	7
8	·39	·33	·21	...	...	...	·08	·29	...	...	...	·03	8
9	·08	·06	...	·06	·02	·19	·05	·08	...	...	...	·26	9
10	...	·10	...	...	...	·02	...	·36	·06	...	·20	·12	10
11	·10	·36	...	...	...	...	...	·09	·03	...	·01	...	11
12	·08	·11	·11	...	...	·08	...	...	...	...	·08	...	12
13	...	·01	...	...	...	·05	...	...	...	...	·15	·21	13
14	...	...	·04	...	·02	...	...	·09	...	·02	·02	·02	14
15	...	·03	·05	...	·13	·40	...	·03	...	...	...	·12	15
16	·28	...	·03	...	·03	·04	...	·09	...	·08	·08	...	16
17	SNOW ·16	...	·28	...	...	·11	...	·08	...	...	...	·04	17
18	·30	...	·15	...	...	...	...	·12	...	...	...	·10	18
19	·17	·09	·09	...	...	...	·40	·58	...	...	...	...	19
20	...	...	·20	...	...	...	...	·20	...	·50	...	...	20
21	·03	·05	·33	...	·12	...	...	·19	...	·10	·06	...	21
22	·36	·16	...	...	...	...	·11	·27	...	...	...	·03	22
23	·33	·32	·36	...	...	...	2·52	·44	...	·01	·12	·12	23
24	·37	·03	...	...	...	·03	·02	·07	...	...	...	·20	24
25	...	...	...	...	...	·14	...	·62	...	...	·26	·58	25
26	...	·03	...	...	...	...	·10	·31	...	·40	·67	·18	26
27	...	...	...	...	...	...	...	...	...	·30	...	·19	27
28	...	·05	...	...	...	·03	...	·18	·03	·70	·29	...	28
29	...	·09	...	...	...	·18	·09	·15	1·32	·16	...	...	29
30	...	...	...	...	·31	·02	·03	·02	·90	·40	...	...	30
31	...	...	·21	...	·01	...	·16	·12	...	...	...	·07	31
Total	3·49	1·96	3·08	·06	1·05	2·40	3·95	5·52	2·39	2·94	2·27	2.61	TOTAL for Year 31.72
No. of Rain Days.	17	17	18	1	10	17	12	26	7	11	13	19	168

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

1-JAN 1914

Kept at Herts County Asylum Hill End St Albans
in the County of Hertford
by G. Goodchild.

HILL END ASYLUM ST. ALBANS
1-JAN. 1914
CLERK AND STEWARD

Lat abt 44 NW Long abt 18 W
Time of Observation 10 a.m
Nearest Railway Station Hill End G.N.R
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level abt 295 ft.

IMPORTANT NOTE.—Rain ~~should be~~ measured daily at ~~9~~ 10 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·14	·11	·07					·15		·23		1
2	·01	·13	·01		·12		·13		·01	·32	·05		2
3	·06		·02	·11	·65							·12	3
4	·31		·07		·05		·14			·16	·05	·03	4
5	·09					·03	·19		·08	·07		·02	5
6	...	·07	·04		·08	·33	·04			·27		·06	6
7	...	·22			·13	·03	·03			·35	·07		7
8	...		Snow ·06		·14	·11				·24		·01	8
9	·	·18	·01	·02	·02						·06	·07	9
10	·			·12			·35	·02	·03		·35		10
11	·61			Snow ·50				·20		·30	·40		11
12											·55		12
13	·04		·15					·03	·04		·37		13
14	·09			·05			·41	·08		·17	·02		14
15	·13	·04	·32	·36			·09						15
16	·09		·40	·13					·03		·01		16
17	·02	·01		·02		·05	·12				·01	·15	17
18	·02		·14	·30			·07		·04		·02	·01	18
19	·38		·03			·01	·08		·37			·01	19
20	·10		·04	·01		·06				·36	·02		20
21			·14	·13			·03			·13	·42		21
22	·01		·26	·01				·17	·20				22
23	Snow ·40					·02			·01			·11	23
24	·02			·02								·	24
25		·02		·22									25
26			·20	·26				·09		·65		·20	26
27			·05	·06						·03			27
28	·28		·22	·12						·06			28
29			·08	·57	·45			·05		·02			29
30	·40			·04	·47			·07		·20	·10		30
31			·02					·33		·02			31
Total	3·08	·81	2·37	3·12	2·11	·64	1·68	1·04	·96	3·35	2·73	·79	YEAR'S TOTAL 22·68
Rain Days.	19	8	20	20	9	8	12	9	10	16	16	11	158

W.7,000, XI. 13

Exd-DJJ

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

6

Kept at Herts Co Asylum Hill End St Albans

in the County of Hertford 2

by G. Goodchild

...LUM, ST. ALBANS
1 - JAN. 1915
CLERK AND STEWARD

Lat. abt 44 Long. abt 18

Time of Observation 10 am.

Nearest Railway Station Hill End G. N. R.

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level abt 295 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								.15			.03	.03	1
2	.02			.01			.07	.25			.05	.13	2
3					.24		.12	.04					3
4	.15			.26	.01			.10			.22	.52	4
5			.10	.26	.12	.07	.57	1.04					5
6		.12		.04	.04	.10	.15	.03			.22	.26	6
7		.24	.20		.36	.05	.03	.03				.15	7
8	.08	.18	Snow .83	.10	.13	.12	.15	.12					8
9	.20		.50	.06	.05	.30			.08			1.24	9
10		.20	.05	.08					.18				10
11		.11	.39		.04	.70			.03		.14	.32	11
12	Snow .06	.22	.11				.03		.32		.03	.46	12
13		.08	.26						.25	.06	.02	.43	13
14		.38	.38				.05			.38	.10	.46	14
15	.05	.05	.20				.01				.06	.09	15
16			.06				.07		.15		.03		16
17		.45	.06						.07			.35	17
18		.04	.07								.18	.30	18
19		.06	Snow .20				.03		.03			.06	19
20		.22	Snow .16									.14	20
21		.50	.09			.03				.03		.08	21
22		.10	.08		.18	.08	.05	.03		.59			22
23		.05			.21		.04		[illegible]	.13			23
24			.05				.15						24
25	.04		.15	.03				.11		.40	.12	.12	25
26	.02		.04					.03		.04	.16	.52	26
27											.05	.31	27
28		.03			.03					.04	.35	Snow 1.86	28
29	.09		.10							.27	.16		29
30		X	.05							.05	.49	.37	30
31		X		X	.10	X	.05		X		X	.01	31
Total	.71	3.03	4.13	.84	1.51	1.45	1.57	1.93	1.11	1.99	2.41	8.21	YEAR'S TOTAL 28.89
Rain Days.	9	17	22	8	12	8	15	11	8	10	17	22	159

W. 8,000. X. 14.

esch 95

1002

FORM A.
BRITISH RAINFALL.

5 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Hill End Asylum

in the County of Hertfordshire 2

by Geo Woodfield

4 JAN. 1916

Lat. ______ Long. ______

Time of Observation 9 am.

Nearest Railway Station Hill End G. N. R.

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level abt 295·0 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·43	·14	·12		·02				·06	·07	·06	·30	1
2	·04		·24	·15				1·15		·03		·14	2
3	×Snow ·70		·03	·15			·09	·90				·21	3
4	·08							·01				·30	4
5	·03	·72						·01		·02		·34	5
6	·19	·03		·29			·91					·03	6
7	·06	·34	·03				·46	·02				·31	7
8	·06	·42	·05	·02			·06	·09				·55	8
9		·09		·06		·02					·16		9
10	·40							·10				·07	10
11	·03		·02								·87		11
12	·07	·03		·22	·46			·07		·09	·34	×SNOW. ·04	12
13		·64			1·25			·04					13
14		·04					·86	·15	·04			·60	14
15	·25							·23			×SNOW ·06	·14	15
16	·01	·56					·65	·02					16
17		·30			·49		·20						17
18		·19	×SNOW ·12		·04								18
19			×SNOW. ·02				·13						19
20	·34											·28	20
21	×SNOW. ·20	·19					·04					·04	21
22	·91	·08	·36				·57					·24	22
23	·01	×SNOW ·16				·02	·10		·18	·39		·31	23
24			·27				·18		·31	·09		·25	24
25				·05		·04	·05			·03		·30	25
26		·19				·12	·15		·03			·43	26
27						·23	·17			·36		·06	27
28		·03				·03			1·20	·12			28
29						·05	·09	·15			·30	·01	29
30						1·01		·02			·19	·03	30
31	·07									1·09		·20	31
Total	3·88	4·15	1·26	·94	2·26	1·52	4·41	2·96	1·82	2·29	1·98	5·18	YEAR'S TOTAL 32·95
Rain Days.	18	17	10	7	5	8	16	14	6	10	7	23	141

W. 8,000. X. 15.

×. Part Snow.

REGISTER OF RAINFALL IN 1916.

FORM A.
BRITISH RAINFALL.
3 JAN 1917

Kept at Hill End Asylum St Albans

in the County of Herts

by G. Goodchild Clerk & Steward

Lat. abt 51-45 Long. abt 18
Time of Observation 10 am
Nearest Railway Station Hill End G.N.R.
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level abt 295 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08				·03					·09	·29		1
2	·52		SNOW ·22		·22	·05			·13	·32	·10		2
3		·49	·04				·01		·15	·21	·26		3
4	·30	·08				·39			·01	·12	·10		4
5	·07	·04		·07		·30				·12	1·0		5
6	·02	·03	SNOW ·18	·23		·13	·35			·06	·52		6
7	·11		SNOW ·13		·09	·21	·32				·53	·04	7
8					·57						·02	·28	8
9										·16			9
10		·22	SNOW ·20	·06		·40						·08	10
11	·08	·03	·03	·14		·20							11
12	·03	·16	·06	·09	·55	·15	·06	·15		·09		·03	12
13		·40	·15	·06	·05	·03	·34	·45					13
14		SNOW ·38			·10			·28					14
15		·22	·40				·02	·25				SNOW ·12	15
16			·28	·16			·13	·18		·06			16
17	·13	·10		·16			·08	·09	·28	·57			17
18		·05	·05	·10				·48	·10	·03	SNOW ·48	SNOW ·03	18
19	·10		·18	·14				·03	·37		·72		19
20	·19		·24	·03								·65	20
21			·61				·04					·30	21
22		SNOW ·06			·05					·03		·47	22
23		SNOW ·10				·02		·03			·08	·08	23
24		SNOW ·18				·15		·02		·11	·03	SNOW ·33	24
25		SNOW ·10	·18		·03					·24	·10		25
26		SNOW ·05	SNOW 1·0			·05		·02		·06			26
27	·09	SNOW ·40	·28			·05		·22	·08	·19			27
28		SNOW ·36				·08			·14	·06		·30	28
29		·09				·20		1·39		·48		·12	29
30		X						·05		·28			30
31		X		X		X		·03	X	·12	X		31
Total	1·72	3·54	4·23	1·24	1·69	2·41	1·35	3·67	1·26	3·40	4·23	2·83	YEAR'S TOTAL 31·57
Rain Days.	12	20	17	11	9	15	9	15	8	20	13	13	162

W. 8,000, VIII. 16

Recd C. [illegible] 938

FORM A. BRITISH RAINFALL.

2 JAN

REGISTER OF RAINFALL IN 1917

Kept at Hill End Asylum St Albans
in the County of - Herts
by G Goodchild

Lat. abt 51.45 Long. abt 18.
Time of Observation 9 am
Nearest Railway Station Hill End G.N.R.
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level abt 295 ft.

HILL END ASYLUM, ST. ALBANS
1 JAN 1918
CLERK AND STEWARD

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer elects not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

~~Date~~	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				SNOW ·32				·78	·05				1
2	·02			SNOW ·23		·04		·08			·12		2
3								·27		·36			3
4		SNOW ·15	SNOW ·14					·29		·34			4
5	·18			SNOW ·18				·11	·24	·09	·42		5
6			·06						·03		·06		6
7	·22					·02	·16				·02		7
8	Part Snow ·22			·10			·80	·45		·40	·21	·10	8
9			SNOW ·03	SNOW ·11				·36		·35	·05	·14	9
10	SNOW ·32		·14	Part Snow ·24				·14			·02		10
11	·08		·39	PART SNOW ·12						·33			11
12	Part Snow ·10		·02		·05			·04		·42			12
13	·06		·03	·02				·14		·03			13
14	·04			·18			·02	·06					14
15	SNOW ·05			·04				·02		·05			15
16		·19		·25	·18	·03	·12			·88		SNOW ·28	16
17				·11	·65			·05	·42	·35			17
18	·06			·10	·08	·11	·21		·60	·04			18
19		·22	·08		·09		·20		·30				19
20		·16			·55		·18		·02		·12		20
21			SNOW ·09		·04						·04		21
22			SNOW ·10					·11		·12			22
23		·06			·10			·13		·06			23
24		·06				·03		·09		·30			24
25		·02	SNOW ·04								·02		25
26			SNOW ·06					·14	·08		·35		26
27						·08		·82				SNOW ·10	27
28			·02			in 1·20		·22				·03	28
29					·03		·52	·21		·38			29
30		X	SNOW ·18				in 1·18	·12					30
31	SNOW ·08	X	SNOW ·06	X		X	·38	·01	X		X	SNOW ·08	31
Total	1·43 ✓	·86 ✓	1·44 ✓	2·00 ✓	1·77 ✓	1·51 ✓	3·77 ✓	4·64 ✓	1·74 ✓	4·50 ✓	1·43 ✓	·73 ✓	YEAR'S TOTAL 25·82
Rain Days.	12 ✓	7 ✓	15 ✓	13 ✓	9 ✓	7 ✓	10 ✓	22 ✓	8 ✓	16 ✓	11 ✓	6 ✓	136

1.43

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

13.1.19

Kept at Hill End Asylum, St. Albans

in the County of Hertfordshire

by

HILL END ASYLUM, ST. ALBANS
11 JAN. 1919
CLERK AND STEWARD

Lat. abt. 51-45 Long. abt 18
Time of Observation 9 am
Nearest Railway Station Hill End. G.N.R.
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level abt. 295 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·05							·17	·04	1
2		·10		·15				·12			·09	·22	2
3		·02	·02								·53	·02	3
4		·09			·56				·08	·05	·48	·03	4
5		·01	·02		·11			·16	·35	·10			5
6	·15	·23		·26	·10				·08			·09	6
7	Snow ·04	·10		·10	·08					·13	·13		7
8				·01								·04	8
9	Snow ·03	·05		·02		·07	·27		·38	·19	·03	·21	9
10	·05			·07			·30		·30		·02	·22	10
11				·04	·08		·33			·34	·04	·03	11
12					·27		·08		·05				12
13		·08			·23		·10					·17	13
14	·25	·02		·02		·12	·12		·20	·18		·13	14
15	Snow 1·0			Snow 1·06			·10		·10			·10	15
16	Snow ·22			·50	·02				·12	·09			16
17	·04			·38		·15	·21		·85			·21	17
18	·70					·15	·24			·02		·18	18
19	·04		·03	Snow ·08		·03	·21		·35	·05		·31	19
20	·05	·16		Snow ·68		·05	·05		·22	·23		·01	20
21	·10			·64			·02		·40	·07			21
22	·05				·18		·10		·04			·22	22
23	·02				·55		·58	·05	·07				23
24		·15				·02	·02		·08				24
25						·08	·18	·33			·09		25
26							·16	·13			·08	·24	26
27		·03		·08			·04	·23	·08		·24	·05	27
28		·03	·20	·03		·02					·24	·23	28
29									1·38		·02		29
30		×	·34								·08	·07	30
31		×	·01	×		×			×	·09	×		31
Total	2·74	1·07	·62	4·17	2·18	·69	3·11	1·02	5·13	1·54	2·24	2·82	YEAR'S TOTAL 27·33
Rain Days.	14	13	6	17	10	9	18	6	18	12	14	21	158

W. 8,000, IX. 17.

[illegible] 885

5 JAN 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919

Kept at ~~Hill End~~ Herts County Mental Hospital Hill End St Albans

in the County of Herts

by

[illegible] END ASYLUM, ST. ALBAN
5 JAN 1920
CL[illegible]WARD

Lat abt 51·45 Long abt 18

Time of Observation 9 am

Nearest Railway Station Hill End G.N.R

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level abt 295 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·43	-	.	.	·17	.	·23	.	.	·04	.	1·13	1
2	·26	-	·04	.	·04	.	·10	.	·20	·18	·15	·27	2
3	·40	-	·35	.	.	.	·02	.	·04	.		·27	3
4	·07	-	·30	.	.	·06	·11	.	·04	.	·04	·10	4
5	·03	-	·75	.	.	.	·18	.	·11	.	·03	·13	5
6	-	-	·10	.	.	.	.	.	.	.	·03	·23	6
7	·03	-	·48	.	.	.	.	.	.	.	·08	·14	7
8	·20	-	·08	·10	.	.	.	.	.	.	·04	...	8
9	-	-	·02	·03	·04	.	.	.	.	.	·21	...	9
10	·07	-	·09	·04	.	.	.	.	.	.	·02	·07	10
11	·04	-	·06	·23	.	.	.	.	.	.	.	·02	11
12	-	-	·22	·10	.	·06	·26	.	.	·05	.	.	12
13	·04	-	-	·36	.	.	.	.	.	·04	.	.	13
14	·30	-	-	·44	.	.	·12	.	·14	·07	.	·02	14
15	·29	-	·15	·16	.	.	.	.	.	·04	.	·53	15
16	·05	PART SNOW 1·60	-	·04	.	.	.	.	.	.	·02	.	16
17	-	SNOW ·05	·02	.	.	.	.	.	.	.	·30	.	17
18	-	1·03	·09	.	.	.	.	·03	·03	.	·09	·04	18
19	-	-	·72	.	.	·24	·13	·09	·14	.	.	·10	19
20	·28	·20	·06	.	.	·76	·12	·30	.	.	·06	.	20
21	·36	·35	SNOW ·04	.	.	·05	·20	.	.	.	.	·20	21
22	-	·15	-	.	.	·03	·02	.	1·25	.	.	·24	22
23	-	-	-	.	.	.	.	.	·03	.	.	.	23
24	-	-	-	·08	.	.	·03	·14	.	.	·13	.	24
25	-	-	-	·14	·24	.	.	·34	.	·16	.	.	25
26	-	·26	·13	·04	.	.	·12	.	·06	.	.	·45	26
27	SNOW ·20	·06	SNOW. ·09	SNOW. 1·03	.	.	.	·50	.	.	.	·02	27
28	-	-	-	·31	.	.	.	.	.	.	·17	·05	28
29	-	X	-	·04	.	.	.	·67	.	·22	.	·30	29
30	-	X	-	·23	.	·12	.	·05	.	·30	·06	·03	30
31	-	X	-	X	.	X	.	.	X	·34	X	·44	31
TOTAL	3·05	3·70	3·79	3·37	·49	1·32	1·64	2·12	2·04	1·44	1·43	4·78	YEAR'S TOTAL 29·17
Days with ·01 in. or more	16	8	19	16	4	7	13	8	10	10	15	21	147

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

837

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Hill End Mental Hospital

St Albans

in the County of Herts

by

CLERK AND STEWARD

Lat. 51·45 Long. 18

Time of Observation 10 am

Nearest Railway Station Hill End GNR

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level abt 295 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	...	...	...	·77	·15	...	·23	...	...	·71	...	...	1
2	...	...	...	...	...	...	·23	·48	·05	...	...	·08	2
3	...	·04	...	·30	...	...	·12	...	·08	·04	...	·26	3
4	...	...	...	·11	...	...	...	·04	...	·18	...	·10	4
5	...	...	...	...	·02	...	·70	...	...	...	...	·04	5
6	...	...	·33	...	·08	...	·31	·05	·06	...	...	·02	6
7	·03	...	SNOW ·04	·18	...	...	·15	...	...	...	...	...	7
8	·13	·03	...	·20	·03	...	·30	·05	...	...	...	...	8
9	·37	...	...	·07	...	...	...	·02	...	...	...	...	9
10	·38	·06	·09	...	...	·10	·11	...	...	...	...	...	10
11	·22	...	·04	·38	·05	·09	·15	...	...	...	...	SNOW ·08	11
12	·05	...	...	·11	...	·56	...	...	...	...	...	...	12
13	·10	·03	·12	·30	...	...	...	...	...	...	·09	...	13
14	...	...	·24	·18	...	·50	·09	...	·15	·15	·40	...	14
15	·02	·04	SNOW. ·19	·37	...	...	·03	...	·34	...	·07	...	15
16	...	...	...	·18	...	·09	...	...	·09	...	...	...	16
17	...	...	...	...	·14	·02	...	...	·24	·08	...	·06	17
18	·04	...	...	...	...	...	...	·60	·20	...	...	·03	18
19	·07	...	...	·16	...	...	...	...	...	...	...	·02	19
20	·05	·09	...	·30	...	...	...	...	...	...	...	...	20
21	...	...	...	·10	...	...	·52	...	·59	...	...	...	21
22	...	...	...	·20	...	...	...	...	·05	...	...	·18	22
23	...	...	...	...	...	...	·75	...	...	...	...	·35	23
24	...	...	·24	...	...	...	...	...	...	...	...	·03	24
25	·06	·02	·05	·07	...	...	·27	...	...	...	...	...	25
26	...	...	·05	...	·09	...	...	...	...	...	...	·02	26
27	·37	...	...	·19	...	·64	...	...	...	...	·74	·15	27
28	·47	...	·08	...	·30	·01	·08	...	...	...	...	...	28
29	·20	...	·09	...	·04	...	·04	...	...	...	·10	·30	29
30	·03		...	·04	...	·04	·43	...	·32	...	·20	·21	30
31	·02		...		·04		...	...		·20		·11	31
TOTAL	2·61	·31	1·56	4·21	·94	2·05	4·51	1·24	2·17	1·36	1·60	2·04	YEAR'S TOTAL 24·60
Days with ·01 in. or more	17	7	12	19	10	9	17	6	11	6	6	17	137
Days with ·04 in. or more	13	4	12	19	8	7	16	5	11	6	6	12	119

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

and for W.D.

REG 14

FORM A.
BRITISH RAINFALL.
6 JAN 1915

HERTS.

ST. ALBANS - CHILDWICKBURY GARDENS

1914 - 1920

Kept at Childwick

in the County of Her

by Thomas N

ong.

9. a. m

ion S. Albans

uge 12 in.

ge above Ground 1 ft. — in.

„ Sea Level 400 ft.

IMPORTANT NOT m. and the result entered to the previous day. If an Ob conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0'03

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		0'01	0'05	0'03		0'10		0'06				0'34	1
2	0'06							0'23			0'05		2
3				0'03				0'16			0'06	0'18	3
4			0'03		0'22		0'20	0'04			0'12	0'02	4
5	0'14			0'31				0'18			0'25	0'55	5
6	0'03		0'06	0'28	0'03	0'09	0'61	0'44			0'02		6
7		0'13			0'24	0'36	0'14				0'23	0'33	7
8		0'39	0'22	0'13	0'04	0'03		0'12				0'33	8
9	0'04	0'16	1'18	0'12		0'25	0'13	0'02					9
10	0'22		0'61	0'10		0'36			0'11			0'14	10
11	0'05	0'14	0'09	0'06	0'05							0'01	11
12		0'29	0'44		0'04	0'42			0'21		0'26	0'31	12
13		0'04	0'10				0'08		0'35			0'50	13
14		0'04	0'19						0'23		0'06	0'44	14
15		0'15	0'41				0'04			0'53	0'22	0'45	15
16	0'09	0'03	0'19				0'02			0'01		0'06	16
17			0'09				0'05		0'01		0'05		17
18		0'48	0'06						0'24			0'35	18
19		0'02	0'08								0'19	0'40	19
20		0'04	0'09						0'04			0'05	20
21		0'29	0'35									0'14	21
22		0'46	0'09			0'08				0'03	0'01	0'04	22
23		0'16			0'23	0'09	0'08	0'05		0'48			23
24		0'11	0'10		0'04					0'11		0'03	24
25			0'09	0'04			0'14			0'09	0'10		25
26	0'13		0'14							0'41		0'12	26
27		0'02	0'04					0'16		0'02	0'24	0'59	27
28	0'06	0'01	0'01								0'04	0'25	28
29			0'03		0'06					0'05	0'39	1'13	29
30	0'06	✕	0'09							0'32	0'13	0'04	30
31		✕		✕		✕			✕	0'04	✕	0'45	31
Total	·01 ~~0'94~~ ·95	·05 ~~3'06~~ 3.10	·03 ~~4'89~~ 4.87	~~1'40~~ 1.07	·10 ~~1'04~~ 1.17	~~1'78~~ 1.68	·06 ~~1'49~~ 1.55	~~1'49~~ 1.73	~~1'79~~ 1.19	~~2'39~~ 2.39	·37 ~~2'42~~ 2.79	·03 ~~8'34~~ 8.03	YEAR'S TOTAL ~~30'49~~ 30.52
Rain Days.	~~10~~ 11	19	25	~~9~~ 8	~~9~~ 10	~~9~~ 8	~~10~~ 11	~~10~~ 9	7	11	~~14~~ 18	25	162

W. 8,000. X. 14.

cm for W.D.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
6 JAN 1915

Kept at Childwickbury Gardens

in the County of Herts

by Thomas Nutting

Lat. .... Long. ....

Time of Observation 9. a. m

Nearest Railway Station S. Albans

Diameter of Rain Gauge 12 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0'03

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		0'01	0'05	0'03		0'10		0'06				0'34	1
2	0'06							0'23			0'05		2
3				0'03				0'16			0'06	0'18	3
4			0'03		0'22		0'20	0'04			0'12	0'02	4
5	0'14			0'31				0'18			0'25	0'35	5
6	0'03		0'06	0'28	0'03	0'09	0'61	0'44			0'02		6
7		0'13			0'24	0'36	0'14				0'23	0'33	7
8		0'39	0'22	0'13	0'04	0'03		0'12				0'33	8
9	0'04	0'16	1'18	0'12		0'25	0'13	0'02					9
10	0'22		0'61	0'10		0'36			0'11			0'14	10
11	0'05	0'14	0'09	0'06	0'05							0'01	11
12		0'29	0'44		0'04	0'42			0'21		0'26	0'31	12
13		0'04	0'10				0'08		0'35			0'50	13
14		0'04	0'19						0'23		0'06	0'44	14
15		0'15	0'41				0'04			0'53	0'22	0'45	15
16	0'09	0'03	0'19				0'02			0'01		0'06	16
17			0'09				0'05		0'01		0'05		17
18		0'48	0'06						0'24			0'35	18
19		0'02	0'08								0'19	0'40	19
20		0'04	0'09						0'04			0'05	20
21		0'29	0'35									0'14	21
22		0'46	0'09			0'08				0'03	0'01	0'04	22
23		0'16			0'23	0'09	0'08	0'05		0'48			23
24		0'11	0'10		0'04					0'11		0'03	24
25			0'09	0'04			0'14			0'09	0'10		25
26	0'13		0'14							0'41		0'12	26
27		0'02	0'04					0'16		0'02	0'24	0'59	27
28	0'06	0'01	0'01								0'04	0'25	28
29			0'03		0'06					0'05	0'39	1'13	29
30	0'06	✕	0'09							0'32	0'13	0'04	30
31		✕		✕		✕			✕	0'04	✕	0'45	31
Total	·01 0'94 ·95	·05 3'06 3.10	·03 4'89 4.87	1'10 1.07	·10 1'04 1.17	1'78 1.68	·06 1'49 1.55	1'49 1.73	1'79 1.19	2'39 2.39	·37 2'42 2.79	·93 7'34 8.03	YEAR'S TOTAL 30'49 30.52
Rain Days.	~~10~~ 11	19	25	~~9~~ 8	~~9~~ 10	~~9~~ 8	~~10~~ 11	10 9	7	11	~~14~~ 18	25	162

W. 8,000. X. 14.

~~W~~ D L cnd p mth 8.11.16 1008

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

3 - JAN 1916

Kept at The Gardens, Childwickbury
in the County of Hertfordshire L
by Thomas Nutting

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station S. Albans
Diameter of Funnel of Rain Gauge 12 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0'49	0'14	0'05		0'04				0'20		0'12	0'44	1
2	0'20	0'31	0'25	0'11				0'83		0'13	0'01		2
3	0'50		0'03	0'15			0'21	0'99	0'03			0'43	3
4	0'08							0'03		0'02	0'01	0'46	4
5	0'03	0'49			0'31			0'03		0'02		0'24	5
6	0'22	0'04	0'01	0'35			0'49						6
7	0'12	0'48	0'09	0'02			0'34					0'35	7
8	0'04	0'45	0'02				0'05						8
9		0'03		0'05		0'04		0'09			0'25	0'60	9
10	0'38							0'04				0'08	10
11	0'04		0'02								0'86	0'03	11
12	0'04		0'01	0'29	0'44			0'13		0'12	0'54		12
13		0'60			1'41			0'06					13
14	0'01	0'38			0'01		0'64	0'12	0'05			0'42	14
15	0'25				0'04			0'21			0'22	0'18	15
16	0'01						0'43					0'18	16
17		1'05			0'44		0'22						17
18		0'16	0'19		0'03						0'05	0'02	18
19		0'05	0'02				0'16						19
20	0'38			0'03								0'30	20
21	0'13											0'02	21
22	1'11	0'43	0'36				0'50		0'02			0'18	22
23	0'01	0'24	0'25				0'23		0'48	0'50		0'34	23
24			0'10			0'05	0'25		0'40	0'10		0'35	24
25				0'04			0'08			0'04	0'03	0'25	25
26		0'16				0'04			0'01			0'43	26
27		0'01				0'46	0'21			0'45		0'18	27
28		0'14				0'20			1'34	0'14			28
29							0'10	0'20			0'16	0'02	29
30	0'02	X				0'09					0'09	0'02	30
31	0'03	X		X		X		0'02	X	1'04	X	0'21	31
Total	4'12	5'25	1'45 1·40	1'04	2'42	0'88	4'54	2'48	2'56	2'59	2'34	6'03	YEAR'S TOTAL 36'37 36·31
Rain Days.	20	14	13	8	8	6	14	12	8	10	11	23	150

W. 8,000. X. 15.

Ex 8

978

FORM A.
BRITISH RAINFALL.
11 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Childwickbury Gardens
S. Albans
in the County of Herts
by Thomas Nutting

Lat. .... Long. ....
Time of Observation 9 o/c a.m
Nearest Railway Station S. Albans
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0'18		0'02								0'33		1
2	0'46		0'25		0'34	0'03			0'28	0'47	0'09		2
3		0'64	0'05						0'20	0'30	0'24		3
4	0'38	0'08				0'37			0'01	0'02	0'33		4
5	0'12	0'03	0'03			0'13				0'10	0'60		5
6		0'07	0'31	0'28	0'07	0'11	0'46				0'64		6
7	0'17		0'30		0'09					0'09	0'54	0'04	7
8			0'01		0'39		0'09					0'35	8
9					0'34		0'10			0'13		0'09	9
10		0'15		0'08		0'48					0'01		10
11	0'13	0'13		0'15		0'16						0'12	11
12	0'04	0'04	0'36	0'02	0'35	0'15	0'09	0'15		0'16	0'02		12
13	0'02	0'39	0'15	0'09	0'01	0'06	0'35	0'35					13
14		0'39	0'01	0'02	0'10			0'29		0'06		0'11	14
15		0'16	0'47	0'03				0'34					15
16		0'05	0'35	0'14	0'08		0'24	0'14		0'07		0'03	16
17	0'15			0'09			0'16	0'05	0'30	0'52			17
18		0'14	0'03	0'16				0'20	0'14	0'02	0'69		18
19	0'13	0'02	0'22	0'13				0'01	0'36		0'83	0'19	19
20	0'29		0'29	0'04				0'02			0'03	0'46	20
21			0'74				0'10					0'44	21
22	0'01	0'18	0'03		0'06					0'05	0'02	0'43	22
23		0'46				0'15		0'02		0'02	0'10	0'09	23
24	0'01	0'01	0'05			0'29				0'11	0'05	0'40	24
25		0'50	0'10					0'21		0'18	0'11	0'01	25
26		0'17				0'07		0'06		0'05	0'01		26
27	0'13	0'02	0'96			0'15		0'24	0'11	0'14			27
28		0'41	0'34			0'11			0'11			0'34	28
29		0'07				0'24		1'44		0'60	0'02	0'11	29
30		X			0'14	0'08		0'12		0'40		0'02	30
31		X		X		X		0'03	X	0'10	X	0'01	31
Total	2'42	4'31	5'04	1'23	2'34	2'72	1'59	3'64	1'57	3'59	4'69	3'29	YEAR'S TOTAL 36'46
Rain Days.	14	21	21	12	11	15	8	16	8	20	18	14	181

W. 8,000, VIII. 16

Snow Feb. 22nd to 27th

Snow March 24th to 27th also on the 5th & 7th

" Nov. 18th

" December 11th, 14th & 19th & 24th

Fairly heavy falls occurred on above dates

944

FORM A.
BRITISH RAINFALL.

8 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at The Gardens Childwickbury S. Albans

in the County of Herts

by Thomas Nutting

Lat. Long.
Time of Observation 9 th a.m
Nearest Railway Station S. Albans
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0'02			0'12				1'06	0'08		0'13		1
2				0'19		0'13		0'09					2
3				0'02				0'55		0'30	0'33		3
4		Snow 0'19	0'16					0'09		0'62			4
5	0'20		0'02	0'23				0'14	0'26	0'08	0'12		5
6	0'01		0'04	0'01					0'05	?			6
7	0'28					0'04	0'28			0'59	0'04		7
8	0'32			0'12			1'01	0'78		0'41	0'24	0'15	8
9				0'09			0'02	0'78	0'04		0'04	0'10	9
10	Snow 0'34		0'25	0'21				0'15		0'02	0'04	0'02	10
11			0'58	0'16						0'38			11
12	0'18		0'01		0'13			0'21		0'40			12
13	0'14		0'06	0'02				0'16	0'04	0'03	0'01		13
14	0'03		0'01	0'14				0'04				0'05	14
15	0'05			0'08			0'02	0'02		0'06			15
16	0'02	0'19		0'40	0'18	0'25	0'14			0'94		0'16	16
17				0'14	0'79		0'29		0'44	0'34	0'01		17
18	0'04			0'14	0'07	0'11	0'13	0'13	0'68	0'09			18
19	0'01	0'20	0'06		0'06	0'03			0'29				19
20		0'25	0'09		0'64		0'03	0'01			0'09		20
21			0'02	0'03	0'07					0'02	0'05		21
22			0'14					0'04		0'17			22
23		0'08	0'01		0'13			0'14		0'04			23
24		0'06						0'19			0'03	0'06	24
25		0'02				0'04				0'48	0'04		25
26			0'15					0'22	0'08		0'40		26
27			0'01			0'09		1'00				0'04	27
28			0'04			1'06		0'16				0'03	28
29			0'07			0'10	1'21	0'16		0'52		0'15	29
30		X	0'15				1'18	0'20					30
31	0'11	X	0'13	X		X	0'52		X		X		31
Total	1'48	0'99	2'00	2'10	2'07	1'88	4'88 4·88	6'32	1'96	5'52	1'54	0'76	YEAR'S TOTAL 30'83 31·83
Rain Days.	(16)	7	19	16	8	9	11	22	9	18	14	9	(158)

Snow from 1st to 11th

Snow from 22nd to end of month

Slight snow showers from the 19th frost daily from the 19th to the end of month 0'11

W. 8,000, VIII. 16

4.61

~~W.~~ E.F.F. and pr. auth

27

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

3 . 1 . 19

Kept at Childwickbury Gardens
S. Albans
in the County of Herts
by Thomas Nutting

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station S. Albans
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				0'08							0'19	0'06	1
2		0'10		0'11				0'14			0'19	0'25	2
3			0'04	0'01	0'68			0'02	0'12		0'58	0'02	3
4		0'11	0'08						0'54		0'61		4
5		0'03	0'01		0'15			0'16	0'11	0'10	0'01		5
6	0'14	0'33		0'33								0'10	6
7		0'12		0'10	0'22				0'10	0'15			7
8									0'06	0'01	0'18	0'06	8
9	Snow 0'04	0'06		0'09		0'10	0'43		0'43		0'01	0'26	9
10	0'05			0'06			0'24					0'25	10
11				0'03	0'10		0'30		0'03	0'55	0'03	0'05	11
12	0'01	0'07			0'02		0'04						12
13		0'01		0'02	0'39				0'16			0'12	13
14	0'25		0'01			0'12	0'22		0'21	0'24	0'01	0'23	14
Snow & sleet 15	1'15			0'40		0'01	0'11		0'01			0'15	15
16	0'16			1'41					1'36	0'10			16
17	0'20			0'47		0'09	0'22					0'14	17
18	0'30					0'24	0'40		0'33	0'09		0'31	18
19	0'11		0'04	0'11		0'32	0'36			0'08	0'02	0'32	19
20	0'02	0'19		0'56		0'04	0'03		0'15	0'03	0'01		20
21	0'15			0'66					0'49	0'09		0'02	21
22	0'06				0'13		0'04		0'09			0'24	22
23	0'04				1'00		0'44	0'05	0'03		0'02	0'03	23
24		0'23					0'04		0'04		0'15		24
25						0'08	0'26	0'33					25
26							0'09	0'13		0'02	0'19	0'28	26
27		0'06		0'11			0'10	0'25	0'08		0'24	0'05	27
28	0'02	0'04	0'29	0'08		0'19					0'20	0'19	28
29									1'56		0'03		29
30	0'04	X	0'34						0'04		0'08	0'04	30
31		X	0'03	X		X			X	0'08	X	0'03	31
Total	2'94	1'38	0'84	4'95	2'69	1'19	3'41 ~~2'34~~	1'08	5'94	1'54	2'45	3'19	YEAR'S TOTAL 31'60 ~~30'95~~
Rain Days.	16	12	8	14	8	9	16	4	20	12	18	22	165

W. 8,000, IX. 17.

FROM
T. NUTTING.
THE GARDENS,
CHILDWICKBURY.
ST. ALBANS.

May 2nd 1919

To Mr Carle Salter

Dear Sir

I regret having made the error in my returns of the rainfall for last July - The correct figures are as you have stated 3"41 in.

In calculating the daily entries it seems I must have overlooked the returns for the 9th-10th-11th & 12th days of July these dates being on a different page to the remaining days of the month - for I find that entered the total for the month as 2-34 this with amount reg on the above dates amounts to 3-41 which is the correct amount.

I thank you for drawing my attention to this and am sorry that I made the mistake

Yours faithfully
Thomas Nutting

cord for anly ~~IV~~ 1Kb

892

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Childwickbury Gardens

in the County of Herts

by Thomas Nutting

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station S. Albans

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0'46	0'06					0'09			0'02	0'12	1'50	1
2	0'25		0'04	0'14			0'21		0'26	0'21	0'21	0'48	2
3	0'49		0'35				0'05		0'04		0'04	0'30	3
4	0'07		0'38		0'01	0'08	0'09		0'10			0'18	4
5	0'03	Snow 0'36	0'62				0'31		0'14		0'02	0'32	5
6	0'01		0'13		0'03			0'06			0'03	0'14	6
7	0'06		0'48								0'13		7
8	0'26		0'07	0'10							0'01		8
9			0'04	0'08	0'06						0'20		9
10	0'08		0'14	0'34							0'04	0'08	10
11	0'06		0'10	0'25			0'36				0'01	0'02	11
12			0'24	0'05		0'11	0'11			0'04	0'02		12
13	0'04	0'02		0'35						0'04			13
14	0'39			0'50			0'09		0'15	0'06		0'06	14
15	0'42	0'04	0'15	0'21						0'06	0'03	0'60	15
16	0'03	0'46									0'14	0'05	16
17		0'41									0'29	0'04	17
18		0'64	0'09					0'04	0'03		0'06	0'08	18
19	0'10	0'15	0'42				0'32	0'26	0'21		0'12		19
20	0'28	0'08	0'12			1'04	0'30	0'40				0'05	20
21	0'42	0'50	0'05				0'24					0'06	21
22		0'11				0'03	0'13		0'32		0'01	0'47	22
23									0'02	0'03	0'03		23
24				0'13			0'08	0'11		0'21	0'17	0'01	24
25	Snow/Sleet 0'11			0'03	0'30			0'38				0'05	25
26	0'14	0'34	0'19	0'19			0'09	0'16	0'16			0'30	26
27	Snow 1'38	0'03	0'02	Snow 1'04				0'61			0'03	0'06	27
28	0'08		0'12					0'89			0'26	0'36	28
29	0'05			0'06		0'19		0'19		0'29		0'05	29
30		X	0'04	0'29				0'09		0'05	0'39	0'46	30
31		X	0'02	X		X			X		X	0'02	31
Total	5·24 ~~5'74~~	3'53	4'44	3'34	0'57	1'48	2'50	3'52	1'46	1'04	2'28	6'24	YEAR'S TOTAL 35·64 ~~35'17~~
Rain Days.	22	13	21	14	5	5	14	11	10	10	22	24	145

W. 6,500. VII. 18. w w c

Wt cnd fr auth ofly Herts NAS

845

8 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

Kept at Childwickbury Gardens

in the County of Herts

by Thomas Nutting

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station S. Albans

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft — in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				0'84	0'18		0'42			0'46		0'37	1
2				0'04			0'04	0'50	0'07			0'20	2
3		0'05		0'64			0'66			0'04		0'11	3
4				0'07				0'15	0'10	0'36		0'09	4
5		0'02	0'05				0'81	0'04	0'07		0'02	0'12	5
6			0'19		0'12		0'50					0'04	6
7	0'03		0'07	0'14			0'31					0'02	7
8	0'15	0'05		0'39	0'09		0'15	0'09					8
9	0'42	0'01		0'06			0'01						9
10	0'50	0'06	0'11			0'10	0'14	0'04				0'03	10
11	0'31		0'08	0'50	0'03	0'15	0'17						11
12	0'07			0'13		0'66	0'01				0'03		12
13	0'11	0'04	0'08	0'27									13
14	0'01	0'01	0'38	0'30		0'28	0'05		0'15	0'41	0'52	0'06	14
15	0'01	0'05	0'22	0'30			0'01		0'25		0'17		15
16				0'09		0'28			0'07	0'09		0'02	16
17	0'04			0'02	0'17		0'04		0'19	0'01		0'03	17
18	0'09	0'02			0'03			0'71	0'28		0'01	0'06	18
19	0'12			0'14	0'04			0'02				0'07	19
20	0'06	0'11		0'33		0'58					0'02	0'05	20
21							0'54	0'05	0'44			0'12	21
22				0'27					0'28		(·02)	0'17	22
23	0'01						0'91					0'53	23
24	0'02	0'05	0'14									0'04	24
25			0'04	0'10			0'38						25
26	0'17		0'08	0'01	0'33	0'01	0'03					0'03	26
27	0'39	0'09	0'01	0'21		0'24	0'01				0'49	0'18	27
28	0'50	0'01	0'13		0'32	0'02	0'08					0'01	28
29	0'26		0'06		0'06		0'03				0'17	0'33	29
30		×		0'01			0'40		44	0'03	0'25	0'27	30
31	0'05	×		×	0'05	×			×	0'25	×	0'17	31
TOTAL	3'32	0'57	1'64	4'88	1'42	2,30 ~~2'40~~	5'60	1'60	2'32	1'63	[illegible]	3'06	YEAR'S TOTAL 30'36 ~~30'46~~
Days with ·01 in. or more	20	13	14	21	11	9	22	8	11	8	10	24	141
∆.04	15	8	13	12	9	7	16	7	11	6	5	17	132

(44,283). Wt.2[illegible]958—218. 7500. 10/19. Gp.132. A.&E.W.

1003

HERTS
ST. ALBANS - INNINGS ROAD
1915 — 1920

REGIS 15

FORM A.
BRITISH RAINFALL.

16 FEB 1916

ng.

Kept at Innings 9. a.m.

n S. Albans Rd

in the County of H

Rain Gauge 5 in.

by M. L. K

above Ground 1 ft. 6 in.

„ Sea Level 380 ft.

IMPORTANT NOTE and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·39	·13	·05	—	·03	—	—	—	·07	·08	·09	·37	1
2	·19	·22	·24	·17	—	·02	—	1·01	—	·03	·01	·18	2
3	·50	—	·03	·11	—	—	·14	·96	—	—	—	·24	3
4	·05	—	—	—			—	—	—	—	·01	·42	4
5	·03	·44	—	—	·10	—	—	·03	—	·04	—	·22	5
6	·19	·05	·01	·31	—	—	·97	—	—	—	—	·14	6
7	·07	·36	·08	·01	—	—	·39	·04	—	—	·01	·25	7
8	·06	·40	·03	·03	—	—	·07	·09	—	—	·01	—	8
9	—	·07	—	·05	—	·05	—	·01	—	—	·17	·60	9
10	·39	—	·01	—	—	—	—	·17	—	—	—	·08	10
11	·03	·17	·02	—	—	—	—	—	·01	—	·87	—	11
12	·07	·41	—	·28	·38	—	—	·11	—	·09	·51	·01	12
13	—	—	·01	—	1·37	—	—	·08	—	—	—	—	13
14	—	·06	—	—	—	—	·67	·24	·06	—	—	·75	14
15	·25	—	—	—	·04	—	—	·16	—	—	·25	·09	15
16	·01	·61	—	—	—	—	·71	·01	—	—	—	·09	16
17	—	·25	—	—	·44	—	·17	—	—	—	·01	—	17
18	—	·20	·15	—	·03	—	—	—	—	—	·04	—	18
19	—	·03	·02	—	—	—	·13	—	—	—	—	—	19
20	·40	—	—	·03	—	—	—	—	—	—	—	·23	20
21	·30	—	—	—	—	—	·08	—	—	·01	—	·05	21
22	·78	·28	·38	—	—	—	·47	—	·01	—	—	·21	22
23	·02	·28	·19	—	—	·04	·08	—	·42	·43	—	·31	23
24	—	—	·12	—	—	·01	·05	—	·33	·09	—	·27	24
25	—	—	—	·06	—	·03	·04	—	·01	·05	·02	·20	25
26	—	·14	·01	—	—	·15	·13	—	·04	—	—	·45	26
27	—	·01	—	—	—	·22	·17	—	—	·43	—	·04	27
28	—	·08	—	—	—	·10	—	—	1·29	·09	·01	—	28
29	—	╳	—	—	—	—	·06	·17	·01	·01	·11	·01	29
30	·03	╳	—	—	—	·58	—	—	—	·05	·10	—	30
31	·04	╳	—	╳	—	╳	—	·03	╳	·99	╳	·17	31
Total	3·80	4·19	1·35	1·05	2·39	1·20	4·33	3·11	2·25	2·39	2·22	5·38	YEAR'S TOTAL 33.66
Rain Days.	19	19	15	9.	7	9	16	14	10.	13	15	23	169

W. 8,000. X. 15.

1003

REGISTER OF RAI 15

FORM A.
BRITISH RAINFALL.

16 FEB 1916

Kept at Jennings Rd S. Albans
in the County of Hertford
by M. L. Nicholas

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station S. Albans Mid.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 380 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·39	·13	·05	–	·03	–	–	–	·07	·08	·09	·37	1
2	·19	·22	·24	·17	–	·02	–	1·01	–	·03	·01	·18	2
3	·50	–	·03	·11	–	–	·14	·96	–	–	–	·24	3
4	·05	–	–	–		–	–	–	–	–	·01	·42	4
5	·03	·44	–	–	·10	–	–	·03	–	·04	–	·22	5
6	·19	·05	·01	·31	–	–	·97	–	–	–	–	·14	6
7	·07	·36	·08	·01	–	–	·39	·04	–	–	·01	·25	7
8	·06	·40	·03	·03	–	–	·07	·09	–	–	·01	–	8
9	–	·07	–	·05	–	·05	–	·01	–	–	·17	·60	9
10	·39	–	·01	–	–	–	–	·17	–	–	–	·08	10
11	·03	·17	·02	–	–	–	–	–	·01	–	·87	–	11
12	·07	·41	–	·28	·38	–	–	·11	–	·09	·51	·01	12
13	–	–	·01	–	1·37	–	–	·08	–	–	–	–	13
14	–	·06	–	–	–	–	·67	·24	·06	–	–	·75	14
15	·25	–	–	–	·04	–	–	·16	–	–	·25	·09	15
16	·01	·61	–	–	–	–	·71	·01	–	–	–	·09	16
17	–	·25	–	–	·44	–	·17	–	–	–	·01	–	17
18	–	·20	·15	–	·03	–	–	–	–	–	·04	–	18
19	–	·03	·02	–	–	–	·13	–	–	–	–	–	19
20	·40	–	–	·03	–	–	–	–	–	–	–	·23	20
21	·30	–	–	–	–	–	·08	–	–	·01	–	·05	21
22	·78	·28	·38	–	–	–	·47	–	·01	–	–	·21	22
23	·02	·28	·19	–	–	·04	·08	–	·42	·43	–	·31	23
24	–	–	·12	–	–	·01	·05	–	·33	·09	–	·27	24
25	–	–	–	·06	–	·03	·04	–	·01	·05	·02	·20	25
26	–	·14	·01	–	–	·15	·13	–	·04	–	–	·45	26
27	–	·01	–	–	–	·22	·17	–	–	·43	–	·04	27
28	–	·08	–	–	–	·10	–	–	1·29	·09	·01	–	28
29	–	X	–	–	–	–	·06	·17	·01	·01	·11	·01	29
30	·03	X	–	–	–	·58	–	–	–	·05	·10	–	30
31	·04	X	–	X	–	X	–	·03	X	·99	X	·17	31
Total	3·80	4·19	1·35	1·05	2·39	1·20	4·33	3·11	2·25	2·39	2·22	5·38	YEAR'S TOTAL 33·66
Rain Days.	19	19	15	9	7	9	16	14	10	13	15	23	169

W. 8,000. X. 15.

973

Ex'd C.F.E.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
15. JAN 1917

Kept at Jennings Rd. S. Albans
in the County of Hertford
by M. C. Nicholas

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Midland.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 380. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·12	—	·02	—	·05	·03	—	—	·09	·10	·30	—	1
2	·57	·03	·17	—	·26	·09	·03	—	·09	·31	·07	—	2
3	—	·44	·09	—	—	·01	·02	—	·10	·25	·21	—	3
4	·32	·08	·03	—	—	·53	—	—	·02	·12	·38	—	4
5	·03	·02	·02	·04	·04	·21	—	—	—	·11	·45	—	5
6	·01	·05	·25	·25	·01	·11	·40	—	—	·07	·53	—	6
7	·12	—	·29	—	·12	·03	·22	—	—	·03	·47	·03	7
8	—	—	—	—	·58	—	—	—	—	—	·01	·25	8
9	—	—	—	—	·26	—	—	—	—	·15	—	·02	9
10	—	·24	·18	·07	—	·41	·08	—	—	—	—	·01	10
11	·09	·04	·08	·15	—	·21	—	—	—	—	—	·09	11
12	·04	·05	·04	·05	·35	·13	·09	·15	·01	·10	·01	·01	12
13	·02	·48	·16	·09	·02	·05	·40	·47	—	·01	—	—	13
14	—	·46	·01	·05	·10	—	—	·29	—	·07	—	·15	14
15	—	·15	·41	·01	—	—	·05	·25		·04	—	—	15
16	·01	·01	·32	·16	·06	—	·17	·14	—	·03	—	—	16
17	·13	·01	—	·15	—	—	·04	·06	·33	·53	—	—	17
18	—	·11	·05	·12	—	—	—	·26	·12	·03	·56	·01	18
19	·09	·01	·20	·15	—	—	—	·03	·40	—	·66	·12	19
20	·22	—	·20	·02	—	—	—	—	—	—	·01	·38	20
21	—	—	·76	—	—	—	·05	—	—	—	·01	·43	21
22	—	·07	·01	—	·06	·01	—	—	—	·03	—	·43	22
23	·02	·22	—	·03	—	·05	—	·02	—	·01	·07	·08	23
24	—	·07	·03	—	·03	·42	—	·03	·01	·13	·03	·41	24
25	—	·48	·08	—	·01	—	—	·20	—	·14	·08	·01	25
26	—	·14	—	—	—	·05	—	·08	—	·06	—	—	26
27	·14	·02	1·15	—	—	·04	—	·20	·10	·15	—	—	27
28	—	·41	·50	—	—	·10	—	·02	·22	·11	·02	·24	28
29	—	·07		—	—	·27	—	1·33	—	·42	—	·10	29
30	—	X	—	—	·08	·04	—	·06	—	·28	—	—	30
31	—	X	—	X	—	X	—	·04	X	·10	X	·01	31
Total	1·93	3·66	5·05	1·34	2·03	2·78	1·55	3·63	1·49	3·38	3·87	2·78	YEAR'S TOTAL 33·49
Rain Days.	15	23	23	14	15	19	11	17	11	25	17	18	208

W. 8,000, VIII. 16

940

FORM A.
BRITISH RAINFALL.

FEB 1918

REGISTER OF RAINFALL IN 1917

Kept at Jennings Rd S. albans

in the County of Hertford

by M. L. Nicholas

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station Midland
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 380. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·01	—	·43	—	—	—	·88	·05	—	·07	·01	1
2	—	·01	—	·06	—	·07	—	·13	—	—	·01	—	2
3	—	—	—	·02	—	—	—	·36	—	·41	·34	—	3
4	·01	·17	·15	—	—	—	—	·12	—	·34	—	—	4
5	·18	—	·01	·20	—	—	—	·26	·23	·08	·11	—	5
6	·01	—	·01	—	—	—	—	—	·05	·23	·03	—	6
7	·22	—	·01	—	—	·06	·19	—	—	·17	—	·02	7
8	·34	—	—	·10	—	—	·86	·71	—	·33	·21	·07	8
9	·05	—	·10	·11	—	—	—	·29	·01	—	·04	·11	9
10	·31	—	·13	·26	—	—	—	·14	—	·02	·03	·01	10
11	·01	·03	·52	·09	—	—	—	—	—	·30	—	—	11
12	·12	—	·01	·01	·06	—	—	·13	—	·39	·01	—	12
13	·11	—	·04	·01	—	—	—	·15	·04	·02	—	·01	13
14	·01	—	—	·27	—	—	—	·04	—	—	—	·04	14
15	·04	—	—	·07	—	—	·02	·05	—	·06	—	·01	15
16	·01	·15	·01	·29	·19	·12	·15	—	—	·85	·01	·20	16
17	—	·02	—	·14	·64	—	·24	·09	·40	·28	—	—	17
18	·06	·02	—	·09	·06	·09	·15	—	·60	·06	—	—	18
19	·01	·22	·06	—	·06	·03	—	—	·30	—	—	—	19
20	·02	·12	·11	—	·57	—	·10	·01	—	—	·10	—	20
21	—	—	·02	·02	·03	—	—	—	—	·01	·05	—	21
22	—	—	·20	—	—	·03	—	·08	—	·12	—	—	22
23	—	·07	·01	—	·12	—	—	·12	—	·08	—	·05	23
24	—	·09	—	—	—	·02	—	·10	—	·26	·01	·03	24
25	—	·01	·06	—	—	—	·01	—	—	—	·03	—	25
26	—	—	·12	—	—	·08	—	·16	·08	—	·31	·01	26
27	—	—	·02	—	—	·08	—	·78	—	—	—	·04	27
28	—	·01	·03	—	—	1·13	—	·15	—	·01	—	·03	28
29	—	X	·02	—	—	·05	·85	·20	—	·36	—	·13	29
30	·06	X	·20	—	—	—	1·14	·12	·01	—	—	·02	30
31	·02	X	·01	X	—	X	·38	·02	X	·01	X	·01	31
Total	1·59	·93	1·85	2·17	1·73	1·76	4·09	5·09	1·77	4·39	1·36	·80	YEAR'S TOTAL 27·53
Rain Days.	18	13	22	16	8	11	11	23	10	21	15	7	185

W. 8,000, IX. 17.

E of L

24

REGISTER OF RAINFALL IN 1918.

FORM A.
BRITISH RAINFALL.

31. 19

Kept at Jennings Rd. S. Albans.
in the County of Hertford.
by M. L. Nicholas.

Lat. ? Long. ?
Time of Observation 9 a.m.
Nearest Railway Station Midland
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 380. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	.01	—	.05	—	—	—	—	—	—	.17	.02	1
2	—	.10	—	.17	—	—	—	.12	—	—	.29	.21	2
3	—	.01	.04	.01	.60	—	—	.03	.11	—	.44	.02	3
4	—	.08	.07	—	—	—	—	.02	.35	.03	.42	.04	4
5	—	.02	.01	—	.12	—	—	.18	.09	.05	—	—	5
6	.10	.21	—	.27	.11	—	—	.01	—	—	—	.10	6
7	.01	.09	—	.10	.12	—	—	—	.30	.06	.10	—	7
8	.04	—	—	.05	—	—	—	—	.11	.04	.07	.05	8
9	—	.05	—	.03	—	.06	.33	—	.33	.11	—	.18	9
10	.05	—	—	.08	—	—	.25	—	.01	—	.01	.22	10
11	—	—	—	.04	.18	—	.41	—	.04	.44	.04	.04	11
12	.04	.08	—	—	.15	—	.05	—	.02	—	—	—	12
13	—	.02	—	.01	.18	—	.18	—	.20	.01	—	.19	13
14	.22	—	.01	.07	—	.14	.03	—	.17	.18	—	.14	14
15	1.00.	—	—	{1.95	—	—	.16	—	.01	—	—	.10	15
16	.28	—	—	2 pm St R .12	.01	—	—	—	.90	.06	—	—	16
17	.18	—	—	.43	—	.26	.21	.01	—	—	—	.17	17
18	.46	—	—	—	—	.16	.11	—	.30	.04	—	.16	18
19	.07	.02	.08	.12	—	.12	.22	—	—	.06	—	.28	19
20	.02	.13	—	1.08	—	.05	.04	—	.19	.25	.01	—	20
21	.11	—	—	.26	—	—	.01	—	.38	.07	—	.01	21
22	.05	—	—	—	.19	—	.12	—	.09	—	—	.23	22
23	.02	—	—	—	.58	.01	.57	.05	.03	—	—	.02	23
24	—	.18	—	—	—	.03	.04	—	.08	—	.11	—	24
25	—	—	—	—	—	.12	.11	.41	—	—	.07	—	25
26	—	—	—	—	—	—	.08	.12	—	.03	.13	.23	26
27	—	.03	.01	.10	—	—	.05	.41	.07	—	.10	.05	27
28	.01	.06	.17	—	—	.05	—	.01	—	—	.25	.14	28
29	.01	X	—	—	—	—	—	—	1.39	—	.02	—	29
30	—	X	.34	—	—	—	—	—	.01	—	.08	.07	30
31	—	X	.02	X	—	X	—	.01	X	.08	X	.05	31
Total	2.67	1.09	.75	4.94	2.24	1.00	2.97	1.38	5.18	1.51	2.31	2.72	YEAR'S TOTAL 28.76
Rain Days.	17	15	9	18	10	10	18	12	22	15	16	23	185

W. 8,000, IX. 17.

9 Ox. 1806

888

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

21 FEB 20

Kept at Jennings Rd S Albans
in the County of Hertford
by M. L. Nicholas

Lat. 3 Long 3
Time of Observation 9 a.m.
Nearest Railway Station Midland.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 380 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.39	.03	—	—	.16	—	.25	—	—	.05	.02	1.31	1
2	.25	—	.04	.01	.04	—	.15	—	.28	.20	.16	.21	2
3	.42	—	.32	—	.01	—	.02	—	.05	—	.04	.25	3
4	.07	—	.34	—	—	.07	.08	.03	.07	—	—	.21	4
5	.02	.31	.80	—	—	—	.23	—	.13	—	.02	.23	5
6	.02	—	.14	—	.01	—	—	—	—	.01	.04	.14	6
7	.03	—	.57	—	—	—	—	—	—	—	.13	—	7
8	.15	—	.09	.08	—	—	—	—	—	—	.02	—	8
9	—	—	.01	.04	.06	—	—	—	—	—	.20	—	9
10	.08	—	.09	.03	—	—	—	—	—	—	.02	.05	10
11	.05	—	.08	.22	—	—	.32	—	—	—	—	.02	11
12	.01	—	.23	.12	—	.07	.09	—	—	.07	.01	.01	12
13	.03	.03	—	.40	—	—	—	—	.02	.04	—	.04	13
14	.31	—	—	.48	—	—	.10	—	.17	.06	—	—	14
15	.31	.04	.17	.18	—	—	—	—	—	.05	.04	.55	15
16	.04	.69	—	.02	—	—	—	—	—	—	—	.02	16
17	—	1.38	—	.01	—	—	—	—	—	—	.31	.03	17
18	—	.01	.11	—	—	—	—	.07	.04	—	.12	.08	18
19	.09	.13	.67	—	—	.25	.22	.17	.16	.01	.05	.01	19
20	.19	.07	.06	—	—	.70	.17	.33	—	—	—	.02	20
21	.38	.38	.04	—	—	.02	.26	—	—	.01	.01	.07	21
22	—	.14	—	—	—	.01	.07	—	.33	—	.01	.39	22
23	—	—	—	—	—	.02	—	.06	.02	.01	.03	—	23
24	—	—	—	.10	—	—	.07	.10	—	.17	.08	.01	24
25	.08	—	—	.12	.34	.01	—	.48	—	.01	.01	.06	25
26	.04	.29	.14	.07	—	—	.21	.23	.09	—	—	.39	26
27	1.15	.03	.02	1.60	—	—	—	.59	—	—	.01	.09	27
28	.01	—	.10	.03	—	—	—	.55	—	.06	.18	.28	28
29	.01	×	—	.05	—	—	—	.16	—	.16	—	.03	29
30	—	×	.04	.23	—	.14	—	.06	—	.02	.35	.46	30
31	.03	×	—	×	—	×	.01	—	×	—	×	.01	31
TOTAL	4.16	3.53	4.06	3.79	.62	1.29	2.25	2.83	1.36	.93	1.86	4.97	YEAR'S TOTAL 31.65
Days with ·01 in. or more	24	13	20	18	6	9	15	12	11.	15	22	26	191

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

840

17 FEB 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Jennings Rd S. Albans

in the County of Hertford

by M. L. Nicholas

Lat. – Long. –

Time of Observation 9 am

Nearest Railway Station Midland

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 380 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	·87	·17	–	·26	–	–	·55	–	·29	1
2	–	–	·01	·03	–	–	·33	·48	·07	–	–	·20	2
3	–	·05	–	·27	–	·01	·11	–	·08	·03	–	–	3
4	–	–	–	·05	–	–	·18	·11	·02	·22	–	·09	4
5	–	–	·05	–	·03	–	·53	·04	·05	–	·01	·05	5
6	–	–	·24	–	·08	–	·31	–	–	–	–	·04	6
7	·02	–	·04	·21	–	–	·16	–	–	–	–	·01	7
8	·13	·03	–	–	·05	–	·17	·07	–	·01	–	·01	8
9	·35	·01	–	·26	–	–	·01	·04	–	–	–	–	9
10	·47	·05	·11	·07	–	·13	·13	–	–	–	·02	–	10
11	·13	–	·05	·40	·05	·08	·12	–	–	–	–	·01	11
12	·06	–	–	·13	–	·53	·03	–	–	–	·06	–	12
13	·13	·03	·14	·24	–	–	–	–	–	·01	·04	·04	13
14	·01	·01	·50	·26	–	·36	·07	–	·17	·17	·42	·01	14
15	·02	·04	–	·33	–	–	·04	–	·28	–	·04	·05	15
16	–	–	·01	·13	–	·13	–	–	·06	·08	–	–	16
17	·01	–	–	·02	·15	·05	·03	–	·15	–	–	·02	17
18	·13	–	–	·01	·04	–	–	·63	·13	–	·01	·05	18
19	·06	–	–	·10	·01	·07	–	·01	–	–	–	·02	19
20	·05	·11	–	·29	–	·47	–	–	·09	–	·01	·04	20
21	–	–	–	–	–	–	·52	·04	·36	–	–	·09	21
22	·01	–	–	·21	–	–	–	–	·03	·01	–	·18	22
23	·01	–	–	–	–	–	1·18	–	–	–	·01	·37	23
24	·02	–	·13	–	–	–	–	–	–	–	–	·04	24
25	·01	·04	·05	·07	–	–	·30	–	–	·01	–	–	25
26	·10	–	·10	–	·29	·01	·01	–	–	–	·01	·04	26
27	·28	·03	–	·17	–	·19	–	–	–	·01	·66	·17	27
28	·42	·06	·10	–	·18	–	·08	–	–	–	–	·02	28
29	·16	–	·07	·04	·13	·01	·06	–	–	–	·11	·31	29
30	·03	×	–	·02	–	·05	·33	–	·32	·01	·17	·26	30
31	·02	×	–	×	·05	×	–	–	×	·19	×	·07	31
													YEAR'S TOTAL
TOTAL	2·63	·46	1·60	4·18	1·23	2·09	4·96	1·42	1·81	1·30	1·57	2·48	25·73
Days with ·01 in. or more	23	11	14	22	12	13	22	8	13	12	13	25	188
Days with ·04 in. or more	13	6	12	18	10	10	18	7	11	5	7	18	135

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A.
BRITISH RAINFALL.

3.1.19

REGIST

HERTS

ST. ALBANS – HOLMHURST

1918 -1920

Kept at Holmhurst, 0°.20 W

A M.

St Albans M.R.

in the County of Herts ... n Gauge 5 in.

by Mrs Jay Jones ... ove Ground ft. 8 in.

Sea Level 310 ft.

IMPORTANT NOTE.— ... the result entered to the previous day. If an Observer ~~prefers not to conform to this almost~~ universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.04						.01			.20	.03	1
2	.01	.08		.18				.15	.02		.18	.23	2
3		.02	.04	.02	.58			.03	.11		.52	.03	3
4		.11	.06					.03	.43	.06	.55	.05	4
5		.03	.01		.12			.21	.10	.12		.02	5
6	.10	.22		.29	.12			.02		.03		.10	6
7	.05	.10		.10	.10				.15	.16	.18		7
8				.06					.11				8
9		.06		.02					.37	.22		.22	9
10	.08			.07		.07	.22		.03	.01	.02	.20	10
11	.01			.04	.10		.50		.05	.48	.04	.04	11
12	.02	.10			.14		.04						12
13					.30		.17		.20			.18	13
14	.25			.05			.06		.23	.23		.15	14
15	1.32			1.41		.14	.13					.11	15
16	.25			.52					.98	.07			16
17	.20			.41		.23	.22					.19	17
18	.53					.20	.12		.29	.06		.18	18
19	.08	.04	.06	.11		.11	.25		.01	.07		.27	19
20	.03	.15		.96		.04	.05	.01	.20	.22			20
21	.13	.01		.46			.02		.42	.07		.03	21
22	.07				.18		.05		.13			.23	22
23	.03				.55		.73	.06	.05			.03	23
24		.18				.05	.04		.10		.20		24
25						.11	.13	.41			.08		25
26							.09	.16		.04	.15	.23	26
27		.03	.01	.12			.06	.26	.09		.11	.05	27
28		.06	.21			.04					.25	.16	28
29									1.37		.03		29
30			.36						.03		.10	.07	30
31			.04							.09		.08	31
Total	~~3.26~~ 3.16	1.23	.79	4.82	2.19	.99	2.88	1.35	5.47	1.93	2.61	2.88	YEAR'S TOTAL ~~30.40~~ 30.30
Rain Days.	16	15	8	16	9	9	17	11	22	15	14	23	175

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 19

FORM A.
BRITISH RAINFALL.
3.1.19

Kept at Holmhurst, St. Albans
in the County of Herts
by Mrs Jay Jones

Lat. 51°·44 Long. 0°·20 W
Time of Observation 9 A.M.
Nearest Railway Station St Albans M.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 8 in.
" " " " Sea Level 310 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·04						·01			·20	·03	1
2	·01	·08		·18				·15	·02		·18	·23	2
3		·02	·04	·02	·58			·03	·11		·52	·03	3
4		·11	·06					·03	·43	·06	·55	·05	4
5		·03	·01		·12			·21	·10	·12		·02	5
6	·10	·22		·29	·12			·02		·03		·10	6
7	·05	·10		·10	·10				·15	·16	·18		7
8				·06					·11				8
9		·06		·02					·37	·22		·22	9
10	·08			·07		·07	·22		·03	·01	·02	·20	10
11	·01			·04	·10		·50		·05	·48	·04	·04	11
12	·02	·10			·14		·04						12
13					·30		·17		·20			·18	13
14	·25			·05			·06		·23	·23		·15	14
15	1·32			1·41		·14	·13					·11	15
16	·25			·52					·98	·07			16
17	·20			·41		·23	·22					·19	17
18	·53					·20	·12		·29	·06		·18	18
19	·08	·04	·06	·11		·11	·25		·01	·07		·27	19
20	·03	·15		·96		·04	·05	·01	·20	·22			20
21	·13	·01		·46			·02		·42	·07		·03	21
22	·07				·18		·05		·13			·23	22
23	·03				·55		·73	·06	·05			·03	23
24		·18				·05	·04		·10		·20		24
25						·11	·13	·41			·08		25
26							·09	·16		·04	·15	·23	26
27		·03	·01	·12			·06	·26	·09		·11	·05	27
28		·06	·21			·04					·25	·16	28
29									1·37		·03		29
30		×	·36						·03		·10	·07	30
31		×	·04	×		×			×	·09	×	·08	31
Total	~~3·26~~ 3·16	1·23	·79	4·82	2·19	·99	2·88	1·35	5·47	1·93	2·61	2·88	YEAR'S TOTAL ~~30·40~~ 30·30
Rain Days.	16	15	8	16	9	9	17	11	22	15	14	23	175

W. 8,000, IX. 17.

exd ofs.

886

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at St. Albans
in the County of Herts
by Mrs Jay Jones

Lat 51°44' N Long 0°20' W
Time of Observation 9 a.m
Nearest Railway Station St. Albans
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft 8 in.
" " " " Sea Level 310 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·44	·04	·01		·17		·25			·03	·02	1·35	1
2	·26		·05		·04		·15	·01	·32	·34	·15	·14	2
3	·43		·31		·02		·03		·06		·05	·29	3
4	·08	·05	·36			·08	·10	·03	·08		·01	·16	4
5	·03	·29	·68				·24		·14		·03	·25	5
6	·02		·10		·01						·04	·13	6
7	·05		·62								·13	·01	7
8	·19		·08	·09							·01		8
9	·02		·03	·05	·07						·24		9
10	·09		·11	·04	·01					·01	·02	·06	10
11	·08		·11	·22			·31				·01	·03	11
12			·25	·15		·07	·09			·08	·02	·01	12
13	·03	·02		·36						·05		·05	13
14	·33			·53			·06		·15	·08	·01		14
15	·38		·17	·17						·06	·05	·55	15
16	·05	·70		·03							·13	·04	16
17		·98		·02							·21		17
18		·11	·10					·07			·09	·04	18
19	·03	·14	·68			·25	·29	·25	·18		·11	·13	19
20	·27	·10	·08			·70	·15	·40	·01			·02	20
21	·38	·38	·05			·03	·25				·02		21
22		·19	·01			·03	·09		·33		·01	·11	22
23						·05	·02	·06	·03	·03	·03	·34	23
24				·11		·01	·09	·09	·01	·18	·08	·01	24
25	·09			·11	·30	·02		·44		·01		·05	25
26	·15	·28	·14	·05			·04	·29	·10			·40	26
27	·89	·04	·02	1·65				·55			·03	·07	27
28			·12					·70		·03	·18	·35	28
29		×	·05	·08				·16		·17	·03		29
30	·05	×		·24		·14		·07		·03	·40	·47	30
31	·03	×		×		×	·01		×		×	·03	31
TOTAL	4·37	3·32	4·13	3·90	·62	1·38	2·17	3·12	1·41	1·10	2·11	5·09	YEAR'S TOTAL 32·72
Days with ·01 in. or more	23	13	22	16	7	10	16	13	11	13	26	25	195

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Cx ML 838

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

8 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at S. Albans

in the County of Herts

by Mr. Jay Jones

Lat. 51°44'N Long. 0°20'W

Time of Observation 9 a.m.

Nearest Railway Station S. Albans

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground - ft. 8 in.

" " " " Sea Level 310 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·95	·16		·33			·36		·33	1
2			·02	·03	·01		·35	·52		·04		·12	2
3		·06		·25			·14		·15	·02		·08	3
4		·02	·01	·08			·15	·14		·28		·07	4
5			·06	·01	·05		·61	·03	·05	·01		·07	5
6			·31	·21	·08		·34					·05	6
7			·03				·17					·02	7
8	·17	·03		·26	·05		·14	·06					8
9	·36	·01		·05			·02	·04					9
10	·41	·06	·10			·14	·15				·02		10
11	·20		·06	·49	·06	·10	·13					·04	11
12	·06			·12		·47	·02				·04	·01	12
13	·13	·03	·09	·25					·01		·05	·03	13
14	·01	·02	·46	·27		·59	·07		·16	·45	·38		14
15	·01	·05	·10	·29			·04		·27		·10	·01	15
16			·02	·12		·22			·06	·10			16
17	·02		·01	·02	·15	·10	·04		·16			·04	17
18	·11				·05			·62	·15			·04	18
19	·07			·12		·08		·02				·02	19
20	·06	·10		·30		·48			·03			·03	20
21				·01			·52	·04	·35			·12	21
22	·01			·20					·04			·19	22
23				·01			1·20					·39	23
24	·02	·01	·13									·04	24
25		·04	·05	·04		·01	·31						25
26	·11		·09		·98	·01	·01				·02	·03	26
27	·32	·07		·17		·21					·70	·17	27
28	·44	·02	·13		·22		·09				·01		28
29	·20		·11	·05	·07		·06				·13	·31	29
30	·03			·02	·04	·06	·35		·36	·20	·19	·23	30
31	·03											·10	31
													YEAR'S TOTAL
TOTAL	2·77	0·52	1·78	4·32	1·92	2·47	5·24	1·47	1·79	1·46	1·64	2·54	27·92
Days with ·01 in. or more	20	13	17	24	12	12	22	8	12	8	10	24	182 ✓
Days with ·04 in. or more	13	6	12	18	11	10	19	6	10	6	7	17	135 ✓

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

DL

212

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

HERTS.
SANDY LODGE - GOLF CLUB
1911- 1914

RE 1911

Kept at Sandy Lod

in the County of Bed

by J. F. Ma

top .... in.
above Ground .... ft. .... in.
„ Sea Level .... ft.

ion { Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								·06					1
2								·01			·24	·16	2
3								·01			·11	·07	3
4										·12	·10	·32	4
5										·11	·01	·04	5
6											·01	·37	6
7										·09	·36	·24	7
8											·12	·14	8
9											·02	·05	9
10											·02	·32	10
11											·59	·02	11
12									·01		·21	·01	12
13									·42	·40	·01	·34	13
14												·35	14
15										·02	·04	·03	15
16						·195					·34	·06	16
17						·185					·28	·19	17
18						·175					·39	·24	18
19						·193			·15	·07	·21	·15	19
20								·55	·12	·02		·65	20
21						·01		·29		·96		·07	21
22						·025				·08		·53	22
23						·55			·18	·01	·02	·20	23
24						·07	·01	·03		·75		·18	24
25						·17	·24		·01	·05		·02	25
26						·01		·01		·14	·02	·34	26
27							·03	·01	·13			·15	27
28							·01	·06			·09		28
29						18	·09		·22	·25			29
30						03		·07	·01	·15		·01	30
31													31
Total						1·793	·38	1·10	1·25	3·22	3·19	5·25	TOTAL for year
No. of Rain Days						12	5	10	9	15	20	27	

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Sandy Lodge Golf Club

in the County of ~~Bedfordshire~~ Herts

by J. F. Markes

Rain Gauge
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. ....
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								·06					1
2								·01			·24	·16	2
3								·01			·11	·07	3
4										·12	·10	·32	4
5										·11	·01	·04	5
6											·01	·37	6
7										·09	·36	·24	7
8											·12	·14	8
9											·02	·05	9
10											·02	·32	10
11											·59	·02	11
12									·01		·21	·01	12
13									·42	·40	·01	·34	13
14												·35	14
15										·02	·04	·03	15
16						·195					·34	·06	16
17						·185					·28	·19	17
18						·175					·39	·24	18
19						·193			·15	·07	·21	·15	19
20								·55	·12	·02		·65	20
21						·01		·29		·96		·07	21
22						·025				·08		·53	22
23						·55			·18	·01	·02	·20	23
24						·07	·01	·03		·75		·18	24
25						·17	·24		·01	·05		·02	25
26						·01		·01		·14	·02	·34	26
27							·03	·01	·13			·15	27
28							·01	·06			·09		28
29						·18	·09		·22	·25			29
30						·03		·07	·01	·15		·01	30
31													31
Total						1·793	·38	1·10	1·25	3·22	3·19	5·25	TOTAL for year
No. of Rain Days						12	5	10	9	15	20	27	

9,000, IX. '10.

Cnd fr auth 5.III.13 ~~H.~~ 157

FORM A2.
BRITISH RAINFALL.
24 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Sandy Lodge

in the County of Hertfordshire 2

by F. Markes

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station: Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.05			.11	.07		.06	.28		.17	1
2			.07			.05	.27	.02					2
3	.07		.11			.19	.04	.30	.01			.08	3
4	.33		.56		.11	.17		.07			.27		4
5	.24		.12		.01	.02		.37			.02		5
6	.52	.12				.01		.29	.05			.09	6
7	.01	.01			.03	.46	.05	.20				.04	7
8	.44	.29	.21	.01		.01		.07				.02	8
9	.03	.18		.04		.04	.04	.04				.25	9
10		.03				.02		.28			.08	.17	10
11	.09	.30				.02			.01			.16	11
12	.06	.13	.12		.13	.08			.02		.08		12
13	.01										.09	.03	13
14			.03		.03			.01	.01		.02	.03	14
15			.12		.18	.40		.04		.09	.08	.24	15
16	.26	.03	.07		.02	.02		.15		.08			16
17	.16		.26			.08		.07				.01	17
18	.28		.17					.25				.15	18
19	.13	.07	.18				.30	.66					19
20	.03		.14				.03	.26		.35			20
21	.02	.06	.34		.29			.09		.09	.06		21
22	.33	.22	.10		.17		.17	.13		.02	.03	.04	22
23	.39	.34	.35				.11	.43	.01	.02	.18	.17	23
24	.40	.02					.01	.08				.12	24
25	.02					.14		.42			.32	.60	25
26		.03					.26	.34		.45	.38	.18	26
27			.03			.04	.01			.16		.22	27
28		.05				.01	.06	.11	.03	.42	.37	.47	28
29		.01				.42	.11	.25	1.45	.18	.03		29
30					.40	.05		.01	.90	.22			30
31			.34		.18		.17	.19				.06	31
Total	3.82	1.89	3.37	.05	1.55 1.55	2.34	1.70	5.13	2.55 2.55	2.36	2.01	3.30	TOTAL for year 30.07
No. of Rain Days.	20	16	19	2	11	20	15	26	10	12	14	21	186

W. 8,000, X. '11.

Cord for auth 28.11.14

162

27 JAN 1914

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1913

Kept at Sandy Lodge, Golf Club

in the County of Ex RA 2

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	·07	·10	·10					·15		·10	·28	1
2	·03	·15		·02			·07		·02	·06	·05	·02	2
3	·03		·05	·20	·56					·02		·05	3
4	·20				·14		·07			·14	·03	·10	4
5	·12					·03	·08		·15	·02		·08	5
6		·04	·06	·51	·10	·14	·02		·02	·31	·05	·12	6
7		·15	·03		·15	·05	·01	·03		·54	·06	·03	7
8		·02			·10	·12				·08	·03		8
9		·18			·03	·01			·04		·03	·05	9
10			·10	·06			·15	·08			·40	·02	10
11	·47		·10	·40	·02			·15		·63	·36		11
12		·03									·31		12
13	·05		·24	·01				·07	·06		·25		13
14	·08	·02	·33	·10	·02		·35			·12	·10		14
15	·20	·06	·05	·38			·10	·02	·05				15
16	·10	·02	·24	·16					·04				16
17	·03		·07	·14			·12		·01		·02	·12	17
18	·04		·10	·10					·02		·58		18
19	·38		·10	·02	·04		·11		·21			·02	19
20	·09		·14	·04						·51			20
21				·05			·03			·14	·56	·01	21
22	·38		·03	·04		·02		·10	·20				22
23								·10	·40			·18	23
24	·04		·18	·05	·04			·08			·02		24
25		·03	·03	·15						·02			25
26		·03	·22	·08		·01		·07		·62		·24	26
27			·09	·08						·05	·01		27
28	·27			·18						·10			28
29	·04			·60	·38			·10		·04			29
30	·24			·02				·05		·23			30
31								·28					31
Total	2·83	·80	2·26	3·49	1·58	·38	1·11 1·12	1·13	1·37	3·63	2·96	1·32	YEAR'S TOTAL 22·86
Rain Days.	19	12	19	23	11	7	11	12	13	17	17	14	175

W. 7,500, XI. ·12

Exc DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
9 JAN 1915

Kept at Sandy Lodge Golf Club

in the County of Hertford 2

by J Francis Markes (Hon Sec)

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	nil	·06	-	-	-	–	·10	-	-	·06	·04	1
2	–	"	-	·01	-	-	·12	·30	-	–	·04	·13	2
3	·02	"	·04	·01	·22	-	-	-	-		·05	-	3
4	·18	"	·02	·25	·04	-	-	·10		-	·32	·35	4
5	·04	"	·14	-	·15	·06	·45	·28	–	–	-	–	5
6	-	·14	-	-	·05	·18	·15	·03	–	–	·23	·20	6
7	–	·19	·34	·13	·52	·11	·17	–	–	–	-	·17	7
8	·06	·16	·62	·06	-	·13	·18	·12	–	–	·01	–	8
9	·28	–	·60	·06	-	·73	-	-	·08	–	-	1·40	9
10	·02	·13	-	·11	·06	-	-	·01	·17	–	-	-	10
11	–	·22	·50	-	-	·51	-	-	·04	-	·30	·25	11
12	–	·07	·14	-	-	-	-	-	·23	·01	·03	·40	12
13	–	·30	·16	-	-	-	-	-	·16	·05	·09	·40	13
14	–	·08	·63	-	-	-	-	-	-	·25	·11	·43	14
15	·09	·04	·15	-	-	-	·23	–	·05	·04	·02	·04	15
16	nil	-	·03	-	-	-	-	-	·12	-	·02	-	16
17	"	·42	·09	-	-	-	·07	-	·08	-	-	·27	17
18	"	-	·11	-	-	-	-	-	-	-	-	·34	18
19	"	·07	·26	-	-	·02	·10	-	·02	-	·14	·12	19
20	"	·23	·12	-	-	-	-	-	-	-	-	·13	20
21	"	·46	·06	-	-	·11	-	-	-	·04	-	·04	21
22	"	·07	·01	-	·13	·05	·07	·04	–	·41	-	-	22
23	"	·10	·10	-	·20	·03	-	-	-	·11	–	-	23
24	"	-	·06	·02	-	-	-	·01	-	·08	·11	–	24
25	"	-	·08	-	-	-	·01	·14	–	·35	-	·07	25
26	"	-	·11	-	-	-	·04	·04	–	·05	·20	·53	26
27	·05	-	·03	-	-	-	-	-	–	-	·04	·21	27
28	·01	·03	-	-	·05	-	-	-	-	·07	·35	1·22	28
29	·04		·17	-	-	-	-	-	-	·24	·14	-	29
30	–	✕	·04	-	-	-	-	-	-	·25	·39	·35	30
31	–	✕	-	✕	·10	✕	-	-	✕	-	✕	·03	31
Total	·79	2·71	4·63	·65	1·52	1·93	1·59	1·17	·95	1·75	2·65	7·06	YEAR'S TOTAL 27·40
Rain Days.	10	16	26	8	10	10	11	11	9	13	19	22	165

W. 8,000. X. 14.

SARRATT
GOLDINGTONS
HERTS
1913 - 1916

Snide

REC

FORM A.
BRITISH RAINFALL.

5- JAN 1914

Kept at Goldin

in the County of Her

by P. Clutterb

in.

Ground 3 ft. in.

Sea Level ft.

IMPORTANT NO … the result entered to the
previous day. If an … ersal rule, he is earnestly
requested to add the re … in the space provided
for it at the end of t … ent of rain,
the selection and plac … tish Rainfall
Organization are given … pplication to
Dr. H. R. Mill, 62, C

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.		t.	Nov.	Dec.	Date.
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31	3.44	0.90	1.72	2.58	1.62	0.55	1.83	0.74	1.40	3.65	2.45	0.50	31
Total													YEAR'S TOTAL
Rain Days.													21.40 38

The Wilson Self-registering rain Gauge

Jany 1st 1913 to Dec 31st

21·38

W.7,000, XI. 13

REC

FORM A.
BRITISH RAINFALL.
5- JAN 1914

Kept at Goldingtons, Sarratt
in the County of Herts
by P. Clutterbuck

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31	3.44	0.90	1.72	2.58	1.62	0.55	1.83	0.74	1.40	3.65	2.45	0.50	31
Total													YEAR'S TOTAL
Rain Days.													38 21.40

The Wilson Self-Registering Rain Gauge

Jany 1st 1913 to Dec 31st

21.38

W.7,000, XI. 13

✓

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

2 JAN 1915

Kept at Sarratt
in the County of Herts 2
by P. Clutterbuck

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station Chorley Wood G. Cent
~~Diameter of~~ Rain Gauge Wilson's ~~Sh~~ Self registering in.
Height of top of Gauge above Ground 3 ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
Total													YEAR'S TOTAL 29
Rain Days.													

Sorry I have not taken each month but I have been very particular for year & make rainfall exactly 29 inches

W. 8,000. X. 14.

Imad

cod fr auth 8.111.16

995

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
3 JAN 1916

Kept at Goldingtons, Sarratt

in the County of Herts

by P. Clutterbuck

2

Lat. N 51°27' Long. W 30'

Time of Observation 9. a. m

Nearest Railway Station Chorleywood

Diameter of Funnel of Rain Gauge square 8" sided in.

Height of top of Gauge above Ground 3 ft. in.

" " " " Sea Level 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								0·03	0·28	0·7	0·9	0·35	1
2								0·98	0·1	0·5	0·1	0·18	2
3								0·41	0·4	0·1	—	0·31	3
4								—	0·1	0·1	—	0·45	4
5								0·2	—	0·1	—	0·27	5
6								0·2	—	—	—	0·16	6
7								0·3	—	—	0·2	0·30	7
8								0·8	—	—	—	—	8
9								0·7	0·1	—	0·21	0·79	9
10								0·5	—	—	—	0·7	10
11								—	—	0·1	0·91	—	11
12								0·35	0·1	0·3	0·65	0·2	12
13								—	—	0·1	—	—	13
14								0·13	0·8	—	—	0·77	14
15								0·30	—	—	0·15	0·17	15
16								0·3	—	—	—	0·3	16
17								—	—	—	0·1	—	17
18								—	—	—	0·2	—	18
19								—	—	—	—	—	19
20								—	—	0·1	—	0·21	20
21								—	—	—	—	0·8	21
22								—	0·2	0·1	—	0·18	22
23							0·22	—	0·15	0·63	—	0·34	23
24							0·20	—	0·78	0·14	—	0·30	24
25							0·6	—	—	0·5	—	0·18	25
26							0·19	—	0·8	—	—	0·58	26
27							0·25	—	0·1	0·49	—	0·8	27
28							—	—	1·29	0·25	—	—	28
29							—	0·16	—	—	0·24	0·1	29
30		X					—	—	—	0·12	0·17	0·4	30
31		X		X		X	—	0·03	X	1·6	X	0·21	31
Total	4·00	4·60	1·38	1·17	1·55	1·19	4·93	~~2·66~~	2·77	2·96	2·48	6·08	YEAR'S TOTAL 35·80
Rain Days.								2·66 14	13	17	11	24.	35·80

W. 8,000. X. 15.

[illegible] 965

FORM A. BRITISH RAINFALL.

21 APR 1917

REGISTER OF RAINFALL IN 1916

Kept at Goldingtons, Sarratt

in the County of Herts

by P. Clutterbuck

Lat. 51 . 30 Long. 0 . 25 W

Time of Observation 9. a.m

Nearest Railway Station Chorleywood.

Diameter of Funnel of Rain Gauge 8 inch in.

Height of top of Gauge above Ground 3 ft. — in.

" " " " Sea Level 380 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·9	—	—	—	0·22	0·4	—	—	0·10	0·2	0·45	—	1
2	0·48	0·5	0·10	—	0·20	—	—	—	0·10	0·51	0·13	—	2
3	—	0·70	0·2	—	—	—	—	—	0·9	0·35	0·20	—	3
4	0·29	0·9	—	0·3	0·1	0·48	0·12	—	0·3	0·26	0·74	—	4
5	0·2	—	0·1	0·2	0·6	0·17	0·1	—	—	0·13	0·72	—	5
6	—	0·10	—	0·23	—	0·12	0·58	—	—	—	0·58	—	6
7	0·11	—	0·43	—	0·12	0·2	0·32	—	—	0·2	0·53	0·6	7
8	0·1	—	0·16	—	0·40	0·2	—	—	—	—	0·2	0·36	8
9	—	~~0·12~~	—	—	0·30	—	—	—	—	0·13	0·2	0·7	9
10	—	0·22	—	0·9	—	0·34	0·17	—	—	—	—	0·10	10
11	0·7	0·9	0·11	0·19	0·2	0·25	—	—	0·2	—	—	~~0·8~~	11
12	0·2	0·3	0·17	0·4	0·23	0·19	0·9	—	—	0·9	—	—	12
13	—	0·48	0·33	0·13	0·1	0·15	0·15	0·10	—	0·2	—	—	13
14	—	0·45	0·2	0·1	0·14	—	0·11	0·37	—	0·8	—	—	14
15	—	0·21	0·27	—	—	—	—	0·50	—	0·4	—	0·8	15
16	—	0·4	0·55	0·16	0·2	—	0·17	0·6	—	0·2	—	—	16
17	0·13	0·8	—	0·6	—	—	0·1	0·22	0·40	0·54	—	0·9	17
18	—	0·10	0·6	0·14	—	—	—	0·19	0·16	0·6	0·77	0·58	18
19	0·8	—	0·21	0·29	—	—	—	0·30	0·71	—	0·68	—	19
20	0·19	—	0·24	0·7	—	—	—	0·4	—	—	0·3	—	20
21	0·3	—	0·58	—	—	—	0·8	—	—	—	—	0·48	21
22	—	—	—	—	0·5	0·2	—	—	—	0·9	0·2	0·47	22
23	0·3	0·13	—	—	—	0·2	—	—	—	0·8	0·4	0·8	23
24	—	0·19	—	—	—	0·39	—	0·1	—	0·16	0·17	0·27	24
25	—	(~~·50~~)	0·13	—	0·7	—	—	0·13	0·2	0·10	—	0·14	25
26	—	0·18	—	—	—	0·8	—	0·8	—	0·16	—	0·22	26
27	0·11	0·21	0·95	—	—	0·6	—	0·45	0·22	0·10	—	—	27
28	—	0·28	0·7	—	—	0·10	—	—	0·13	0·10	0·5	—	28
29	—	0·8	—	—	—	0·34	—	0·85	—	0·59	—	0·16	29
30	—	×	—	—	0·11	0·7	—	0·3	—	0·44	—	0·3	30
31	—	×		×		×		0·5	×	0·13	×	—	31
Total	1·66	4·21 ~~5·71~~	4·41	1·46	1·96	2·86	1·81	3·38	1·98	4·22	5·15	3·19	YEAR'S TOTAL 36·29
Rain Days.	14	20	18	13	15	18	11	15	11	24	16	15	190

W. 8,000, VIII. 16

written 1·IV·17 S made

FORM A. BRITISH RAINFALL.

3 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Goldington, Sarratt

in the County of Herts

by P. Clutterbuck

Lat. 51°30' Long. 0°25' W.

Time of Observation 9 a.m

Nearest Railway Station Chorley wood

Diameter of Funnel of Rain Gauge 5 inches in. Sq equal

Height of top of Gauge above Ground 3 ft. 6 in.

" " " " Sea Level 380 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·9	—	—	—	·22	·4	—	—	·10	·2	·45	—	1
2	0·48	0·5	0·10	—	·20	—	—	—	·10	·57	·13	—	2
3	—	0·70	0·62	—	—	—	—	—	·9	·35	·20	—	3
4	0·29	0·9	—	·3	·1	·48	·12	—	·3	·26	·74	—	4
5	0·2	—	0·1	·2	6	·17	·1	—	—	13	·72	—	5
6	—	0·10	—	·23	—	·12	·58	—	—	—	·58	—	6
7	0·11	—	0·43	—	·12	·2	·32	—	—	·2	·53	·6	7
8	0·1~~35~~	—	0·16	—	·40	·2	—	—	—	—	·2	·36	8
9	[illegible]	—	—	—	·30	—	—	—	—	13	·2	·7	9
10	—	0·22	—	·9	—	·34	·17	—	—	—	—	10	10
11	0·7	0·9	0·11	·19	·2	·25	—	—	·2	—	—	—	11
12	0·2	0·3	0·17	·4	·23	·19	·9	—	—	·9	—	—	12
13	—	0·48	0·33	·13	·1	·15	·15	·10	—	·2	—	—	13
14	—	0·45	0·2	·1	·14	—	·11	·37	—	·8	—	—	14
15	—	0·21	0·27	—	—	—	—	·50	—	·4	—	·8	15
16	—	0·4	0·55	·16	·2	—	·17	·6	—	·2	—	—	16
17	·13	0·8	—	·6	—	—	·1	·22	·40	·54	—	·9	17
18	—	0·10	0·6	·14	—	—	—	·19	·16	6	·77	·58	18
19	·8	—	0·21	·29	—	—	—	·30	·71	—	·68	—	19
20	·19	—	0·24	·7	—	—	—	4	—	—	·3	—	20
21	·3	—	0·58	—	—	—	·8	—	—	—	—	·48	21
22	—	—	—	—	·5	·2	—	—	—	·9	·2	·47	22
23	0·3	0·13	—	—	—	·2	—	—	—	·8	·4	·6	23
24	—	0·19	—	—	—	·39	—	·1	—	16	·17	·27	24
25	—	(·50)	0·13	—	·7	—	—	·13	·2	·10	—	·14	25
26	—	0·18	—	—	—	·8	—	·8	—	·16	—	·22	26
27	0·11	0·21	0·95	—	—	·6	—	·45	·22	·10	—	—	27
28		0·28	0·7	—	—	·10	—	—	·13	·10	·5	—	28
29		0·8	—	—	—	·34	—	·85	—	·59	—	·16	29
30		X	—	—	·11	(·07)	—	3	—	44	—	·3	30
31		X	—	X	—	X	—	·5	X	13	X	—	31
Total	1·66	~~3·71~~ 4·21	4·41	1·46	1·96	2·86	1.81	3·38	1·98	4·22	5·15	3·19	YEAR'S TOTAL (35·20) ~~35·43~~
Rain Days.	14	20	18	13	15	~~2·80~~ 18	11	15	1·98 11	4·22 24	16	15	190 ~~187~~

W. 8,000, VIII. 16

Ansd 27/III/16

905

GOLDINGTONS,
RICKMANSWORTH.

5. 3. 16

Dear Sir

I am anxious to keep the rainfall correct & do not know how to check snow from Mch 23rd to 25th we had 7 inches of snow (not driven snow) & the rain gauge marked

23rd 0·13.
24 0·19
25 None.

Of course not half the

Snow fell in the Gauge as when top was full the rest was driven over. I believe the 0.13 0.19 fell in middle of day & melted as it fell Could you tell me how much I should reckon for the 7 inches of Snow as I do not think 0.13 0.19 enough.

Yrs faithfully
P. Clutterbuck

Gauge Fy 25 did not mark any because it was freezing all day & no Snow thawed in Gauge

Shenley Kitwells
Hertfordshire
1911 - 1920

NFALL IN 1911

FORM A2.
BRITISH RAINFALL.
19 JAN 1912

Rain Gauge { Pattern
Diameter of top ______ in.
Height of top above Ground ______ ft. ______ in.
" " " Sea Level ______ ft.

Time of Observation ______

Nearest Railway Station { Name ______
Distance ______ Direction ______

red daily at 9 a.m., and the result entered to the
form to this almost universal rule, he is earnestly
uary of the following year in the space provided
ctions for the measurement of rain,
particulars as to the British Rainfall
vers," sent post-free on application to
V.

Jan. 1, following.
See C.

							July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
							in.	in.	in.	in.	in.	in.	
							„ „	„ „	„ „	„ „	„ „	„ „	1
2	„ 01	„ „	„ „	„ 58	„ „	„ „	„ 05	„ 04	„ „	„ „	„ „	„ „	2
3	„ 07	„ „	„ „	„ 26	„ 21	„ „	„ „	„ „	„ „	„ „	„ 22	„ 18	3
4	„ 01	„ 02	„ „	„ „	„ 22	„ „	„ „	„ „	„ „	„ 06	„ 10	„ 13	4
5	„ 06	„ „	„ 09	„ 07	„ „	„ „	„ „	„ „	„ „	„ 03	„ 11	„ 34	5
6	„ 02	„ 04	„ „	„ 02	„ „	„ „	„ „	„ „	„ „	„ 04	„ „	„ 09	6
7	„ 44	„ „	„ 10	„ „	„ „	„ „	„ „	„ „	„ „	„ „	„ „	„ 52	7
8	„ 04	„ „	„ 01	„ 03	„ „	„ „	„ „	„ „	„ „	„ 04	„ 26	„ 32	8
9	„ 17	„ „	„ 20	„ „	„ „	„ „	„ „	„ „	„ „	„ „	„ 10	„ 19	9
10	„ 09	„ „	„ 01	„ „	„ „	„ „	„ „	„ „	„ „	„ „	„ „	„ „	10
11	„ 04	„ 06	„ 18	„ 03	„ 07	„ „	„ „	„ „	„ „	„ „	„ 06	„ 50	11
12	„ 23	„ „	„ „	„ „	„ 30	„ „	„ „	„ „	„ „	„ „	„ 69	„ 01	12
13	„ 03	„ „	„ 41	„ „	„ 08	„ 03	„ „	„ „	„ 03	„ „	„ 31	„ 01	13
14	„ 02	„ „	„ 10	„ „	„ 16	„ „	„ „	„ „	„ 49	„ 16	„ „	„ 28	14
15	„ „	„ 03	„ 03	„ „	„ 38	„ „	„ „	„ „	„ „	„ „	„ „	„ 48	15
16	„ 02	„ 06	„ 14	„ „	„ „	„ „	„ „	„ „	„ „	„ 04	„ 05	„ 02	16
17	„ „	„ „	„ 02	„ „	„ „	„ 32	„ „	„ „	„ „	„ „	„ 39	„ 09	17
18	„ „	„ „	„ 15	„ „	„ „	„ 25	„ „	„ „	„ „	„ „	„ 24	„ 19	18
19	„ „	„ 16	„ „	„ „	„ „	„ 23	„ „	„ „	„ „	„ „	„ 47	„ 26	19
20	„ „	„ 02	„ 02	„ „	„ 01	„ 25	„ „	„ „	„ 03	„ 11	„ 30	„ 12	20
21	„ „	„ 04	„ 01	„ „	„ „	„ „	„ „	„ 40	„ 21	„ 04	„ „	„ 70	21
22	„ „	„ 12	„ „	„ „	„ „	„ „	„ „	„ 16	„ „	„ 60	„ 01	„ 08	22
23	„ 10	„ „	„ 03	„ „	„ „	„ 05	„ „	„ „	„ „	„ 30	„ „	„ 50	23
24	„ 01	„ 10	„ 28	„ „	„ „	„ 62	„ „	„ „	„ 24	„ „	„ „	„ 21	24
25	„ „	„ 12	„ 03	„ „	„ „	„ 19	„ 05	„ 02	„ „	1,06	„ 01	„ 20	25
26	„ „	„ 05	„ 03	„ 06	„ „	„ 14	„ 46	„ 01	„ „	„ „	„ „	„ „	26
27	„ „	„ 01	„ 01	„ 14	„ 07	„ 12	„ 05	„ 02	„ „	„ 16	„ 01	„ 27	27
28	„ „	„ 47	„ 09	„ 06	„ „	„ „	„ „	„ „	„ 14	„ „	„ „	„ 10	28
29	„ „		„ „	„ 25	„ „	„ „	„ „	„ 08	„ „	„ „	„ 04	„ 01	29
30	„ „		„ „	„ 04	„ „	„ 18	„ 14	„ „	„ 22	„ 23	„ „	„ „	30
31	„ „		„ „		„ 06		„ „	„ „		„ 19		„ 02	31
	–	39	–	02	32	–	–	–	–	–	–	–	
Total	1.36	~~1.30~~ 1·69	~~2.33~~ 1·94	~~1.54~~ 1·56	~~1.53~~ 1·83	~~2.40~~ 2·38	„ 45	„ 43	1.36	3.06	3.34	5.85	TOTAL for year 25.88
No. of Rain Days	16	15 ~~14~~	20	12	11	12	5	4	4	14	14	26	161

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
19 JAN 1912

NFALL IN 1911

Kept at *Kitwells, Shenley*

in the County of *Herts* 2

by *William Atwill*

RAIN GAUGE
Pattern
Diameter of top ...... in.
Height of top above Ground ...... ft. ...... in.
" " " Sea Level ...... ft.

Time of Observation

Nearest Railway Station
Name
Distance ...... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
see C.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	" 0	" "	" 39	" "	" 02	" 32	" "	" "	" "	" "	" "	" "	1
2	" 01	" "	" "	" 58	" "	" "	" 05	" 04	" "	" "	" "	" "	2
3	" 07	" "	" "	" 26	" 21	" "	" "	" "	" "	" "	" 22	" 18	3
4	" 01	" 02	" "	" "	" 22	" "	" "	" "	" "	" 06	" 10	" 13	4
5	" 06	" "	" 09	" 07	" "	" "	" "	" "	" "	" 03	" 11	" 34	5
6	" 02	" 04	" "	" 02	" "	" "	" "	" "	" "	" 04	" "	" 09	6
7	" 44	" "	" 10	" "	" "	" "	" "	" "	" "	" "	" "	" 52	7
8	" 04	" "	" 01	" 03	" "	" "	" "	" "	" "	" 04	" 26	" 32	8
9	" 17	" "	" 20	" "	" "	" "	" "	" "	" "	" "	" 10	" 19	9
10	" 09	" "	" 01	" "	" "	" "	" "	" "	" "	" "	" "	" "	10
11	" 04	" 06	" 18	" 03	" 02	" "	" "	" "	" "	" "	" 06	" 50	11
12	" 23	" "	" "	" "	" 30	" "	" "	" "	" "	" "	" 69	" 01	12
13	" 03	" "	" 41	" "	" 08	" 03	" "	" "	" 03	" "	" 31	" 01	13
14	" 02	" "	" 10	" "	" 16	" "	" "	" "	" 49	" 16	" "	" 28	14
15	" "	" 03	" 03	" "	" 38	" "	" "	" "	" "	" "	" "	" 48	15
16	" 02	" 06	" 14	" "	" "	" "	" "	" "	" "	" 04	" 05	" 02	16
17	" "	" "	" 02	" "	" "	" 32	" "	" "	" "	" "	" 39	" 09	17
18	" "	" "	" 15	" "	" "	" 25	" "	" "	" "	" "	" 24	" 19	18
19	" "	" 16	" "	" "	" "	" 23	" "	" "	" "	" "	" 47	" 26	19
20	" "	" 02	" 02	" "	" 01	" 25	" "	" "	" 03	" 11	" 30	" 12	20
21	" "	" 04	" 01	" "	" "	" "	" "	" 40	" 21	" 04	" "	" 70	21
22	" "	" 12	" "	" "	" "	" "	" "	" 16	" "	" 60	" 01	" 08	22
23	" 10	" "	" 03	" "	" "	" 05	" "	" "	" "	" 30	" "	" 50	23
24	" 01	" 10	" 28	" "	" "	" 62	" "	" "	" 24	" "	" "	" 21	24
25	" "	" 12	" 03	" "	" "	" 19	" 05	" 02	" "	1,06	" 01	" 20	25
26	" "	" 05	" 03	" 06	" "	" 14	" 46	" 01	" "	" "	" "	" "	26
27	" "	" 01	" 01	" 14	" 07	" 12	" 05	" 02	" "	" 16	" 01	" 27	27
28	" "	" 47	" 09	" 06	" "	" "	" "	" "	" 14	" "	" "	" 10	28
29	" "		" "	" 25	" "	" "	" "	" 08	" "	" "	" 04	" 01	29
30	" "		" "	" 04	" "	" 18	" 14	" "	" 22	" 23	" "	" "	30
31	" "		" "		" 06		" "	" "		" 19		" 02	31
	–	39	–	02	32	–	–	–	–	–	–	–	TOTAL for year
Total	1.36	~~1.30~~	~~2.33~~	~~1.54~~	~~1.53~~	~~2.40~~	" 45	" 43	1.36	3.06	3.34	5.85	25.88
		1·69	1·94	1·56	1·83	2·38							
No. of Rain Days	16	15 ~~14~~	20	12	11	12	5	4	4	14	14	26	161

9,000, IX. '10.

Cond for W.D.

REGISTER OF RAINFALL IN 1912

Esx D H

FORM A. BRITISH RAINFALL.

23 JAN 13

Kept at Kitwells, Shenley

in the County of Hertford 2

by William Atwill

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Elstree, Midland Ry

Diameter of Rain Gauge ~~4~~ 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·03

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·0	·0	·05	·30	·0	·05	·0	·23	·16	·90	·0	·0	1
2	·0	·0	·12	·0	·0	·16	·08	·0	·04	·32	·0	·20	2
3	·0	·0	·10	·01	·0	·06	·38	·01	·0	·0	·0	·0	3
4	·05	·02	·10	·0	·04	·15	·0	·28	·01	·0	·0	·08	4
5	·28	·03	·66	·0	·24	·17	·0	·06	·0	·0	·26	·0	5
6	·17	·03	·13	·0	·0	·0	·0	·42	·0	·0	·05	·01	6
7	·40	·05	·0	·0	·0	·06	·0	·49	·0	·0	·0	·05	7
8	·0	·005	·01	·0	·02	·53	·0	·15	·0	·0	·0	·03	8
9	·42	·39	·28	·0	·0	·0	·0	·12	·02	·0	·01	·06	9
10	·11	·16	·0	·04	·03	·12	·03	·02	·0	·0	·0	·22	10
11	·0	·05	·0	·0	·0	·0	·0	·42	·06	·0	·0	·16	11
12	·08	·35	·0	·0	·0	·02	·0	·0	·05	·0	·16	·14	12
13	·07	·08	·09	·0	·11	·11	·0	·0	·0	·0	·09	·0	13
14	·0	·0	·0	·0	·0	·08	·0	·0	·01	·0	·12	·04	14
15	·0	·0	·07	·0	·04	·0	·0	·05	·0	·05	·0	·05	15
16	·01	·0	·17	·0	·17	·35	·0	·01	·0	·0	·02	·19	16
17	·34	·03	·08	·0	·12	·03	·0	·16	·0	·07	·05	·0	17
18	·14	·0	·34	·0	·0	·11	·0	·11	·0	·0	·0	·01	18
19	·36	·0	·14	·0	·0	·0	·0	·17	·0	·02	·02	·18	19
20	·15	·07	·14	·0	·0	·01	·30	·54	·0	·0	·0	·0	20
21	·04	·0	·16	·0	·02	·0	·03	·33	·0	·40	·0	·0	21
22	·02	·06	·45	·0	·06	·0	·0	·08	·0	·09	·06	·0	22
23	·35	·20	·14	·0	·14	·0	·11	·17	·0	·0	·0	·04	23
24	·37	·32	·33	·0	·0	·0	2·02	·49	·01	·01	·23	·12	24
25	·46	·02	·0	·0	·0	·0	·0	·05	·0	·0	·30	·04	25
26	·0	·0	·0	·0	·0	·16	·0	·56	·0	·0	·30	·59	26
27	·01	·02	·0	·0	·0	·0	·08	·35	·0	·44	·54	·39	27
28	·0	·0	·02	·0	·0	·0	·0	·0	·0	·22	·0	·21	28
29	·0	·04	·0	·0	·0	·03	·01	·13	·04	·39	·41	·28	29
30	·0	·	·01	·0	·0	·32	·15	·16	1·62	·30	·0	·0	30
31	·0		·0		·35		·24	·0		·19		·0	31
	–	·05	·30	–	·05	–	·23	·16	·90	–	–	·03	YEAR'S TOTAL
Total	~~3·82~~	~~1·925~~	~~3·59~~	~~·35~~	~~1·34~~	~~2·52~~	~~3·43~~	~~5·56~~	~~2·02~~	~~3·40~~	~~2·62~~	~~3·09~~	~~33·665~~
	3·82	1·975	3·84	·05	1·39	2·47	3·66	5·49	2·76	2·50	2·62	3·12	33·695
Rain Days.	18	18	21	3	13	18	12	25	10	13	15	22	186

W. 7,500, XI. ·12

Ex JL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
30 JAN 1914

Kept at Kitwells

in the County of Hertford

by William Atwill

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Radlett
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03			·03	·04				·31		·02	·10	1
2	·04	·14	·16	·18					·22		·10	·08	2
3	·05	·13			·01		·15		·03	·21	·07	·02	3
4	·02		·04	·19	·64							·05	4
5	·24		·01	·01	·15		·18				·07	·02	5
6	·07					·03	·21		·07	·01	·01		6
7	·0	·03	·07		·10	·19	·14		·02		·01		7
8	·0	·19			·07	·03	·11			·12	·13	·12	8
9	·0		·06	·02	·13	·20				·29	·03		9
10	·0	·16		·02	·03				·05		·07	·08	10
11	·01		·03	·13			·69	·03			·37		11
12	·70	·01		·46				·02		·25	·34		12
13	·0				·02						·43		13
14	·06		·01					·01	·03		·30		14
15	·10	·02	·09	·09			·70	·10		·17	·07		15
16	·20	·03	·27	·37			·14						16
17	·12		·39	·19					·07				17
18	·02	·01	·06	·05		·05	·17		·07		·02	·08	18
19	·02		·36	·10									19
20	·37						·12		·43			·02	20
21	·11		·08	·04						·42	·04		21
22	·02		·22	·15			·03			·17	·54		22
23	·46		·18	·01				·08	·19				23
24	·0		·01			·01		·12			·01	·14	24
25	·02		·02	·05							·01		25
26	·0	·03		·18								·01	26
27	·0	·04	·21	·13						·67		·33	27
28	0		·02	·05						·05			28
29	·29		·21	·09						·07			29
30	·06		·09	·58	·59			·05	·01	·10		·02	30
31	·32							·11		·14		·01	31
	–	–	.03	·04	–	–	–	·31	–	.02	·10	(–)	YEAR'S TOTAL
Total	~~3.33~~	~~·79~~	~~2.59~~	~~3.12~~	~~1.78~~	~~·51~~	~~2.64~~	~~·52~~	~~1.50~~	~~2.67~~	~~2.64~~	~~1.08~~	~~23.17~~
	3·30	·79	2·62	3·13	1·74	·51	2·64	·83	1·19	2·69	2·72	·98	23·14
Rain Days.	~~22~~ 21	11	~~21~~ 22	22	~~10~~ 1	6	11	~~8~~ 9	~~12~~ 11	~~13~~ 14	19	~~14~~ 13	~~169~~ 168

W.7,000, XI. 13

cmd for W.D. 9.III.15 Exc. W.G.

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 19 JAN 1915

Kept at Kitwells Thurley

in the County of Herts 2

by W Atwill.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·02

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	" "		·03			·18		·04				·53	1
2	" ·01		·04				·01	·25			·05	·04	2
3	. ·01						·11	·20			·05	·07	3
4	. .		·03		·23		·07				·02		4
5	, ·13		·01	·27	·10			·11			·33	38	5
6	·02		·09	·26	·13	·09	·56	·40			·04		6
7		·15			·06	·20	·07				·20	·23	7
8		·24	·23	·05	·58	·05	·11					·12	8
9	·07	·25	·76	·06	·09	·11	·31	·14					9
10	·20		·63	·12		·38			·11			1·29	10
11	..	·17	·03	·14	·04			·01	·20			·02	11
12	·03	·31	·46		·01	·64			·03		·18	·34	12
13		·11	·11				·08		·30		·04	·57	13
14	03	·37	·24						·21	·05	·04	·49	14
15		·09	·59				·05			·35	·15	·44	15
16	·07	·01	·24				·01	·02	·03	·11	·02	·05	16
17			·06						05		·04		17
18		·52	·08						·23			·31	18
19			·11									·34	19
20		·04	·24				·05		·04		·21	·07	20
21		·28	·18			·01						·17	21
22		53	·06			·01				03		·09	22
23		·02	·01		·30	·05	·12	·04		·36		·01	23
24		·11	·13		·24					·09		·03	24
25			·04	·04			05			·06	·14		25
26			·17					·12		·35		·09	26
27			·10				03	·01		·04	·22	·62	27
28	·10		·02								·03	·31	28
29					·03					·03	·38	1·30	29
30	05		·09							·26	·18		30
31			·12							·04		·41	31
Total	~~·42~~ ·72	~~3·20~~ ·03 3·23	~~4·95~~ 4·92	·94 ·94	~~1·81~~ ·18 1·99	~~1·42~~ 1·54	~~1·63~~ ·04 1·67	~~1·34~~ 1·30	~~1·20~~ 1·20	~~1·77~~ 1·77	~~2·32~~ ·53 2·85	~~8·32~~ ·02 7·81	YEAR'S TOTAL ~~29·92~~ 29·94
Rain Days.	11	~~15~~ 16	~~28~~ 27	7	~~11~~ 12	~~10~~ 9	~~14~~ 15	~~11~~ 10	9	12	~~18~~ 19	25	177

W. 8,000. X. 14.

Exd. J.W.

993

FORM A. BRITISH RAINFALL

2-FEB 1916

REGISTER OF RAINFALL IN 1915

Kept at Kitwells

in the County of Hertford 2

by W. Atwill

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Radlett
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02	. .	.07	. .	. .	. .	.87	. .	.04	. .	1.20	.16	1
2	.50	.19	.10	. .	.02	. .	. .	. .	.16	.06	.15	.44	2
3	.30	.29	.23	.10	. .	.01	. .	.84	. .	.03	. .	.17	3
4	.39	. .	.04	.18	. .	. .	.03	.68	. .	. .	. .	.32	4
5	.07	. .	. .	. .	. .	. .	. .	.06	. .	. .	. .	.37	5
6	.03	.49	. .	. .	.02	. .	. .	.02	. .	.09	. .	.36	6
7	.21	.05	. .	.29	. .	. .	1.08	. .	. .	. .	. .	.33	7
8	.15	.39	.06	. .	. .	. .	.34	.03	. .	. .	.02	.24	8
9	.05	.49	. .	.04	. .	. .	.04	.06	. .	. .	. .	.	9
10	. .	.04	. .	.05	. .	.04	. .	.08	. .	. .	.29	.62	10
11	.26	. .	.02	. .	. .	. .	. .	.01	. .	. .	. .	.13	11
12	.02	. .	.02	. .	. .	. .	. .	. .	. .	.01	.95	. .	12
13	.08	.04	. .	.23	.45	. .	. .	.14	. .	. .	.36	.03	13
14	.01	.53	. .	. .	1.30	. .	. .	. .	. .	. .	. .	. .	14
15	. .	.06	. .	. .	. .	. .	1.23	. .	.07	. .	. .	.64	15
16	.21	. .	. .	. .	.03	. .	. .	.06	. .	. .	.24	.14	16
17	. .	.54	. .	. .	. .	. .	.79	.02	. .	. .	. .	.01	17
18	. .	.34	. .	. .	.57	. .	.14	.12	. .	. .	. .	. .	18
19	. .	.13	.09	. .	.07	. .	. .	. .	. .	. .	.04	. .	19
20	. .	.05	. .	. .	. .	. .	.17	. .	. .	. .	. .	. .	20
21	.37	. .	. .	.09	. .	. .	. .	. .	. .	.01	. .	.24	21
22	.09	.03	. .	. .	. .	. .	. .	. .	. .	.	. .	.05	22
23	.95	.34	.43	. .	. .	. .	.60	. .	. .	. .	. .	.20	23
24	.01	.21	.04	. .	. .	.05	.24	. .	.28	.36	. .	.29	24
25	. .	. .	.10	. .	. .	.01	.22	. .	.36	.11	. .	.18	25
26	. .	. .	.04	.05	. .	.03	.10	. .	. .	.03	. .	.32	26
27	. .	.13	. .	. .	. .	. .	.21	. .	. .	. .	. .	.41	27
28	. .	. .	. .	. .	. .	.37	.43	. .	. .	.41	. .	.09	28
29	. .	. .	. .	. .	. .	.04	. .	. .	1.18	.12	. .	. .	29
30	. .	×	.01	. .	. .	.01	.36	.16	. .	.	.14	.01	30
31	.04	×	. .	×	. .	×	. .	. .	×	.05	×	.01	31
	—	·07	—	—	—	·87	—	·04	—	1·20	·16	·24	YEAR'S TOTAL
Total	~~3.76~~	~~4.34~~	~~1.25~~	1.03	2.46	~~.59~~	~~6.85~~	~~2.27~~	~~2.09~~	~~1.28~~	~~3.39~~	~~5.79~~	~~35.10~~
	3·74	4·41	1·18			1·46	5·98	2·31	2·05	2·48	2·35	5·87	35·32
Rain Days.	~~19~~ 18	~~18~~ 19	~~13~~ 12	8	4	~~8~~ 9	~~16~~ 15	~~13~~ 14	~~6~~ 5	~~11~~ 12	9	24	152

W. 8,000. X. 15.

Dl Cw hr W.D. Eoe Dl

963
~~125~~

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Kitwells
in the County of Hertfordshire
by W. Atwill

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·03

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·24		·11		·02		·05		·04		·09		1
2	·21		·02		·12	·02			·07		·23		2
3	·46	·01	·14		·21				·09	·37	·01		3
4		·45	·11		–		·03		·19	·28	·43		4
5	·27		·02		–	·41				·09	·42		5
6	·03			·03	·06	·19				·11	·70	·02	6
7		·06	·08	·23	–	·04	·45			·05	·47		7
8	·12		·34		·14	·08	·27				·64	·04	8
9		·02	·20		·44	·04					·02	·22	9
10					·23					·12		·08	10
11		·17	·10	·09		·48	·16						11
12	·14	·11	·08	·15		·20							12
13	·03	·03	·02	·25	·39	·14	·03	·12	·01	·08		·09	13
14		·46	·21	·06	·04	·03	·64	·63					14
15		·41		·01	·08			·27		·03			15
16		·24	·41					·24				·08	16
17		·03	·26	·12	·05		·24						17
18	·12	·06		·08			·03	·32	·33	·45		·06	18
19		·08	·06	·08				·41	·10	·02	·56		19
20	·15		·24	·17					·20		·58	·14	20
21		·02	·31	·05							·02	·65	21
22	·02		·64				·11					·29	22
23		·06	·04									·59	23
24	·04	·34				·05		·02			·06	·08	24
25		·09			·03	·21		·03		·14	·04	·27	25
26		·06	·08					·15		·11	·10	·18	26
27		·66			–	·05		·03		·06			27
28	·13	·03	1·09			·04		·23	·09	·41		·02	28
29		·41	·35			·06			·21			·18	29
30		X				·23		1·69		·43		·14	30
31		X		X	·06	X		·08	X	·43	X	·01	31
	–	·11	–	·02	–	·05	–	·04	–	·09	–	·03	YEAR'S TOTAL
Total	~~1·96~~	~~3·80~~	~~4·91~~	~~1·32~~	~~1·87~~	~~2·27~~	~~2·01~~	~~4·22~~	~~1·33~~	~~3·18~~	~~4·37~~	~~3·14~~	~~34·38~~
	1·72	3·91	4·80	1·34	1·85	2·32	1·96	4·26	1·29	3·27	4·28	3·17	34·17
Rain Days.	~~13~~	~~21~~	~~22~~	~~12~~	~~13~~	~~16~~	~~10~~	~~13~~	~~10~~	~~16~~	~~15~~	~~18~~	179
	12	22	21	13	12	17	9	14	9	17	14	19	

W. 8,000. X.15

W.P. ckd by C. 963

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
30. MAR 1917

Kept at Kitwells
in the County of Hertford
by W Atwell

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station Radlett Mid Ry
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.24	. .	.11	. .	. .2	. .	. .5	. .	. .4	. .	. .9	. .	1
2	.21	. .	. .2	. .	.12	. .2	. .	. .	. .7	. .	.23	. .	2
3	.46	. .1	.14	. .	.21	. .	. .	. .	. .9	.37	. .1	. .	3
4	. .	.45	.11	. .	. .	. .	. .3	. .	.19	.28	.43	. .	4
5	.27	. .	. .2	. .	. .	.41	. .	. .	. .	. .9	.42	. .	5
6	. .3	. .	. .	. .3	. .6	.19	. .	. .	. .	.11	.70	. .2	6
7	. .	. .6	. .8	.23	. .	. .4	.45	. .	. .	. .5	.47	. .	7
8	.12	. .	.34	. .	.14	. .8	.27	. .	. .	. .	.64	. .4	8
9	. .	. .2	.20	. .	.44	. .4	. .	. .	. .	. .	. .2	.32	9
10	. .	. .	. .	. .	.23	. .	. .	. .	. .	.12	. .	. .8	10
11	. .	.17	.10	. .9	. .	.48	.16	. .	. .	. .	. .	. .	11
12	.14	.11	. .8	.15	. .	.20	. .	. .	. .	. .	. .	. .	12
13	. .3	. .3	. .2	.25	.39	.14	. .3	.12	. .1	. .8	. .	. .9	13
14	. .	.46	.21	. .6	. .4	. .3	.64	.63	. .	. .	. .	. .	14
15	. .	.41	. .	. .1	. .8	. .	. .	.27	. .	. .3	. .	. .	15
16	. .	.24	.41	. .	. .	. .	. .	.24	. .	. .	. .	. .8	16
17	. .	. .3	.26	.12	. .5	. .	.24	. .	. .	. .	. .	. .	17
18	.12	. .6	. .	. .8	. .	. .	. .3	.32	.33	.45	. .	. .6	18
19	. .	. .8	. .6	. .8	. .	. .	. .	.41	.10	. .2	.56	. .	19
20	.15	. .	.24	.17	. .	. .	. .	. .	.20	. .	.58	.14	20
21	. .	. .2	.31	. .5	. .	. .	. .	. .	. .	. .	. .2	.65	21
22	. .2	. .	.64	. .	. .	. .	.11	. .	. .	. .	. .	.29	22
23	. .	. .6	. .4	. .	. .	. .	. .	. .	. .	. .	. .	.59	23
24	. .4	.34	. .	. .	. .	. .5	. .	. .2	. .	. .	. .6	. .8	24
25	. .	. .9	. .	. .	. .3	.21	. .	. .3	. .	.14	. .4	.27	25
26	. .	. .6	. .8	. .	. .	. .	. .	.15	. .	.11	.10	.18	26
27	. .	.66	. .	. .	. .	. .5	. .	. .3	. .	. .6	. .	. .	27
28	.13	. .3	1 .9	. .	. .	. .4	. .	.23	. .9	.41	. .	. .2	28
29	. .	.41	.35	. .	. .	. .6	. .	. .	.21	. .	. .	.18	29
30	. .	X	. .	. .	. .	.23	. .	1.69	. .	.43	. .	.14	30
31	. .	X	. .	X	. .6	X	. .	. .8	X	.43	X	. .1	31
Total	1.96	3.80	4.91	1.32	1.87	2.27	2.01	4.28	1.33	3.18	4.37	3.14	YEAR'S TOTAL 34.38
Rain Days.	13	21	22	12	13	16	10	13	10	16	15	18	149

W. 8,000, VIII. 16

81 and for WD ~~Ese 81~~ 930 ~~116~~

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Kitwells, Shenley

in the County of Herts

by W. Atwill

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·04

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·04		·11				·55	·01		–	·02	1
2				·12				·87	·07		·12		2
3	·01			·54		·03		·08			·07		3
4	·01			·03				·35		·07	·37		4
5		·17	·19				·03	·08		·59			5
6	·22			·21				·03	·37	·09	·16		6
7						·13			·05	·01	·08		7
8	·29			·06			·07			·28		·03	8
9	·21			·12			·97	·35		·24	·21	·27	9
10	·06			·08			·66	·25			·05	·14	10
11	·07		·28	·22	·01			·22			·03	·07	11
12	·24		·43	·12						·43			12
13	·15	·02	·03	·02				·05		·59			13
14	·05		·07		·09			·20		·03	·01	·02	14
15				·17				·08		·02			15
16	·03						·06			·06		·07	16
17		·13		·27	·23	·08	·10			·70		·26	17
18		·02		·13	·64		·23		·47	·30			18
19	·07	·02		·08	·10	·20	·15		·24	·12			19
20	·02	·12	·06		·07			·06	·40				20
21		·19	·07		·80		·13	·02			·12		21
22			·04		·03					·03	·06		22
23						·04		·13		·09			23
24	·05	·06	·10		·12			·13				·02	24
25		·08				·05		·04		·24			25
26		·05	·03								·06		26
27			·07			·02		·19	·05		·38		27
28			·03					·92				·08	28
29			·02			1·63		·19					29
30		✕	·01		·30	·06	·66	·34		·26		·14	30
31		✕	·19	✕		✕	1·45	·15	✕		✕	·02	31
	·04	–	·11	– ✓	– ✓	–	·55	·01	– ✓	–	·02	·04	YEAR'S TOTAL
Total	~~1·51~~	~~·90~~	~~1·62~~	~~2·28~~	~~2·39~~	~~2·24~~	~~4·51~~	~~5·28~~	~~1·66~~	~~4·15~~	~~1·72~~	~~1·14~~	~~29·40~~
	1·55	·86	1·73	2·17	2·39	2·24	5·06	4·74	1·65	4·15	1·74	1·16	29·41
Rain Days.	15	11	15	15 4	10	9	17	22	8	18	13 4	12	159

W. 8,000, VIII. 16

Excd 9 a. cnd for WD

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL 29.1.19

Kept at Kitwells, Shenley
in the County of Herts.
by T. H. Ricks Esqre

Lat. ______ Long. ______
Time of Observation 9. am.
Nearest Railway Station Elstree
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. No Rain

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	. .	. .3	. .2	. .	. .	. .	. .	. .2	. .	.17	. .8	1
2	. .	. .4	. .	.11	. .	. .	. .	. .	. .3	. .	.19	. .4	2
3	. .	. .7	. .	. .5	. .	. .	. .	.15	. .	. .	.14	.26	3
4	. .	. .2	. .5	. .3	.51	. .	. .	.12	. .6	. .	.55	. .2	4
5	. .	. .9	. .8	. .	. .	. .	. .	. .3	. .4	. .	.49	. .3	5
6	. .	. .3	. .	. .	.11	. .	. .	.14	.42	.11	. .	. .1	6
7	. .	.22	. .	.30	.15	. .	. .	. .1	. .1	. .	. .	. .4	7
8	. .5	.13	. .	.12	.13	. .2	. .	. .	. .7	. .9	.18	. .2	8
9	. .8	. .5	. .	. .4	. .	. .	. .	. .3	.19	. .6	. .	. .5	9
10	. .	. .4	. .	. .3	. .	.14	.33	. .	.43	.13	. .	.31	10
11	. .	. .	. .	. .6	. .	. .	.43	. .	.14	. .	. .	.31	11
12	. .	. .	. .	. .3	. .8	. .	.43	. .	. .8	.33	. .7	.10	12
13	. .	. .9	. .	. .	.17	. .	.20	. .	. .5	. .	. .	. .	13
14	. .	. .2	. .	. .	.18	. .	. .7	. .	.25	. .	. .	.14	14
15	.27	. .	. .2	. .	. .	.19	.14	. .	.29	.16	. .	.15	15
16	.45	. .	. .	.53	. .	. .	.27	. .	. .	. .	. .	.14	16
17	.53	. .	. .	1.08	. .	. .8	. .	. .	.37	. .	. .	. .	17
18	.54	. .	. .	.31	. .	.17	.24	. .	. .	. .	. .	.18	18
19	.64	. .	. .	. .	. .	.23	. .7	. .2	.50	.17	. .	.11	19
20	. .5	. .4	. .5	.10	. .	. .4	.15	. .	. .6	. .6	. .	.21	20
21	. .2	.12	. .	.90	. .	. .4	. .9	. .	.12	.27	. .	. .	21
22	.12	. .1	. .	.45	. .	. .	. .3	. .	.39	. .5	. .	. .	22
23	. .9	. .	. .	. .1	.19	. .	. .8	. .	.15	. .	. .	.22	23
24	. .2	. .	. .	. .	.45	. .	.58	. .3	. .	. .	. .	. .	24
25	. .	.19	. .	. .	. .	. .	. .	. .	. .8	. .	. .9	. .	25
26	. .	. .	. .	. .	. .	.13	. .	.17	. .	. .	.10	. .	26
27	. .	. .	. .	. .	. .	. .	.30	. .8	. .	. .4	.14	.22	27
28	. .	. .	. .	. .9	. .	. .	. .5	.27	. .6	. .	.11	. .6	28
29	. .1	. .	.25	. .	. .	. .	. .	. .	. .	. .	.23	.17	29
30	. .	X	. .	. .	. .	. .	. .	. .	1.32	. .	. .1	. .	30
31	. .2	X	.34	X	. .	X	. .	. .	X	. .	X	. .4	31
	–	.03	.02	–	–	–	–	.02	–	.17	.08	–	YEAR'S TOTAL
Total	~~2.93~~ 2.89	~~1.16~~ 1.19	~~.82~~ .81	~~4.26~~ 4.24	~~1.97~~ 1.97	~~1.04~~ 1.04	~~3.46~~ 3.46	~~1.05~~ 1.07	~~5.13~~ 5.11	~~1.47~~ 1.64	~~2.47~~ 2.38	~~2.91~~ 2.63	~~28.67~~ 28.53
Rain Days.	~~15~~ 14	~~15~~ 16	7	~~13~~ 19	9	9	16	12	23	12	13	22	~~178~~
													169

W. 6,500. VII. 18. W W C

cwt fr. WD G4 RR 877

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

21 JAN 20

Kept at Kitwells, Shenley
in the County of Herts
by William Atwill.

Lat. Long.
Time of Observation 9. am
Nearest Railway Station Elstree
Diameter of Funnel of Rain Gauge 5. in.
Height of top of Gauge above Ground 1 ft — in.
" " " " Sea Level 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. .01

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	. .	. .	. .	.6	.25	. .	19	.	. .	. .	. .	.47	1
2	.50	.6	. .	. .	.19	. .	.26	. .	. .	.3	. .	1.14	2
3	.30	. .	.4	. .	.11	. .	.38	. .	.26	.15	.24	.11	3
4	.36	. .	.31	. .	. .	. .	.21	. .	.6	. .	.7	.24	4
5	.11	. .	.34	. .	. .	.9	.14	. .	.4	. .	.3	.17	5
6	.2	.33	.61	. .	. .	. .	.26	. .	.14	. .	. .	.30	6
7	.4	. .	.9	.1	. .	. .	. .	. .	. .	. .	.4	.11	7
8	.3	. .	.49	. .	. .	. .	.8	. .	. .	. .	.2	. .	8
9	.11	. .	.9	. .	. .	. .	. .	. .	. .	. .	.2	. .	9
10	.4	. .	.2	. .	.4	. .	. .	. .	. .	. .	.21	. .	10
11	.17	. .	.7	.4	. .	. .	. .	. .	. .	. .	.3	.8	11
12	.4	. .	.8	. .	. .	. .	.30	. .	. .	. .	. .	.4	12
13	. .	. .	.18	. .	. .	. .	.6	. .	. .	.5	.2	. .	13
14	.4	.9	. .	. .	. .	. .	. .	. .	.2	.7	.3	.1	14
15	.32	. .	. .	. .	. .	. .	.3	. .	.30	. .	. .	.1	15
16	.26	.5	.17	. .	. .	. .	. .	. .	. .	.18	. .	.62	16
17	.12	.68	. .	. .	. .	. .	. .	. .	. .	. .	.12	. .	17
18	. .	.63	. .	. .	. .	. .	. .	. .	. .	. .	.24	.4	18
19	. .	.24	.17	. .	. .	. .	. .	.5	.13	. .	.11	.13	19
20	.4	.19	.62	. .	. .	.6	.31	.16	.12	. .	.14	.2	20
21	.35	.12	.9	. .	. .	.95	.14	.29	. .	. .	. .	. .	21
22	.35	.40	.3	. .	. .	. .	.14	. .	. .	. .	.1	. .	22
23	. .	.18	. .	. .	. .	. .	.11	. .	.63	. .	. .	.47	23
24	. .	. .	. .	. .	. .	.9	. .	.6	.17	. .	.4	. .	24
25	. .	. .	. .	.12	. .	.3	.7	.16	. .	.24	.10	. .	25
26	.3	. .	. .	.4	.10	. .	. .	.47	. .	. .	. .	. .	26
27	.73	.24	.14	.8	. .	. .	. .	. .	.8	. .	. .	.50	27
28	.4	.5	.1	1.39	. .	. .	. .	.44	. .	. .	.5	. .	28
29	. .		.15	.2	. .	. .	. .	.82	. .	. .	.37	.30	29
30	. .	✕	. .	.3	. .	. .	. .	.24	. .	.12	. .	.5	30
31	. .	✕	.06	✕ ~~.25~~	–	✕ .19	.2	.13	✕	.5	✕	.41	31
Total	4 . .	3.26	~~3.70~~ 3.76	~~1.79~~ 1.98	~~.69~~ .44	~~1.22~~ 1.41	~~2.70~~ 2.51	2.82	1.95	.89	~~1.89~~ 2.36	~~5.22~~ .01 4.96	Year's Total ~~30.13~~ 30.14
Days with ·01 in. or more	21.	13.	~~19~~ 20	9.	~~5~~ 4	~~5~~ 6	~~16~~ 15	10	11.	8.	~~19~~ 20	20.	~~156~~ 157

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

829

12 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Kitwells, Shenley

in the County of Herts

by William Atwill.

Lat. Long.

Time of Observation 9. am

Nearest Railway Station Elstree

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	..1	..4	..	.70	.14	..	.33	.59	..	.65	..	.49	1
2	..	..	..	..2	..	..	.25	..	..7	..	..	.15	2
3	..	..	..	.22	..	..	..3	..	.10	..3	..	..	3
4	..	.17	..	..4	..	..	.20	.15	..	..6	..	..8	4
5	..	..2	..8	..	..4	..	.75	..3	..6	..	..	..	5
6	..	..	.17	..	.12	..	.35	..2	..	..	..	.13	6
7	..	..	..5	.18	..	..	.25	..	..	..	..	..	7
8	..2	..	..	.32	..	..	.21	..8	..	..	..	..	8
9	.10	..4	..	..4	..	..	..	..	..	..	..	..	9
10	.37	..	..8	..	..	.18	.13	..	..	..	..	..	10
11	.41	..	..6	.49	..7	..5	.22	..	..	..	..	..	11
12	.16	..	..	.13	..	.61	..	..	..	..	..4	..8	12
13	..7	..2	.11	.22	..	..	..2	..	..1	..	..3	..2	13
14	.10	..4	.32	.27	..	..	..4	..	.16	.10	.24	..	14
15	..	..2	.19	.16	..	.27	..	..	.36	..8	..7	..5	15
16	..1	..4	..	.35	..	..5	..	..	.16	.10	..	..	16
17	..	..	..	..4	.17	..	..	..	.42	..	..	..5	17
18	..	..	..	..	..	..	..	.56	.15	..	..	..3	18
19	..5	..	..	.16	..	..5	..	..	..	..	..	..3	19
20	..7	..	..	.30	..	.50	..	..	..	..	..	..	20
21	..3	..9	..	..	..	..	.49	..3	.57	..	..	.15	21
22	..	..	..	.29	..	..	..	..	.22	..	..	.24	22
23	..2	..	..	..	..	..	.77	..	..	..	..	.41	23
24	..	..	.10	..	..	..	..	..	..	..	..	..4	24
25	..1	..	.11	..3	..	..	.20	..	..	..	..	..5	25
26	..2	..5	.16	..	.57	..	..	..	..	..	..	..	26
27	..9	..	..	.23	..	.11	..1	..	..	..	.90	.16	27
28	.28	.10	.10	..8	.13	..2	..8	..	..	..	..	..	28
29	.46	..	.10	..	..	..	..5	..	..	..	..	.33	29
30	.23		..	..	..	..	.40	..	.35	..	.16	.25	30
31	..4		..		..		..	..		.22		.10	31
TOTAL	.04 ~~2.55~~ 2.58	(.01) ~~.58~~ .55	1.63	4.27	1.24	1.84	4.78	1.46	2.63	1.24	1.44	2.84	YEAR'S TOTAL 26.50
Days with ·01 in. or more	20	11	13	20	7	9	19	7	12	7	6	19	150
Days with ·04 in. or more	13 +	8	13	18	7	8	16	4	11	6	5	16	125

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

STANSTEAD ABBOTS
HERTFORDSHIRE
1911-1920

FALL IN 1911

FORM A2.
BRITISH RAINFALL.
4 JAN 1912

K

in

by

Rain Gauge
- Pattern
- Diameter of top ... in.
- Height of top above Ground ... ft. ... in.
- " " " Sea Level ... ft.

Time of Observation

Nearest Railway Station
- Name
- Distance ... Direction

As before.

pre ... daily at 9 a.m., and the result entered to the
req ... to this almost universal rule, he is earnestly
for ... of the following year in the space provided
the ... ns for the measurement of rain,
Org ... iculars as to the British Rainfall
Dr. ... s," sent post-free on application to

Jan. 1, following.

Date							y.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	[illegible]			[illegible]				02					1
2	17			16	15		02				11	10	2
3					11					03	04		3
4	03	04	07	12						01	09	24	4
5	02			02						06		12	5
6	25		09	01								36	6
7	02									11	24	30	7
8	18		13								23	17	8
9	10		02	01							01	02	9
10	01	11	07								03	30	10
11	14				57						56		11
12	02		41		08				07		34		12
13	04		18		60				40	45	04	18	13
14			01		65							46	14
15		02	30							03	03		15
16			01			47				01	25	09	16
17			01			08					32	11	17
18		12				06					43	12	18
19					04	13			14	18	28	05	19
20			01			01		12	22	10		50	20
21		10	01					15		48		08	21
22	14		13							08		50	22
23	02	14	28			98			34			12	23
24		03	04				05			1.06		24	24
25		07	02			24	14					02	25
26			01	20		04	03			15	02	15	26
27			08	03					16		07	08	27
28		28		19	04		03	02					28
29		26		02		13	17		26	18	02		29
30				08	05				04	13			30
31					09								31
Total	1·18	1.17	1·88	1.05	2.38	2.14	·44	·31	1.63	3.06	3.11	4.31	TOTAL for year 22·66
No. of Rain Days.	14	10	19	11	10	9	6	4	8	15	18	22	146

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

FORM A2.

BRITISH RAINFALL. 4 JAN 1912

Kept at Stanstead Abbotts

in the County of Hertfordshire 3

by E. H. Barlow

RAIN GAUGE { Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station { Name
Distance Direction

As before

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	04			21				02					1
2	17			16	15		02				11	10	2
3					11					03	04		3
4	03	04	07	12						01	09	24	4
5	02			02						06		12	5
6	25		09	01								36	6
7	02									11	24	30	7
8	18		13								23	17	8
9	10		02	01							01	02	9
10	01	11	07								03	30	10
11	14				57						56		11
12	02		41		08				07		34		12
13	04		18		60				40	45	04	18	13
14			01		65							46	14
15		02	30							03	03		15
16			01			47				01	25	09	16
17			01			08					32	11	17
18		12				06					43	12	18
19					04	13			14	18	28	05	19
20			01			01		12	22	10		50	20
21		10	01					15		48		08	21
22	14		13							08		50	22
23	02	14	28			98			34			12	23
24		03	04				05			1.06		24	24
25		07	02			24	14					02	25
26			01	20		04	03			15	02	15	26
27			08	03					16		07	08	27
28		28		19	04		03	02					28
29		26		02		13	17		26	18	02		29
30				08	05				04	13			30
31					09								31
Total	1·18	1.17	1·88	1.05	2.38	2.14	·44	·31	1.63	3.06	3.11	4.31	TOTAL for year 22·66
No. of Rain Days.	14	10	19	11	10	9	6	4	8	15	18	22	146

W. 8,000, X. '11.

Ex DL

REGISTER OF RAINFALL IN 1912.

FORM A.
BRITISH RAINFALL
6- JAN 1913

Kept at Stanstead Abbotts
in the County of Hertford 3
by E. H. Barlow

Lat. 51. 46 Long. 0 0'
Time of Observation 9 a.m
Nearest Railway Station St Margarets.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 115 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			06			03	11		05	37		23	1
2			13			27	38	02					2
3	08				13	15		42				05	3
4	22		60		13	13		04			32		4
5	10		12					10			08		5
6	26	18					02	23				04	6
7	02					54		72				02	7
8	33	32	17			02	05	70	13				8
9	03	04		06		30	02					14	9
10		03						54	04		10	11	10
11	05	22				02		03	04			07	11
12	04	07	07		07	10					05		12
13		03				05	03	24			15		13
14					03			05		06		02	14
15		02	08		13	33		02				17	15
16	21				08	08		11		03	13		16
17			28			11		06			02		17
18	60		10					02				12	18
19	12	05	09				16	45					19
20	02		11					12		54			20
21		02	46		16			11		05	05		21
22	38	10	11		08		06	10		01		03	22
23	40	22	25				06	46			14	05	23
24	58					16	03	12				11	24
25					~~17~~	17	12	86			23	46	25
26		02						40		33	45	26	26
27										13		16	27
28		03			~~05~~	05	02	02	07	30	31	17	28
29		02			~~08~~	08	20	15	1.17	39			29
30					13 ~~10~~	10		29	84	13			30
31			16				17	21		01		05	31
Total	3.36	1.37	2.79	·06	·94	2.69	1.43	6.59	2.84	2.35	2.03	2.26	YEAR'S TOTAL 28.21
Rain Days.	16	15	15	1	9	18	14	27	7	12	12	18	164

FORM A.
BRITISH RAINFALL.
2 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Stanstead Abbotts
in the County of Hertford
by E. H. Barlow

3

Lat. 51. 46 Long. 0.° 0′
Time of Observation 9 a.m
Nearest Railway Station St Margarets
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 115 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	03	10	07	13					10	01	07	04	1
2	02	12					08		02		06		2
3			05	11	63							05	3
4	18				08		17			43	06	03	4
5	05					05	22		03	39	01	12	5
6		01	03		08	11	05			10	05		6
7		10			05	02	33	03		42	06		7
8			06		19	05				06	05		8
9		20		01	03	02			08		04	08	9
10	02		04	02			07	01			28		10
11	55	01		45	18			05		31	08		11
12					05			02			35		12
13	02										48		13
14	06	01	05	05			73	08		17	15		14
15	27	06	30	18			23		07				15
16	08		26	13			03		09				16
17	01		05	05		1.89	10				01	01	17
18	01		04	17					21		03		18
19	20		11				13		12			04	19
20	23		08	02						44			20
21			20	22			01			19	40		21
22	37		11	01					13				22
23						02	01	19	02			10	23
24	01			01							01		24
25		01		11								01	25
26			22	04				20		75		13	26
27		01	02	05						06			27
28	17		14	05	28					21			28
29	13		03	24				27		02			29
30	22			10				10		10	10		30
31								30		04			31
Total	2.63	.63	1.86	2.15	1.57	2.16	2.16	1.25	.87	3.70	2.29	.61	YEAR'S TOTAL 21.88
Rain Days.	19	10	18	20	9	7	13	10	10	16	18	10	160

W. 7,500, XI. 12

Ex MS

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
5 JAN 1915

Kept at Warrax, Stanstead Abbots
in the County of Hertford 3
by E. H. Barlow

Lat. 51.46 Long. 0° 0'
Time of Observation 9 a.m
Nearest Railway Station St Margarets
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 115 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			01				33	27			06	02	1
2	03						08	07			25	17	2
3			24	01	14		52				16		3
4	09		01	25				08			38	25	4
5	02		05	15	08	07	33	40					5
6		·10		10	02	12	01	04			19	20	6
7		·18	15	04	32	02						13	7
8	06	·20	06	06	08	16	42	12				02	8
9	20		65	08		46			01			1.00	9
10	16	15	05		04				07				10
11		34	38		05	68			10		27	28	11
12		11	08						40			34	12
13		07	15						17	15	04	36	13
14		04	38				28			24	16	36	14
15	07		16								02	05	15
16			05										16
17		28	03						22			10	17
18		03	08									25	18
19		04	15				02		04		19	07	19
20		15	20			04						06	20
21		47	08			03				03		11	21
22			02	05	31		04	01		27			22
23		01	10		22		31			13		04	23
24	01		01	08			04			02	11		24
25	02		12					06		31		07	25
26							03	08		03	14	58	26
27	02						04			09		27	27
28											26	1.09	28
29	02		07							27	12		29
30		X	05							03	40	18	30
31		X		X	17	X	03		X		X	05	31
Total	·70	2.17	3.83	·82	1.43	1.58	2.48	1.13	1.01	1.57	2.75	6.05	YEAR'S TOTAL 25.52
Rain Days.	11	14	25	9	10	8	14	9	7	11	15	24	157

W. 8,000. X. 14.

Exd Lift.

1028

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

4-JAN 1916

Kept at Stanstead Abbots

in the County of Hertford 3

by E H. Barlow

Lat. 51 46 Long. 0° 0'

Time of Observation 9 a m

Nearest Railway Station St Margarets

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 115 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	43	12	06		03				03		14	48	1
2	12	17	18	07				61	01	05		15	2
3	30		03	22			03	26				21	3
4	05							12		02		37	4
5	02	21		02	71					04		25	5
6	18	06	03	24			56					24	6
7	10	39	05				33	03		01		15	7
8		37	01										8
9		10		01		07		15			23	63	9
10	32							14				20	10
11	01		02		01						76		11
12	08			24	28			07		10	35		12
13	05	38			1.27								13
14	25	04					83	10	02			36	14
15					05			84			40	10	15
16		38					67	70					16
17		31			41		15	44				05	17
18		20	17		08						08		18
19		10					11						19
20	27			02								36	20
21	07											04	21
22	72	10	35				45					10	22
23		11	13				11		13	22		35	23
24							22		26	04		20	24
25				06			08			03		15	25
26		06				06	02					25	26
27						26	30			30		07	27
28		17				16			1.37	20			28
29			03			04	04	15			15	07	29
30		X				35			03		08	[illegible]	30
31	07	X		X		X		02	X	50	X	13	31
Total	3.04	3.27	1.06	·88	2.84	·94	3.90	3.63	1.85	1.51	2.19	4.91	YEAR'S TOTAL 30.02
Rain Days.	16	17	11	8	8	6	14	13	7	11	8	22	141

W. 8,000. X. 15.

1000

FORM A.
BRITISH RAINFALL.
9 JAN 1917

REGISTER OF RAINFALL IN 1916.

Kept at Stanstead Abbots

in the County of Hertford

by E. H. Barlow

Lat. 51.46 Long. 0. 0'

Time of Observation 9 a.m.

Nearest Railway Station St Margarets

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 115 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	07		01			01			01	05	20		1
2	35		11		23				19	39	02		2
3		40	16				04		57	20	59		3
4	25	17				48			04	02	31		4
5	04				03	17				08	40		5
6		08	19	35		03	01				50		6
7	10		15		11	11	34				52	04	7
8					35							31	8
9	01		11		21					11		07	9
10		10	04	08		15	06					09	10
11	10	15		13		11						01	11
12	03	03			46	21	08	26	01				12
13		52	17	13	17	15	18	20		14			13
14	01	48	01	01	05			45				15	14
15		12	27	01			05	21		04			15
16		03	07	09	04		17	09					16
17	08	07		06			16	2.23	30	45			17
18		07	03	11				10	12	03	50		18
19	07		16	10					22		67		19
20	20		35	03							02	50	20
21			90	01			06					48	21
22		05	05		03					02	03	45	22
23		30				13		03			04	13	23
24		42	03			23		03			03	32	24
25		02	08		07			23		11	07		25
26		28						03		03			26
27	12	07	92			08		26	03	45			27
28		37	31			23			05	02		20	28
29	01	12	02			18		1.21		30		09	29
30		X			03	05		14		50			30
31		X		X		X		02	X	08	X		31
Total	1.44	3.85	4.14	1.11	178	2.32	1.15	5.49	1.54	3.02	3.90	2.84	YEAR'S TOTAL 32·58
Rain Days.	14	20	21	12	12	15	10	15	10	18	14	13	174

W. 8,000, VIII. 16

967

FORM A.
BRITISH RAINFALL
8. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Stanstead Abbots

in the County of Hertford

by E. H. Barlow

Lat. 51.46 Long. 0.0

Time of Observation 9 a m

Nearest Railway Station St Margarets

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 115 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				52				86	05		12		1
2	01			03		01		11		01	02		2
3							01	40		18	09		3
4		19	02					28		40			4
5	20		08	10				57	75	11	13		5
6				04		04			17	04	03		6
7	25					03	15			28	01		7
8	10			11			82	37		25	11	15	8
9			06	10			07	25			12	09	9
10	39		18	01				07		01		02	10
11	04	03	50	19						30			11
12	04		02					01		40			12
13	03		01	03				03	02	08			13
14	03			19				04		03			14
15	04							02		03		02	15
16	01	10		31	07		19			52			16
17	01	04		10	68		18	01	32	30			17
18	05			11	07	20	13	05	37	01			18
19	01	09	02	01	15	01			31				19
20	03	21	08		55				01		13		20
21	05				02						04		21
22			06					10		13			22
23		10			16			14		02		45	23
24		02				01		07		20			24
25		03	05				10				08		25
26			08					35	03		57		26
27						09		68					27
28		02	02			67		14					28
29					25	11	34	30		17			29
30	04	X	28				1.00	09		02	02		30
31	01	X		X		X	32	01	X	01	X	01	31
Total	1.34	·83	1.46	1.85	1.95	1.17	3.31	4.95	2.03	3.50	1.47	·74	YEAR'S TOTAL 24.60
Rain Days.	18	10	14	14	8	9	11	23	9	22	13	6	157

W. 8,000, IX. 17.

49

FORM A.
BRITISH RAINFALL.

7. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Stanstead Abbots
in the County of Hertford
by E. H. Barlow

Lat. 51. 47 Long. 0' 00"
Time of Observation 9 a.m
Nearest Railway Station St Margarets, H.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				16							12	06	1
2		08		03				10			04	11	2
3			05		51			50	13		54	03	3
4		08	09					02	48	01	47		4
5		03	01		10			12	07	09			5
6	17	11		30	08				01			04	6
7		09		06	04			01	12	19	08		7
8	02	03		03			02		09	02	06		8
9	03			01		10	22		41	14		20	9
10	07			05			39		01		03	24	10
11					10		14		03	20	05	03	11
12	02	08			17		04		06				12
13					20		04		08			06	13
14	17					15	06		31	30		18	14
15	1.30			86			10					06	15
16	32			64		08			18				16
17	13			33			87	01	01			17	17
18	43					16	13		128	05		34	18
19	06		14	25		04	18		01			13	19
20	02	09		45		04	12		08	17		04	20
21	09			21		01			27	08			21
22	03			02	13		05		11			20	22
23	01				72		54	02	15		03	04	23
24		18			07	01	05		07		02		24
25						11	06	12			09		25
26					20		37	03		08	12	14	26
27		02		15				21	05		11	01	27
28		08	27			05		05			31	07	28
29									1.29		04		29
30			38						06		07	09	30
31			02							10			31
Total	2.87	.87	.96	3.55	232	.75	3.38	1.19	5.36	1.43	2.18	224	YEAR'S TOTAL 27.10
Rain Days.	15	11	7	15	11	10	17	11	24	12	16	20	169

W, 6,500, VII. 18. W W C

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

12 JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at Warren, Stanstead Abbots
in the County of Hertford
by E. H. Barlow

Lat. 51 47 Long. 0 00
Time of Observation 9 a m
Nearest Railway Station St Margarets G E R
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	32	05		05	18		37			04	01	98	1
2	23		01		10		12		22		13	29	2
3	28		04				04		10		10	28	3
4	09		51			10	39	11			01	18	4
5	03	36	49				15		09		05	20	5
6			05	03							02	08	6
7			35								28		7
8			09	02							09		8
9	13		04	03							25		9
10	20		03	08								02	10
11	03		05	27			20				01	01	11
12			04	03		02	15			03	02		12
13	04	05	12	22						07			13
14	18			37			10		12	03			14
15	14		03	12						05	01	13	15
16	14	75		01						02	11		16
17		47	01	02							30		17
18		34	04					01	04		01	11	18
19	01	13	49			26	06	11	09		12	05	19
20	32	07	11			92	18	30					20
21	27	40	03			09	17					08	21
22		09				01	13		52		08	42	22
23							05		08			01	23
24				26			03			02	20		24
25	08			14	19			20					25
26	21	22	10	04			03	12	21			43	26
27	42	08	03	93				40				03	27
28	11		10	09				60		01	17	30	28
29	09			01				12		20	17	05	29
30	08	✕	01	30		15		9		03	22	28	30
31	03	✕		✕		✕	01		✕	01	✕	02	31
TOTAL	3.43	3.01	2.77	3.02	·47	1.55	2.18	2.06	1.47	·51	2.36	3.95	YEAR'S TOTAL 26.78
Days with ·01 in. or more	22	12	22	19	3	7	16	10	9	11	21	20	172

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

868

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

8 JAN 1921

Kept at Stanstead Abbots
in the County of Hertfordshire
by E. H. Barlow

Lat. 51.47 Long. 0.00
Time of Observation 9 a.m.
Nearest Railway Station St Margarets
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				70	09		31			50	02	27	1
2							05	53	04	14		11	2
3		02		30			07		06	13		04	3
4	01			05				05		09		05	4
5			08		02		82		09			03	5
6			15		09		30					02	6
7		01		17	02		10					03	7
8	07	01	05	25			09	08					8
9	35			20				03					9
10	20	04	11	05			11					02	10
11	19		05	31	02	03	13					18	11
12	08			10		40	05						12
13	08	04	08	19							06		13
14		01	33	19		04	03		11	05	18	02	14
15			18	23			01		50		08		15
16		01		27					23	06		02	16
17	02			03	10	27	02		35			03	17
18								50	05			03	18
19	17			45				07	06			02	19
20	05	10		40		60							20
21								02	68			08	21
22				28			75		06			14	22
23							74					33	23
24			07				01					01	24
25		03	07	01			20		01			03	25
26	05		06	03	21	07	03					10	26
27	23			32		12	01				25		27
28	45	03	27		05		03						28
29	10		05		10		02				10	47	29
30	01				05		33		31		16	18	30
31	01									30		10	31
													YEAR'S TOTAL
TOTAL	2.07	.30	1.55	4.53	.75	1.53	4.21	1.28	2.55	1.27	.85	2.31	23.20
Days with ·01 in. or more	16	10	13	20	16	7	22	7	13	7	7	23	155
Days with ·04 in. or more	12	8	13	17	7	6	14	5	12	7	6	12	114

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

STANDON
HERTFORDSHIRE
1915 - 1920

R.L.

FALL IN 1915

FORM A.
BRITISH RAINFALL.

13 JAN 1916

Lat. 51.52.45 Long. 0.3.8E
Time of Observation 8.30 am
Nearest Railway Station Standon
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 385 ft.

ıred daily at 9 a.m. and the result entered to the
form to this almost universal rule, he is earnestly
ıary of the following year in the space provided
ıctions for the measurement of rain,
rticulars as to the British Rainfall
rvers," sent post-free on application to
7.

Jan. 1, following.

D							uly.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
									02	01	47	05	1
2	28			25					15		08	40	2
3		22	22				02	35	01	02	01		3
4							04	05	02			23	4
5	46				15			18		02		40	5
6								02		07	07	24	6
7		15		20			55					14	7
8	23	44					35					20	8
9		19					01	08				01	9
10						05					21	46	10
11	25							50				12	11
12				17							61		12
13		20			96			12		03	64	01	13
14					73								14
15	27						51		09			47	15
16					07						07	09	16
17							59	65			35	02	17
18		72					13				09		18
19			27										19
20		09			37		10			02			20
21												35	21
22													22
23			24				35		02	02		10	23
24		13				12	22		11	13		31	24
25			50			02	21		27	02	01	33	25
26				05		02						04	26
27						05						24	27
28		12				14	21			27		03	28
29						21	03	03	1·13‴	10			29
30		X					09	09			10	07	30
31	06	X		X		X			X		X	17	31
Total	1·55	·10 ~~2·26~~ 2·36	~~1·33~~ 1·23	·65	2·28	·61	3·41	·02 ~~2·07~~ 2·09	·01 ~~1·82~~ 1·81	·47 ·71 1·17	·05 2·71 2·29	5 ~~4·48~~ 4·43	YEAR'S TOTAL 23·88
Rain Days.	6	9	5	4	5	7	15	10	9	11	72	23	116

W. 8,000. X. 14.

R.L.

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
13 JAN 1916

5m

Kept at Standon (moved in June to better position)

in the County of Herts

by F. H. Wall

Lat. 51.52.45 Long. 0.3.8E

Time of Observation 8.30 am

Nearest Railway Station Standon

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 385 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			10						07	01	47	05	1
2	28			23					15		08	40	2
3		22	22				02	35	01	02	01		3
4							04	05	02			23	4
5	46				15			18		02		40	5
6								02		07	07	24	6
7		15		20			55					14	7
8	23	44					35					20	8
9		19					01	08				01	9
10						05					21	46	10
11	25							50				12	11
12				17							61		12
13		20			96			12		03	64	01	13
14					73								14
15	27						51		09			47	15
16					07						07	09	16
17							59	65			35	02	17
18		72					13				09		18
19			27										19
20		09			37		10			02			20
21												35	21
22													22
23			24				35		02	02		10	23
24		13				12	22		11	13		31	24
25			50			02	21		27	02	01	33	25
26				05		02						04	26
27						05						24	27
28		12				14	21			27		03	28
29						21	03	03	1·13	10			29
30							09	09			10	07	30
31	06											17	31
Total	1·55	·10 ~~2·26~~ 2·36	~~1·33~~ 1·23	·65	2·28	·61	3·41	·02 ~~2·07~~ 2·09	·01 ~~1·82~~ 1·81	·47 ~~·71~~ 1·17	·05 ~~2·71~~ 2·29	5 ~~4·48~~ 4·43	YEAR'S TOTAL 23·88
Rain Days.	6	9	5	4	5	7	15	10	9	11	12	23	116

W. 8,000. X. 14.

1008

FORM A.
BRITISH RAINFALL.

4 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Standon

in the County of Herts

by J. H. Wace

Lat. 51°52'40" Long. 0°3'8"

Time of Observation 8·30 am

Nearest Railway Station Standon

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ' in.

" " " " Sea Level ~~286~~ 375 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	16	–	05	.	25	02	.	.	10	.	17	.	1
2	31	01	.	.	15	.	.	.	16	33	01	.	2
3	–	44	.	.	.	03	04	.	38	22	46	.	3
4	21	12	11	.	01	30	.	.	05	11	27	.	4
5	02	–	01	01	.	15	08	.	.	05	43	03	5
6	–	03	02	27	02	05	03	.	.	11	37	.	6
7	09	–	10	.	13	07	25	.	.	01	51	04	7
8	02	–	11	.	37	05	.	.	.	.	.	39	8
9	–	.	.	.	22	01	.	.	.	05	.	03	9
10	–	13	15	14	.	27	03	.	01	03	.	04	10
11	01	07	02	15	02	17	.	.	.	.	.	03	11
12	04	–	.	03	47	17	18	18	01	12	.	.	12
13	–	48	16	10	27	13	23	29	.	02	.	.	13
14	–	46	01	09	05	02	.	33	.	08	.	11	14
15	–	09	29	01	.	.	02	20	01	02	.	.	15
16	–	01	06	17	04	.	20	24	.	07	.	.	16
17	07	06	.	11	.	.	04	48	24	25	.	.	17
18	01	–	02	14	.	.	.	.	06	02	55	.	18
19	06	09	09	03	.	.	.	04	26	.	55	.	19
20	23	–	19	07	.	.	.	02	.	.	05	33	20
21	01	–	69	01	.	.	18	.	.	.	.	59	21
22	–	–	02	.	02	.	.	.	.	04	[illegible]	42	22
23	01	–	.	.	.	.	.	02	.	04	04	07	23
24	–	–	02	.	.	13	.	.	.	03	.	34	24
25	–	55	06	.	02	15	.	25	.	07	08	.	25
26	–	14	02	.	.	02	.	06	.	02	.	.	26
27	15	–	53	.	.	10	.	16	02	45	.	.	27
28	–	28	31	.	.	08	.	.	06	12	.	15	28
29	02	–	.	.	.	15	.	1·04	02	21	.	09	29
30	–		.	.	10	18	.	17	.	37	.	.	30
31	–		.		.		.	01		03		02	31
Total	1·42	2·96	3·04	1·33	2·14	2·25	1·28	3·49	1·38	2·87	3·49	2·68	YEAR'S TOTAL 28·33
Rain Days.	16	15	22	14	15	20	11	15	13	25	12	15	194

W. 8,000, VIII. 16

Corrected for error of glass + funnel. 23.X.1919.

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL

Cox. Hobs

Kept at Standon

in the County of Hertfordshire

by F H Wace

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.45				.83	.05		.11		1
2	.02			.14		.02		.19			.06		2
3								.51		.28	.10		3
4								.18		.65			4
5	.24	.21	.09	.22				.20	.16		.09		5
6						.12				.10	.05		6
7	.28					.14	.16			.28	.02	.02	7
8	.08			.11			.74	.19		.22	.13	.13	8
9	02		.07	.08			.02	.28		.22	.10	.05	9
10			.21	.08				.07		.02			10
11	.36		.43	.09						.29			11
12	.07		.04		.07					.34			12
13	.08		.04	.04			.11	.05	.07	.05			13
14				.11				.06					14
15								.27		.02			15
16	.06			.39	.01	.01	.13			.46		.22	16
17		.09		.13	.57		.19	.09	.38	.34			17
18	08	.02		.12	.02	.04	.16		.33				18
19			.11		.26	.02			.28				19
20		.17	.13		1.40				.07		.15		20
21			.04		.04						.08		21
22					.06			.08		.17			22
23		.09	.13		.16	.02		.12		.08		.02	23
24					.02	.12				.20	09		24
25			.07								05		25
26			.06					.32	.06		.52		26
27						.01		.60					27
28		.04	.02			.47		.18				.10	28
29			.06		.52		.78	.19		.15		.13	29
30		X					.80	.15		.04	.01		30
31		X	.32	X		X	.28	.01	X		X		31
Total	1.29	.62	1.82	1.96	3.13	.97	3.37	4.57	1.40	3.91	1.56	.67	YEAR'S TOTAL 25.27
Rain Days.	10	6	15	12	11	10	10	20	8	18	14	7	141

W. 6,500. VII. 18. w w c

81

977
~~130~~

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at *Standon*

in the County of *Hertfordshire*

by *F. H. Wace*

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·43				·79	·04		·10		1
2	·02			·13		·02		·18			·05		2
3								·49		·26	·09		3
4								·17		·61	·–		4
5	·23	·20	·08	·21				·19	·15		·08		5
6						·11				·09	·04		6
7	·26					·13	·15			·26	·02	·02	7
8	·07			·10			·70	·18		·21	·12	·12	8
9	·02		·06	·07			·02	·26		·21	·09	·04	9
10			·20	·07				·06		·02			10
11	·34		·41	·08						·27			11
12	·06		·03		·06					·32			12
13	·07		·03	·03			·10	·04	·06	·04			13
14				·10				·05					14
15								·25		·02			15
16	·05			·37	·01	·01	·12			·44		·21	16
17		·08		·12	·54		·18	·08	·36	·32			17
18	·07	·02		·11	·02	·03	·15		·31				18
19			·10		·24	·02			·26				19
20		·16	·12		1·34				·06		·14		20
21			·03		·03						·07		21
22					·05			·07		·16			22
23		·08	·12		·15	·02		·11		·07		·02	23
24					·02	·11				·18	·08		24
25			·06								·04		25
26			·05					·30	·05		·50		26
27						·01		·57					27
28		·03	·02			·45		·17				·09	28
29			·05		·50		·74	·18		·14		·12	29
30		X					·76	·14		·03	·01		30
31		X	·30	X		X	·26	·01	X		X		31
													YEAR'S TOTAL
Total	1·19	·57	1·66	1·82	2·96	·91	3·18	4·29	1·29	3·65	1·43	·62	23·57
Rain Days.	10	6	15	12	11	10	10	20	8	18	14	7	144

W. 8,000, VIII. 16

Corrected for error in gauge

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
5.3.19

Kept at Standon
in the County of Hertfordshire
by F H Wace

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	**Jan.**	**Feb.**	**March.**	**April.**	**May.**	**June.**	**July.**	**Aug.**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date.*
1				.11							.09		1
2		.17		.09				.16	.02		.01	.09	2
3			.06		.49			.29	.08		.46	.09	3
4		.05	.06			.01		.04	.18	.02	.24	.01	4
5		.02			.08			.14	.21	.06		.01	5
6	.13	.12		.26	.01			.01	.06			.05	6
7	.15			.04	.06	.08			.07		.05		7
8		.08					01		.11	.18	.08	.02	8
9		.02		.01		.09			.32	.17		.10	9
10		.09		.01		—	.58					.19	10
11					.11		.23		.04	.23	.04	.06	11
12	.01	.13			.18		.23		.04			.01	12
13		.02		.01	.33		.10		.13			.15	13
14	.18					.17	.01		.10	.24		.16	14
15	1.26			1.36		.04	.27					04	15
16	.32			(.37)				.06	.20				16
17				.27			.70	.02	.01			.10	17
18	.37			.01		.19	.14		1.04	.07		.34	18
19	.02		.15	.08		.06	.16		.01	.05		.04	19
20	.01	.09		.40		.06	.10		.01	.21		.04	20
21	.06			.12		.04			.11	.07		.02	21
22					.09		.06		.08				22
23					.59		.69	.05	.05			.02	23
24		.15	.01		.09	.07	.02		08		.07		24
25						.06	.31	.13			.26		25
26							.16			.05	.07	.10	26
27		.01		.12			.04	.21	.08		.08	.01	27
28		.04	.22			.02		.01	1.19		.31	.07	28
29									.11		.10		29
30		X	.36			.01					.04	.07	30
31		X	01	X		X			X	.10	X	.07	31
Total	2.51	.99	.87	3.26	2.03	.90	3.81	1.12	4.33	1.45	1.90	1.86	YEAR'S TOTAL 25.03
Rain Days.	10	13	7	15	10	13	17	11	24	12	14	24	170

W. 6,500, VII. 18. W W C

82 See corrected copy See 82 58

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

27 18

Kept at Standon
in the County of Hertfordshire
by F. H. Wace

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·10							·08		1
2		·16		·08				·15	·02		·01	·08	2
3			·05		·47			·27	·07		·44	·08	3
4		·04	·05			·01		·03	·17	·02	·23	·01	4
5		·02			·07			·13	·20	·05		·01	5
6	·12	·11		·24	·01			·01	·05			·04	6
7	·14			·03	·05	·07			·06		·04		7
8		·07					·01		·10	·17	·07	·02	8
9		·02		·01		·08			·30	·16		·09	9
10		·08		·01			·55					·18	10
11					·10		·22		·03	·22	·03	·05	11
12	·01	·12			·17		·22		·03			·01	12
13		·02		·01	·31		·09		·12			·14	13
14	·17					·16	·01		·09	·23		·15	14
15	1·20			1·30		·03	·25					·03	15
16	·30			(·35)				·05	·19				16
17				·25			·66	·02	·01			·09	17
18	·35			·01		·18	·13		1·00	·06		·32	18
19	·02		·14	·07		·05	·15		·01	·04		·03	19
20	·01	·08		·38		·05	·09		·01	·20		·03	20
21	·05			·11		·03			·10	·06		·02	21
22					·08		·05		·07				22
23					·56		·65	·04	·04			·02	23
24		·14	·01		·08	·06	·02		·07		·06		24
25						·05	·29	·12			·24		25
26							·15			·04	·06	·09	26
27		·01		·11			·03	·20	·07		·07	·01	27
28		·03	·21			·02		·01			·29	·06	28
29									1·13		·09		29
30		X	·34			·01			·10		·03	·06	30
31		X	·01	X		X			X	·09	X	·06	31
													YEAR'S TOTAL
Total	2·37	·90	·81	3·06	1·90	·80	3·57	1·03	4·04	1·34	1·74	1·68	23·24
Rain Days.	10	13	7	15	10	13	17	11	24	12	14	24	170

W. 8,000, IX. 17.

923

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

JAN 20

Kept at Standon

in the County of Herts

by J. H. Wace

Lat. 51 52 45 N Long. 0 . 3 . 8 E.

Time of Observation 8.30 am

Nearest Railway Station Standon

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 375 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	26	04		06	09	02	34			02		75	1
2	18		02		17	~~10~~	11			02	13	47	2
3	26		31				20		28		10	27	3
4	06		26			10	17	26	05			22	4
5	02	31	25				20				03	17	5
6			06									04	6
7	01		43	06					18				7
8	06		05								06		8
9	01		03	05							10		9
10	09		05	10							05		10
11	02		08	23			34					03	11
12			14	01		09	09			14			12
13	05		08	23					02	10		02	13
14	13	03		53			06						14
15	16			17					14	17	05	17	15
16	12	57		03				03			10	05	16
17		33		03							23	03	17
18		27	05					03	04			11	18
19	01	13	39				10	38	16		21	04	19
20	20	07	07			10	15	53				03	20
21	33	30				85	24				03	05	21
22		08					26		28		06	40	22
23						03	08	04	07			06	23
24				25		02				02	16	07	24
25	05			04	02			31				03	25
26	18	21	14	04				29	11			32	26
27	85	06	03	99				10				07	27
28				13				1·06		04	18	25	28
29			05	03				07		18	17	04	29
30				28		15		06		04	20	27	30
31	04									02		02	31
Total	3·09	2·40	2·49	3·26	·28	1·36	2·34	3·16	1·33	·75	1·86	3·98	Year's Total 26·30
Days with ·01 in. or more	21	12	18	18	3	8	13	12	10	10	16	·25	166

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

877

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

8 JAN 1921

Kept at Standon

in the County of Hertfordshire

by F. H. Wace

Lat. 51° 52' 45" N. Long. 0. 3. 8 E.

Time of Observation 8·30 a.m.

Nearest Railway Station Standon

Diameter of Funnel of Rain Gauge 5 ins

Height of top of Gauge above Ground 1 ft. 0 in.

„ „ „ „ Sea Level 375 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·48	·06		·22	·10		·68	·04	·18	1
2				·01				·50	·09	·09		·09	2
3		·03		·03			·09			·08		·05	3
4				·08			·03	·10	·02	·03		·14	4
5			·08		·05		·65	·02	·13				5
6			·14		·06		·38					·01	6
7				·14	·01		·11					·01	7
8	·19	·03		·23			·14	·10					8
9	·32	·02		·18			·02	·09					9
10	·25	·10	·13	·05		·01	·10						10
11	·34		·05	·28	·03	·02	·15					·10	11
12	·07		·10	·08		·26					·01		12
13	·04	·03	·07	·23		·06							13
14	·24		·22	·25		·04	·11		·11		·23	·02	14
15		·02	·16	·15			·02		·25	·07	·03		15
16				·07		·02			·28	·03			16
17	·05			·02	·10	·34	·01					·06	17
18	·02				·02			·55	·10			·04	18
19	·13			·26		·02		·05				·01	19
20	·07	·16		·43		·52			·03				20
21	·04			·01			·61	·06	·30			·07	21
22				·21				·05	·23			·06	22
23							·70						23
24	·03		·07										24
25		·02	·09	·03	·49	·02	·21		·02			·33	25
26	·08			·05	·10		·05				·03		26
27	·23	·02		·31		·20					·25	·01	27
28	·40		·21	·22		·01	·07					·09	28
29	·08		·21		·08		·04				·19	·31	29
30	·03		·02		·01	·03	·45		·14		·15	·16	30
31	·03									·26		·16	31
TOTAL	2·64	0·43	1·55	3·80	1·01	1·55	4·16	1·62	1·70	1·24	0·93	1·90.	YEAR'S TOTAL 22·53
Days with ·01 in. or more	19	9	13	23	11	13	20	10	12	7	8	19.	164
Days with ·04 in. or more	15	2	12	18	7	6	16	9	9	5	5	14.	118

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

DL ✓

REGIS

HERTS
STEVENAGE
1911–1913

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

Kept at Stevenage
in the County of Hert
by M. L. Nicholas

5 in.
Ground 1 ft. 6 in.
Sea Level 300 ft.

Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01			·23			·03	·02					1
2	·07	·01		·12	12						·13	·15	2
3		·03		·02	·14	·01		·02		·04	·13	·01	3
4	·06	·04	·14	·10						·07	·16	·50	4
5	·01	·02		·01				·01		·05	·01	·07	5
6	·24		·06								·01	·57	6
7	·02		·01							·17	·28	·10	7
8	·19		·13							·01	·11	·22	8
9	·12		·01	·04							·01	·09	9
10	·02	·13	·11	·03							·08	·36	10
11	·29				·66						·47	·01	11
12	·07		·46						·05	·44	·29		12
13			·10		·18				·26	·20		·21	13
14			·10		1·08	·02						·43	14
15		·03	·16							·01	·05	·01	15
16			·07		·01	·20					·25	·05	16
17						·10					·10	·17	17
18		·11				·07					·46	·17	18
19	·01				·01	·21			·04	·01	·23	·12	19
20	·01	·04	·02					·55	·22	·07		·61	20
21	·02	·11				·04		·33		·40	·01	·11	21
22	·07		·11			·17		·01		·02		·53	22
23		·14	·24			1·02			·21	·02		·18	23
24		·07	·03			·15				·53		·14	24
25		·04	·02	·05		·17	·22	·02				·01	25
26		·04		·16	·04	·06	·04			·14	·04	·16	26
27		·27	·06	·05					·11		·01	·06	27
28	·01	·21		·24				·04			·04		28
29				·01		·15	·15		·28	·23	·01		29
30			·01	·07	·02	·02			·01	·18		·01	30
31					1·22								31
Total	1·22	1·29	1·84	1·13	3·48	2·39	·44	1·00	1·18	2·59	2·88	5·05	TOTAL for year 24·49
No. of Rain Days	16	15	18	13	10	14	4	8	8	17	21	26	170

9,000, IX. '10.

Dh ✓ 153

REGISTER OF RAINFALL IN 1911

FORM A2. BRITISH RAINFALL.

23 JAN 1912

Kept at Stevenage

in the County of Hertfordshire 3

by M. L. Nicholas

Rain Gauge: Pattern ______
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 300 ft.

Time of Observation ______

Nearest Railway Station: Name ______ Distance ______ Direction ______

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ______

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01			.23			.03	.02					1
2	.07	.01		.12	12					—	.13	.15	2
3		.03		.02	.14	.01		.02		.04	.13	.01	3
4	06	.04	.14	.10						.07	.16	.50	4
5	.01	.02		.01				.01		.05	.01	.07	5
6	.24		.06								.01	.57	6
7	.02		.01							.17	.28	.10	7
8	.19		.13							.01	.11	.22	8
9	.12		.01	.04							.01	.09	9
10	.02	.13	.11	.03							.08	.36	10
11	.29	—			.66						.47	.01	11
12	.07		.46						.05	.44	.29		12
13			.10		.18				.26	.20	—	.21	13
14			.10		1.08	.02						.43	14
15		.03	.16							.01	.05	.01	15
16			.07		.01	.20					.25	.05	16
17						.10					.10	.17	17
18		.11				.07					.46	.17	18
19	.01				.01	.21			.04	.01	.23	.12	19
20	.01	.04	.02					.55	.22	.07		.61	20
21	.02	.11	—			.04		.33		.40	.01	.11	21
22	.07		.11			.17	—	.01		.02		.53	22
23		.14	.24			1.02			.21	.02		.18	23
24		.07	.03			.15				.53		.14	24
25		.04	.02	.05		.17	.22	.02				.01	25
26		.04		.16	.04	.06	.04			.14	.04	.16	26
27		.27	.06	.05					.11		.01	.06	27
28	.01	.21		.24				.04			.04		28
29				.01		.15	.15		.28	.23	.01		29
30			.01	.07	.02	.02			.01	.18		.01	30
31					1.22								31
Total	1.22	1.29	1.84	1.13	3.48	2.39	.44	1.00	1.18	2.59	2.88	5.05	TOTAL for year 24.49
No. of Rain Days	16	15	18	13	10	14	4	8	8	17	21	26	170

9,000, IX. '10.

82

~~Hr~~ [illegible] 1886

156

FORM A2.
BRITISH RAINFALL.
24 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Stevenage

in the County of Hertfordshire 3

by M. L. Nicholas

RAIN GAUGE	Pattern
	Diameter of top in.
	Height of top above Ground ft. in.
	„ „ „ Sea Level ft.
Time of Observation	
Nearest Railway Station	Name
	Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·04	·01		·05	·03	·02	·08	·33		·12	1
2		·01	·03	·02		·22	·63	·01	·02				2
3	·08	·02	·01		·20	·11	·02	·30	·01			·05	3
4	·09		·64		·10	·17					·37	·01	4
5	·20	·08	·32					·14	·01		·03	·01	5
6	·17	·03			·03	·01	·03	·20	·01	·01		·04	6
7	·02				·02	·74	·01	·01				·04	7
8	·43	·31	·17			·01		·42	·08	·01		·01	8
9	·04	·07		·06	·04	·22	·02	·05				·23	9
10		·03	·14	·01		·01		·42	·13	·01	·08	·07	10
11	·10	·16	·01			·01		·05	·06		·03	·11	11
12	·10	·08	·08		·01	·13	·01			·01	·07		12
13		·01				·03		·15			·20		13
14	·01		·02		·03	·04		·01		·02		·02	14
15	·01	·03	·16		·11	·23		·02			·02	·13	15
16	·27		·02		·08	·16		·05		·06	·02		16
17	·46		·21			·09		·06					17
18	·01		·13					·24		·01	·03	·12	18
19	·17	·08	·12				·35	·45					19
20	·01		·10		·03		·02	·07		·28			20
21	·01	·02	·76		·22		·01	·18		·19	·07		21
22	·63	·10	·25		·04		·10	·39		·02		·02	22
23	·53	·46	·27		·03		·90	·17	·01	·01	·16	·11	23
24	·24	·01				·08	·03	·19				·21	24
25						·13		·67		·01	·33	·40	25
26		·01					·37	·36		·36	·43	·31	26
27							·02	·01		·23	·01	·18	27
28		·02				·03	·05	·08	·08	·41	·34	·23	28
29		·01	·02			·14	·09	·31	1·18	·22			29
30	·03				·10	·01	·08	·03	·63	·10	·01		30
31			·08		·01		·19	·20		·01		·06	31
Total	3·61	1·54	3·58	·10	1·05	2·62	2·96	5·26	2·30	2·30	2·20	2·48	TOTAL for year 30·00
No. of Rain Days.	21	19	21	4	15	21	19	29	12	19	16	21	217

W. 8,000, X. '11.

82 ✓

159

FORM A.
BRITISH RAINFALL.

27 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Stevenage [illegible] 3
in the County of Hertfordshire
by M. L. Nicholas

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	·15	·08	·10									1
2	·01	·14											2
3	·03		·11	·05									3
4	·18												4
5	·09												5
6		·08	·05	·01									6
7		·17											7
8			·01	·02									8
9		·19	·02	·04									9
10	·01		·01	·15									10
11	·59			·48									11
12		·01											12
13	·03												13
14	·07	·01	·05	·04									14
15	·12	·02	·22	·27									15
16	·04		·30	·14									16
17	·02	·01	·10	·17									17
18	·01		·27	·18									18
19	·25		·08	·01									19
20	·20		·07	·03									20
21	·01		·11	·13									21
22	·40		·25	·01									22
23			·01										23
24	·02			·02									24
25		·02		·14									25
26		·01	·23	·15									26
27			·08	·07									27
28	·17		·35	·08									28
29	·04		·08	·46									29
30	·25			·05									30
31			·01										31
Total	2·58	·81	2·49	2·80									YEAR'S TOTAL
Rain Days.	✓ 21	✓ 11	✓ 21	✓ 23									

W. 7,500, XI. 12

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

HERTS

STEVENAGE — WESTON PARK

1911– 1918; 1920

REG …911

Kept at Weston …5" in.

…bove Ground 8 ft. 8 in.

in the County of Herts… " Sea Level 470 ft.

…8.0 am

by M R Pryo… Name Stevenage

Distance 4 m Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·02	—	–	0·07	–	–	–	0·02	–	–	–	–	1
2	0·07	–	–	0·24	0·10	–	–	–	–	–	0·08	0·08	2
3	–	0·04	–	^{s}0·02	0·12	0·85	–	0·02	–	0·08	0·07	0·02	3
4	0·07	0·07	0·13	^{s}0·08	–	–	–	–	–	0·06	0·10	0·28	4
5	0·02	0·02	–	–	–	–	–	0·01	–	0·07	–	0·32	5
6	0·26	–	0·05	–	–	–	–	–	–	0·06	–	0·33	6
7	0·02		0·05	–	–	–	–	–	–	0·11	0·30	0·30	7
8	0·20	–	0·12	–	–	–	–	–	–	0·02	0·12	0·21	8
9	0·24	–	0·03	0·04	–	–	–	–	–	–	–	0·01	9
10	0·02	0·12	0·07	0·02	–	–	–	–	–	–	0·08	0·44	10
11	0·26	–	–	–	0·15	–	–	–	–	–	0·37	–	11
12	^{s}0·02	–	^{s}0·45	–	–	–	–	–	–	–	0·22	0·01	12
13	–	–	^{s}0·19	–	0·06	–	–	–	0·03	0·65	0·07	0·28	13
14	–	–	^{s}0·03	–	0·56	–	–	–	0·21	–	–	0·39	14
15	–	0·03	0·18	–	–	–	–	–	–	0·03	0·05	0·04	15
16	–	–	^{s}0·05	–	–	0·22	–	–	–	0·02	0·23	0·05	16
17	–	–	–	–	–	0·04	–	–	–	–	0·07	0·15	17
18	–	0·14	0·02	–	–	0·04	–	–	–	–	0·50	0·18	18
19	~~0·02~~	0·02	~~0·04~~	–	0·03	0·16	–	–	0·05	0·05	0·30	0·08	19
20	0·02	–	0·01	–	–	0·04	–	0·25	0·25	0·02	–	0·65	20
21	0·02	0·12	–	–	–	–	–	0·34	–	0·34	0·01	0·12	21
22	0·06	0·01	0·33	–	–	0·15	–	0·04	–	0·14	–	0·48	22
23	0·02	0·28	0·25	–	–	1·05	–	–	0·26	–	0·01	0·15	23
24	–	0·05	0·02	–	–	0·06	–	0·02	–	0·54	–	0·14	24
25	–	0·04	^{s}0·07	0·01	–	0·32	0·14	0·10	–	–	0·01	0·02	25
26	–	–	0·01	0·15	–	0·10	0·05	0·02	–	0·10	0·03	0·10	26
27	–	0·23	0·05	0·04	0·03	0·02	–	–	0·16	0·01	–	0·05	27
28	–	0·21	–	0·21	–	–	0·04	0·06	–	–	0·05	0·02	28
29	–	–	–	–	–	0·12	0·15	–	0·24	0·20	0·01	—	29
30	–		0·01	0·03	–	–	–	–	0·02	0·25	0·01	0·02	30
31			–		0·55		–	–		–		0·01	31
Total	1·32	1·38	2·12	0·91	1·60	3·17	0·38	0·88	1·22	2·75	2·69	4·93	TOTAL for year
No. of Rain Days.		2·70	4·82	5·73	7·33	10·50	10·88	11·76	12·98	15·73	18·42	23·35	23·35
	15	14	20	11	8	13	4	10	8	18	21	28	170

W. 8,000, X. '11.

✓

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Weston

in the County of Herts 3

by M R Pryor

RAIN GAUGE
Pattern
Diameter of top 5" in.
Height of top above Ground 8 ft. 8 in.
" " " Sea Level 470 ft.

Time of Observation 8 a.m

Nearest Railway Station
Name Stevenage
Distance 4 m Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·02	—	—	0·07	—	—	—	0·02	—	—	—	—	1
2	0·07	—	—	0·24	0·10	—	—	—	—	—	0·08	0·08	2
3	—	0·04	—	S 0·02	0·12	0·85	—	0·02	—	0·08	0·07	0·02	3
4	0·07	0·07	0·13	S 0·08	—	—	—	—	—	0·06	0·10	0·28	4
5	0·02	0·02	—	—	—	—	—	0·01	—	0·07	—	0·32	5
6	0·26	—	0·05	—	—	—	—	—	—	0·06	—	0·33	6
7	0·02		0·05	—	—	—	—	—	—	0·11	0·30	0·30	7
8	0·20	—	0·12	—	—	—	—	—	—	0·02	0·12	0·21	8
9	0·24	—	0·03	0·04	—	—	—	—	—	—	—	0·01	9
10	0·02	0·12	0·07	0·02	—	—	—	—	—	—	0·08	0·44	10
11	0·26	—	—	—	0·15	—	—	—	—	—	0·37	—	11
12	S 0·02	—	S 0·45	—	—	—	—	—	—	—	0·22	0·01	12
13	—	—	S 0·19	—	0·06	—	—	—	0·03	0·65	0·07	0·28	13
14	—	—	S 0·03	—	0·56	—	—	—	0·21	—	—	0·39	14
15	—	0·03	0·18	—	—	—	—	—	—	0·03	0·05	0·04	15
16	—	—	S 0·05	—	—	0·22	—	—	—	0·02	0·23	0·05	16
17	—	—	—	—	—	0·04	—	—	—	—	0·07	0·15	17
18	—	0·14	0·02	—	—	0·04	—	—	—	—	0·50	0·18	18
19	~~0·02~~	0·02	~~0·01~~	—	0·03	0·16	—	—	0·05	0·05	0·30	0·08	19
20	0·02	—	0·01	—	—	0·04	—	0·25	0·25	0·02	—	0·65	20
21	0·02	0·12	—	—	—	—	—	0·34	—	0·34	0·01	0·12	21
22	0·06	0·01	0·33	—	—	0·15	—	0·04	—	0·14	—	0·48	22
23	0·02	0·28	0·25	—	—	1·05	—	—	0·26	—	0·01	0·15	23
24	—	0·05	0·02	—	—	0·06	—	0·02	—	0·54	—	0·14	24
25	—	0·04	S 0·07	0·01	—	0·32	0·14	0·10	—	—	0·01	0·02	25
26	—	—	0·01	0·16	—	0·10	0·05	0·02	—	0·10	0·03	0·10	26
27	—	0·23	0·05	0·04	0·03	0·02	—	—	0·16	0·01	—	0·05	27
28	—	0·21	—	0·21	—	—	0·04	0·06	—	—	0·05	0·02	28 1·90
29	—	—	—	—	—	0·12	0·15	—	0·24	0·20	0·01	—	29
30	—		0·01	0·03	—	—	—	—	0·02	0·25	0·01	0·02	30
31			—		0·55		—	—		—		0·01	31
Total	1·32	1·38	2·12	0·91	1·60	3·17	0·38	0·88	1·22	2·75	2·69	4·93	TOTAL for year ✓
No. of Rain Days.		2·70	4·82	5·73	7·33	10·50	10·88	11·76	12·98	15·73	18·42	23·35	23·35
	15	14	20	11	8	13	4	10	8	18	21	28	170

W. 8,000, X. '11

Ex DL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
2- JAN 1913

Kept at Weston

in the County of Herts 3

by W R Pryor

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. in.
" " " Sea Level 470 ft.

Time of Observation

Nearest Railway Station
Name Stevenage
Distance 4 m. Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.01	–	0.02	–	–	0.01	0.04	0.08	0.14	0.28	0.03	0.12	1
2	–	–	0.02	0.03	–	0.40	0.75	–	0.02	–	–	0.01	2
3	0.09	S 0.02	0.08	–	0.45	0.15	0.01	0.25	0.01	–	–	0.07	3
4	0.10	–	0.65	–	0.15	0.42	–	0.08	–	–	0.62	0.01	4
5	0.04	S 0.09	0.42	–	–	0.02	–	0.15	0.02	–	0.12	0.01	5
6	0.26	0.05	–	–	0.04	–	0.08	0.45	–	–	–	0.05	6
7	0.02	–	–	–	0.02	0.80	0.05	0.02	–	–	0.04	0.04	7
8	0.35	0.30	0.18	–	–	0.02	–	0.35	0.20	–	–	0.05	8
9	0.03	0.10	–	0.02	0.01	0.60	0.04	–	–	–	–	0.19	9
10	0.12	0.04	0.15	0.01	0.03	0.01	–	0.32	0.06	–	0.18	0.08	10
11	~~0.01~~	0.12	0.01	–	–	0.02	–	–	0.08	–	0.02	0.08	11
12	0.12	0.10	0.06	–	0.03	0.04	0.01	0.02	0.01	0.02	0.09	0.01	12
13	0.01	0.06	0.01	–	0.20	0.08	0.01	0.22	0.01	–	0.18	0.01	13
14	–	–	0.02	–	–	0.03	–	0.08	–	0.04	0.07	0.01	14
15	0.01	0.03	0.25	–	–	0.20	–	0.03	–	0.05	0.04	0.10	15
16	0.20	–	0.01	–	–	0.15	–	0.05	–	–	0.03	–	16
17	S 0.22	–	0.25	–	0.01	0.12	–	0.04	–	0.01	0.08	0.01	17
18	0.08	–	0.20	–	0.25	–	–	0.78	–	–	0.02	0.09	18
19	0.15	0.06	0.17	–	0.06	–	0.35	0.52	–	–	0.01	0.01	19
20	0.04	–	0.08	–	0.05	–	0.01	0.12	–	0.28	–	–	20
21	–	0.03	0.92	–	–	–	–	0.42	–	0.25	0.02	0.01	21
22	0.48	0.05	0.20	–	–	–	0.10	0.12	–	0.04	0.03	0.03	22
23	0.35	0.60	0.18	–	–	–	0.35	0.50	–	0.03	0.15	0.07	23
24	0.26	–	–	–	–	–	0.09	0.80	–	0.01	–	0.12	24
25	–	–	–	–	–	0.04	0.22	0.68	–	0.01	0.25	0.20	25
26	–	–	–	–	–	–	0.08	0.82	–	0.33	0.54	0.39	26
27	–	0.01	–	–	–	–	0.01	0.02	–	0.22	0.01	0.15	27
28	–	0.02	–	–	–	–	0.03	0.02	0.07	0.20	0.32	0.20	28
29	–	0.02	–	–	–	0.05	0.12	0.12	1.22	0.58	0.01	0.01	29
30	S 0.02	+	–	–	0.45	–	0.08	0.02	0.96	0.15	–	–	30
31	–	+	0.06	+	0.05	+	0.25	0.30	+	0.04	+	0.06	31
Total	2.95	1.70	3.94	0.06	1.80	2.86	2.68	7.27	2.80	2.54	2.86	2.19	TOTAL for year 3365
No. of Rain Days.	21	17	21	3	14	18	20	28	12	17	22	28	3365 221

W. 8,000, X. '11.

Ere DL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
3- JAN 1914

Kept at Weston
in the County of Herts
by M R Pryor

3

Lat. 51°56'49" Long. 0°9'46"
Time of Observation 8.0 a m
Nearest Railway Station Stevenage
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 8 3/4 in.
" " " " Sea Level 470 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
Same

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.03	0.17	0.07	0.14	0.02	–	–	–	0.54	–	0.18	0.10	1
2	0.03	0.12	–	–	–	–	0.17	–	0.10	0.02	0.03	–	2
3	0.02	0.01	0.07	0.06	0.65	–	0.01	–	–	–	–	0.10	3
4	0.15	0.01	0.01	–	0.07	0.01	0.04	–	–	1.06	0.02	0.10	4
5	0.09	0.01	–	–	–	0.01	0.15	–	–	0.14	0.02	0.14	5
6	0.01	0.05	0.07	0.03	0.15	0.17	0.68	–	0.01	0.02	–	–	6
7	0.01	0.13	–	–	0.11	–	0.05	–	–	0.53	0.04	0.01	7
8	–	–	0.04	0.03	0.25	0.08	–	–	–	0.14	0.08	–	8
9	–	0.20	0.03	0.03	0.03	0.11	–	–	0.14	–	0.04	0.11	9
10	0.01	–	0.03	0.08	–	–	0.70	–	–	–	0.30	–	10
11	0.48	–	–	s 0.47	0.08	–	–	–	–	0.15	0.19	–	11
12	–	0.01	–	–	0.05	–	–	–	–	–	0.26	–	12
13	0.01	–	–	–	–	–	–	0.03	0.05	0.02	0.54	–	13
14	0.04	0.01	0.10	0.02	–	–	0.58	0.05	–	0.25	0.11	–	14
15	0.14	0.03	0.17	0.21	–	–	0.25	–	0.02	–	–	–	15
16	0.06	0.01	0.32	0.28	–	–	–	–	0.03	–	–	–	16
17	0.01	–	0.08	0.18	–	0.65	0.05	–	–	–	0.03	0.23	17
18	0.01	–	0.13	0.15	–	–	–	–	–	–	0.02	–	18
19	0.17	–	0.16	0.04	–	–	0.14	–	0.55	–	–	0.03	19
20	0.19	–	0.08	0.04	–	0.01	–	–	0.01	0.37	–	–	20
21	0.03	–	0.11	0.07	0.04	–	–	–	0.07	0.14	0.35	–	21
22	0.34	–	0.18	0.04	–	–	–	0.15	0.13	–	–	–	22
23	0.01	–	–	–	–	0.04	0.05	0.01	0.03	–	0.02	0.08	23
24	0.03	0.01	0.01	0.01	–	0.01	–	–	–	–	–	–	24
25	–	0.01	–	0.14	–	0.02	0.02	–	–	0.01	–	0.03	25
26	–	0.02	0.25	0.13	–	–	–	0.11	–	0.60	–	0.11	26
27	0.01	0.03	0.04	0.10	–	–	–	–	–	–	0.02	–	27
28	0.12	–	0.28	0.09	–	–	–	–	–	0.16	–	0.01	28
29	0.05		0.10	0.48	0.45	–	–	0.14	–	0.03	0.02	0.03	29
30	0.20		–	0.07	–	–	–	0.07	–	0.16	0.10	0.03	30
31	–		–		–		–	0.60		0.03		–	31
Total	2.25	0.83	2.33	2.89	1.90	1.11	2.89	1.16	1.68	3.83	2.37	1.11	YEAR'S TOTAL 22.35
Rain Days.	25	16	21	23	11	10	13	8	12	17	19	14	189

W.7,000, XI. 13

6XML

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
25 JAN 1915

Kept at Weston 3
in the County of Herts
by Mr Crockford for Mr R Pryor

Lat. 51°56'49" Long. 0°9'46" W.
Time of Observation 8.0 a m
Nearest Railway Station Stevenage
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground . ft. 8 3/4 in.
" " " " Sea Level 470 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. no rain between 8.0 & 9.0 a.m. Jan 1

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	–	–	–	0.34	0.18	–	–	0.07	0.02	1
2	0.01	–	–	0.03	–	–	–	0.26	–	–	0.05	0.13	2
3	–	–	0.05	–	0.12	–	0.69	0.14	–	–	0.17	0.02	3
4	0.16	–	–	0.22	0.05	–	–	0.04	–	–	0.40	0.22	4
5	0.03	–	0.03	0.26	0.10	0.12	0.33	0.21	–	–	–	–	5
6	–	0.10	–	–	0.03	0.10	0.07	0.01	–	–	0.52	0.17	6
7	–	0.22	0.21	0.10	0.27	0.02	0.05	–	–	–	–	0.23	7
8	0.09	0.13	0.80	0.14	0.03	0.25	0.06	0.10	–	–	–	0.03	8
9	0.30	–	S 0.53	0.07	–	0.45	–	–	0.01	–	–	0.90	9
10	0.19	0.05	–	0.06	0.08	–	–	–	–	–	–	0.06	10
11	–	0.26	0.32	–	0.08	0.41	–	–	0.13	–	0.28	0.22	11
12	0.02	0.05	0.09	–	–	–	–	–	0.46	–	–	0.27	12
13	–	0.25	0.18	–	–	–	–	–	0.06	0.27	–	0.34	13
14	–	0.04	0.37	–	–	–	0.10	–	–	0.48	0.11	0.43	14
15	0.07	0.01	0.20	–	–	–	–	0.01	–	–	0.08	0.08	15
16	0.02	–	0.06	–	–	–	–	–	–	–	–	–	16
17	–	0.29	0.05	–	–	–	–	–	0.22	–	–	0.10	17
18	–	0.05	S 0.09	–	–	–	–	–	–	–	–	0.43	18
19	–	0.05	S 0.11	–	–	0.14	0.02	–	0.05	–	0.24	0.02	19
20	~~0.15~~	S 0.15	S 0.27	–	–	–	–	–	0.03	–	–	0.02	20
21	–	S 0.45	0.09	–	–	0.18	–	–	–	0.02	–	S 0.19	21
22	– –	0.02 0.06	0.01 0.07	0.02 –	0.22 0.12	– –	0.14	0.04	– –	0.42 0.12	– –	S 0.07	22
23 π													23
24	–	–	0.09	0.04	–	–	0.06	0.01	–	0.11	0.10	–	24
25	0.04	–	0.10	–	–	–	–	0.04	–	0.38	–	–	25
26	–	–	0.06	–	–	–	–	0.10	–	0.02	0.10	S 0.56	26
27	0.04	–	–	–	–	–	–	0.05	–	–	–	0.18	27
28	–	S 0.09	–	–	–	–	–	–	–	0.04	0.62	1.32	28
29	S 0.02	X	0.03	–	–	–	–	–	–	0.30	0.10	–	29
30	–	X	0.06 S	–	–	–	–	–	–	0.03	0.26	0.28	30
31	–	X	–	X	0.25	X	0.06	–	X	–	X	0.07	31
Total	0.99	2.27	3.93	0.94	1.35	1.77	1.92	1.18	0.95	2.39	3.10	6.36	YEAR'S TOTAL 27.15
Rain Days.	12	17	23	9	11	8	11	13	7	11	14	25	161

W. 8,000. X. 14.

[illegible]

1043

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
3 JAN 1916

Kept at Weston
in the County of Herts 3
by Mr Crossleford for Mr R Pryor

Lat. 51° 56' 49" Long. 0° 10' ~~44~~"
Time of Observation 8-0 a m
Nearest Railway Station Stevenage
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 8 in.
" " " " Sea Level 470 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.43	0.08	0.08	–	0.06	–	–	–	0.09	–	0.21	0.32	1
2	0.23	0.23	0.15	0.05	–	0.02	–	0.63	0.04	0.05	0.01	~~0.00~~	2
3	0.40	–	0.07	0.24	–	–	0.11	0.13	0.03	–	–	0.08	3
4	0.10	–	–	–	–	–	–	0.10	–	–	0.04	0.79	4
5	0.02	0.35	–	–	0.02	–	–	0.02	–	0.07	–	0.22	5
6	0.15	0.02	0.03	0.20	–	–	1.20	0.03	–	–	–	0.06	6
7	0.09	0.32	0.13	–	–	–	0.37	0.06	–	–	–	0.25	7
8	–	0.24	S 0.05	0.02	–	–	0.02	–	–	–	–	–	8
9	–	0.05	–	–	–	0.04	–	0.06	–	–	0.21	0.51	9
10	0.24	–	0.07	–	–	–	–	0.24	–	–	0.03	0.10	10
11	0.02	–	0.03	–	0.02	–	–	–	–	–	0.70	–	11
12	0.04	–	–	0.40	0.22	–	–	0.04	–	0.15	0.73	0.09	12
13	0.07	0.50	–	–	1.52	–	–	–	–	–	–	–	13
14	–	0.05	–	–	0.02	–	0.32	0.91	0.05	–	–	0.43	14
15	0.19	–	–	–	0.03	–	–	0.08	–	–	S 0.18	0.14	15
16	–	0.28	–	–	–	–	0.54	0.11	–	–	–	0.11	16
17	–	0.40	–	–	0.20	–	0.23	–	–	–	–	–	17
18	–	0.09	S 0.22	–	–	–	–	–	–	–	0.06	–	18
19	–	0.02	–	–	–	–	0.08	–	–	–	–	–	19
20	0.24	–	–	0.07	–	–	–	0.01	–	–	–	0.41	20
21	S 0.15	0.06	–	–	–	–	–	–	–	0.01	–	0.06	21
22	0.98	0.06	0.40	–	–	–	0.41	–	–	–	–	0.19	22
23	0.02	S 0.17	0.23	–	–	0.01	0.08	–	0.17	0.20	–	0.22	23
24	–	–	0.10	–	–	0.12	0.25	–	0.25	0.05	–	0.19	24
25	–	–	–	0.03	–	0.17	0.02	–	–	–	–	0.22	25
26	–	0.07	–	–	–	–	0.10	–	–	–	–	0.25	26
27	–	0.06	–	–	–	0.25	0.15	–	0.03	0.37	–	0.13	27
28	–	0.09	–	–	–	0.04	–	0.04	1.06	0.20	–	–	28
29	–	X	–	–	–	0.38	0.06	0.25	–	–	0.07	0.09	29
30	0.02	X	–	–	–	–	–	–	–	–	0.04	0.01	30
31	0.03	X	–	X	–	X	–	0.03	X	0.48	X	0.19	31
Total	3.42	3.14	1.56	1.01	2.09	1.03	3.94	2.74	1.72	1.58	2.28	5.06	YEAR'S TOTAL 29.57
Rain Days.	18	19	12	7	8	8	15	16	8	9	11	23	157

W. 8,000. X. 15.

1015

FORM A.
BRITISH RAINFALL

5 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Weston Park

in the County of Herts

by Wm Crutchford for M R Pryor

Lat. 51°56 Long. 0°9' W

Time of Observation 8.0 am (9.0 Summer time

Nearest Railway Station Stevenage

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 0 ft. 8 3/4 in.

" " " " Sea Level about 470 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.16	—	0.03	—	0.09	0.02	—	—	0.01	—	0.26	—	1
2	0.33	0.01	0.14 s	—	0.18	0.01	—	—	0.04	0.39	0.01	—	2
3	0.05	0.41	0.16 s	—	—	—	0.01	—	0.24	0.20	0.20	—	3
4	0.23	0.10	0.01 s	—	—	0.43	—	—	—	0.54	0.28	—	4
5	0.03	—	0.01 s	0.04	0.03	0.36	0.13	—	—	0.06	0.48	—	5
6	—	0.06	0.23 s	0.25 s	0.01	0.24	0.09	—	—	0.08	0.49	—	6
7	0.07	—	0.29 s	—	0.11	0.10	0.36	—	—	0.10	0.67	0.03	7
8	—	—	0.02 s	—	0.38	0.01	—	—	—	—	—	0.22	8
9	—	—	0.03 s	—	0.31	0.01	—	—	—	—	—	0.14	9
10	—	0.01	0.15 s	0.09	—	0.28	0.01	—	—	0.02	—	0.02	10
11	0.09	0.22	0.05 s	0.10	0.03	0.22	—	—	—	—	—	0.09 s	11
12	0.03	0.03	0.02	0.06	0.52	0.23	0.15	0.13	0.01	0.12	—	—	12
13	—	0.47	0.25	0.08	0.28	0.07	0.11	0.08	—	0.05	—	—	13
14	—	0.40 s	—	0.07	0.03	—	—	0.04	—	0.01	—	0.10 s	14
15	—	0.12	0.36	0.03	—	—	0.05	0.10	—	0.04	—	0.06	15
16	—	0.01	0.12	0.23	0.08	—	0.20	0.04	—	0.05	—	—	16
17	0.06	0.05	—	0.19	—	—	0.04	0.40	0.33	0.26	—	—	17
18	—	0.09	0.07	0.15	—	—	—	0.10	0.09	0.01	0.54 s	—	18
19	0.03	0.02	0.19	0.07	—	—	—	0.03	0.32	—	0.79 s	0.13 s	19
20	0.18	—	0.34	0.03	—	—	—	0.03	—	—	0.07	0.29	20
21	—	—	0.97	—	0.10	—	0.41	—	—	—	—	0.61	21
22	—	0.06 s	0.03	—	—	0.01	—	—	—	0.03	~~0.06~~	0.44	22
23	—	0.39 s	—	—	—	0.27	—	0.03	—	—	0.06	0.12 s	23
24	—	0.10 s	0.01 s	—	—	0.46	—	0.02	—	—	0.03	0.19 s	24
25	—	0.40 s	0.13	—	0.04	—	—	0.17	—	0.14	0.08	0.05 s	25
26	—	0.06 s	0.07 s	—	—	0.07	—	0.02	—	0.04	0.02	—	26
27	0.09	0.09 s	0.65 s	—	—	0.16	—	0.04	—	0.18	—	—	27
28	—	0.29 s	0.54 s	—	—	0.14	—	—	—	0.03	—	0.18	28
29	—	0.13	—	—	—	0.16	—	1.15	0.01	0.32	—	0.12	29
30	—	✕	—	—	0.29	0.03	—	0.19	—	0.45	—	0.02	30
31	—	✕	—	✕	—	✕	—	0.01	✕	0.03	✕	0.02	31
Total	1.35	3.52	4.87	1.39	2.48	3.28	1.56	2.58	1.05	3.15	3.98	2.83	YEAR'S TOTAL 32.04
Rain Days.	12	22	25	13	15	20	11	17	8	22	14	18	197

W. 8,000, VIII. 16

983

FORM A.
BRITISH RAINFALL
7 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Weston
in the County of Herts
by W Crawford for Mr. R. Pryor

Lat. 51°56'49" Long. 0°9'46" W
Time of Observation 8.0 a.m. 9.0 Sundays
Nearest Railway Station Stevenage
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 8¾ in.
" " " " Sea Level about 470 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	0·08^{s}	—	—	—	1·76	0·03	—	0·16	—	1
2	0·02	0·02^{s}	—	0·29^{s}	—	0·04	—	0·21	—	—	0·04	—	2
3	—	—	—	0·01^{s}	—	—	—	0·41	—	0·41	0·09	—	3
4	—	0·11^{s}	0·04^{s}	—	—	—	—	0·30	—	0·96	—	—	4
5	0·18	—	0·03^{s}	0·20^{s}	—	—	—	0·57	0·26	0·10	0·13	—	5
6	—	—	—	—	—	0·05	—	—	0·04	—	0·04	—	6
7	0·26	—	—	—	—	0·01	0·32	—	—	0·42	—	0·01	7
8	0·27^{s}	—	—	0·12	—	—	1·50	0·30	—	0·21	0·08	0·06	8
9	0·11^{s}	—	0·06^{s}	0·06^{s}	—	—	0·04	1·00	0·03	—	0·07	0·21	9
10	0·30^{s}	—	0·17	0·22^{s}	—	—	—	0·14	—	—	0·01	—	10
11	0·10^{s}	—	0·43	0·08^{s}	—	—	—	—	—	0·28	—	—	11
12	0·11^{s}	—	0·02	0·01^{s}	0·01	—	—	0·06	—	0·24	—	—	12
13	0·10^{s}	—	0·05	—	—	—	0·01	0·08	0·03	0·02	—	—	13
14	0·04^{s}	—	—	0·06	—	—	—	0·04	—	—	—	—	14
15	0·03^{s}	—	—	—	—	—	—	0·14	—	0·01	—	—	15
16	0·05^{s}	0·09	—	0·13	0·01	0·02	0·12	—	—	0·69	—	0·04^{s}	16
17	—	0·01	—	0·18	0·67	—	0·25	0·07	0·42	0·35	—	—	17
18	0·08^{s}	—	—	0·17	0·04	0·05	0·27	0·04	0·40	0·01	—	—	18
19	0·01	0·08	0·16	0·01	0·22	0·01	—	—	0·35	—	—	—	19
20	0·03^{s}	0·18	0·09^{s}	—	1·00	—	—	—	0·01	—	0·09	—	20
21	0·01^{s}	—	0·04^{s}	0·05	0·02	—	—	—	—	—	0·08	—	21
22	—	—	0·05^{s}	—	—	—	—	0·04	—	0·20	0·01	—	22
23	—	0·12	—	—	0·11	—	—	0·10	—	0·04	—	0·04	23
24	—	0·03	—	—	—	0·10	—	0·06	—	0·09	0·04	0·01	24
25	—	0·03	0·05	—	—	—	—	—	—	—	0·04^{s}	—	25
26	—	—	0·06^{s}	—	—	—	—	0·29	0·06	—	0·33	0·01^{s}	26
27	—	—	0·01^{s}	—	—	0·17	—	0·76	—	—	—	0·05^{s}	27
28	—	0·03	0·03	—	—	0·58	—	0·13	—	0·02	—	0·05^{s}	28
29	—		0·04	—	—	0·39	1·05	0·04	—	0·24	—	0·13	29
30	0·01^{s}	×	0·04^{s}	—	—	—	1·03	0·09	—	0·01	—	0·02	30
31	0·08^{s}	×	0·23^{s}	×	—	×	0·44	0·09	×	—	×	—	31
Total	1·79 ✓	0·70 ✓	1·60 ✓	1·67 ✓	2·08 ✓	1·42 ✓	5·03	6·66 ✓	1·63 ✓	4·30 ✓	1·21 ✓	0·63 ✓	YEAR'S TOTAL 28·72
Rain Days.	18 ✓	10 ✓	18 ✓	15 ✓	8 ✓	10 ✓	10	23 ✓	10 ✓	18 ✓	14 ✓	11 ✓	165

W. 8,000, IX. 17.

4·91

64

FORM A.
BRITISH RAINFALL.

V8: 1. 19

Ese Esty

REGISTER OF RAINFALL IN 1918

Kept at Weston Park

in the County of Herts

by Wm Crockford for Mr R. Pryor

Lat. 51° 56' 49" Long. 0° 9' 46" W.

Time of Observation 8.0 – 9.0 Summer Time

Nearest Railway Station Stevenage G.N.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 8 3/4 in.

" " " " Sea Level about 470 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following: 0.00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	0.01	–	0.05	–	–	–	–	–	–	0.13	0.11	1
2	–	0.09	–	0.22	–	–	–	0.09	0.02	0.02	0.02	0.16	2
3	–	0.02	0.06 S.	–	0.37	–	–	0.65	0.09	–	0.72	0.06	3
4	–	0.06	0.06	–	–	–	–	0.02	0.07	–	0.36	0.03	4
5	–	0.01	–	–	0.23	–	–	0.10	0.41	0.05	–	0.01	5
6	0.08	0.12	–	0.31	0.03	–	–	0.03	–	0.01	–	0.05	6
7	0.09 S.	0.05	–	0.08	0.07	0.02	–	–	0.09	0.11	0.08	–	7
8	–	0.04	–	0.04	–	–	–	–	0.12	–	0.12	0.03	8
9	0.02	0.03	–	0.01	–	0.09	0.35	–	0.36	0.18	–	0.08	9
10	0.04	–	–	0.03	–	–	0.20	–	–	–	0.03	0.20	10
11	0.03	–	–	0.02	0.03	–	0.14	–	0.06	0.31	0.04	0.04	11
12	0.02	0.12	–	–	0.19	–	0.08	–	0.08	–	–	0.02	12
13	–	0.05	–	0.02	0.30	–	0.03	–	0.07	–	–	0.15	13
14	0.22	–	–	0.02	~~0.02~~	0.17	0.08	–	0.25	0.22	–	0.19	14
15	1.07 S	–	–	1.43 S	–	–	0.11	–	0.03	–	–	0.08	15
16	0.18 S.	–	–	0.51	0.01	0.01	–	0.01	0.87	–	–	–	16
17	0.13	–	–	0.23	–	–	0.30	–	0.04	–	–	0.10	17
18	0.46	–	–	–	–	(0.14) 0.14	0.28	–	0.36	0.06	–	0.28	18
19	0.06	–	0.13	0.18 S	–	0.08	0.15	–	0.03	0.08	–	0.07	19
20	0.02	0.08	–	0.34 S	–	0.05	0.04	–	0.15	0.20	–	0.06 S	20
21	0.07	–	–	0.22	–	0.03	–	–	0.84	0.03	–	–	21
22	0.06	–	–	0.02	0.12	–	0.05	–	0.07	–	–	0.19	22
23	0.02	–	–	–	0.53	0.01	0.36	0.07	0.01	–	0.02	0.02	23
24	–	0.19	–	–	0.04	–	–	–	0.10	–	0.06	–	24
25	–	–	–	–	0.05	0.08	0.04	0.26	–	0.02	0.21	–	25
26	–	–	–	–	–	–	0.34	0.03	–	0.04	0.17	0.12	26
27	–	0.01	–	0.17	–	–	0.11	0.20	0.08	–	0.10	0.03	27
28	–	0.07 S	0.17	0.02	–	–	–	0.03	–	–	0.39	0.09	28
29	–	✕	–	–	–	–	–	–	1.35	–	0.05	–	29
30	–	✕	0.34	–	–	–	–	–	0.04	–	0.04	0.14	30
31	–	✕	0.09	✕	–	✕	–	–	✕	0.08	✕	0.06	31
Total	2.51	0.95	0.85	3.92	1.97	0.68	2.66	1.49	5.59	1.41	2.54	2.37	YEAR'S TOTAL 26.94
Rain Days.	16	15	6	19	12	10	16	11	24	14	16	25	184

W. 6,500. VII. 18. W W C

Ex. Hob

948

JAN 26

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Weston Park, Stevenage.

in the County of Herts

by Mr Crockford for Mr R. Pryor

Lat. 57° 57' Long. 0° 9' 46" W

Time of Observation 8.0 a.m. 9.0 a.m. Summer time

Nearest Railway Station Stevenage G.N.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 9 3/8 in.

" " " " Sea Level 470 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0" between 8.0 & 9.0 a.m. 1 Jan.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·42	0·06 s	—	0·02 s	0·07	0·01	0·30	—	—	0·08	—	1·22	1
2	0·23	—	0·02	—	0·12	—	0·12	—	0·29	0·03	0·20	0·60	2
3	0·34	—	0·28	—	—	—	0·16	—	0·20	—	s 0·13	0·19	3
4	0·09	—	0·26	—	—	0·13	0·38	0·07	0·01	—	—	0·12	4
5	0·09	0·30 s	0·39	—	—	—	0·28	—	0·13	—	0·01	0·19	5
6	—	—	0·06	—	—	—	—	—	—	0·01	0·05	0·05	6
7	0·03	—	0·38	—	—	—	—	—	—	—	0·20	—	7
8	0·15	—	0·06	0·11	—	—	—	—	—	—	0·02	—	8
9	—	—	0·05	0·03	—	—	—	—	—	—	0·05	—	9
10	0·03	—	0·06	0·07	—	—	—	—	—	—	0·01	—	10
11	0·02	—	0·06	0·15	—	—	0·48	—	—	—	—	0·03	11
12	—	—	0·36	—	—	0·08	0·11	—	—	0·08	s 0·06	—	12
13	0·05	—	—	0·25	—	—	—	—	—	0·06	—	0·02	13
14	0·27	0·01	—	0·32	—	—	0·09	—	0·13	—	—	0·01	14
15	0·34	0·04	0·07	0·13	—	—	—	—	—	s 0·13	0·01 s	0·57	15
16	0·02	0·62	—	0·04	—	—	—	—	—	—	0·14	0·05	16
17	—	0·78 s	0·05	0·03	—	—	—	—	—	—	0·21	0·02	17
18	~~0·27~~ s	0·27 s	0·04 s	—	—	—	—	0·05	0·05	—	—	0·07	18
19	0·01	0·13	0·52	—	—	0·15	0·06	0·38	0·08	—	0·06	0·08	19
20	0·22	0·09	0·07	—	—	0·68	0·52	0·44	—	—	0·01	0·03	20
21	0·38 s	0·33	0·04	—	—	—	0·60	—	—	—	—	0·05	21
22	—	0·16	—	—	—	—	0·13	—	0·20	—	0·04	0·33	22
23	—	—	—	—	—	0·06	0·05	0·02	0·01	—	0·02	0·07	23
24	—	—	—	0·29	—	0·04	0·07	0·05	—	0·05	0·03	0·01	24
25	0·08 s	—	—	0·02	0·01	0·04	—	0·30	—	—	—	0·04	25
26	0·18	0·35 s	0·11	0·03	—	—	0·10	0·29	0·06	—	—	0·35	26
27	0·48 s	0·14 s	0·01	1·40 s	—	—	—	0·24	~~0·02~~	0·02	0·01 s	0·07	27
28	—	—	0·06 s	0·05	—	—	—	0·85	—	0·04	0·07 s	0·26	28
29	0 10 s	X	—	0·06	—	—	—	0·13	—	0·23	0·10	0·04	29
30	—		0·03 s	0·31	—	0·22	—	—	—	0·06	0·21	0·34	30
31	0·03 s		0·03 s		—		—	—		0·01		0·04	31
TOTAL	3·56	3·28	3·01	3·31	0·20	1·41	3·45	2·82	1·16	0·80	1·64	4·85	YEAR'S TOTAL 29·49
Days with ·01 in. or more	21	13	22	17	3	9	15	11	10	12	21	26	180

See note at back

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

See note at back

Note. on 17th Feb & on 27th April the gauge was completely snowed under and it is probable that a large excess over the amount measured fell. on 27th April the snow lay to a depth exceeding 15 inches on the level after the attempt to measure was made on the morning of 28th April. The snow was moist and dense

M R Pryor
1st Jan 1920

ent 883

FORM A.
BRITISH RAINFALL Co
1 8

REGISTER OF RAINFALL IN 1920

Kept at Weston Park. Stevenage

in the County of Herts

by R H Crockford. for Col. W. M. Pryor D.S.O.

Lat. 57°56'49" Long. 0°9'46" W.

Nearest Railway Station Stevenage G.N.R.

Time of Observation 8.0 a.m. 9.0 a.m. Summer time

Diameter of Rain-Gauge 5 in.

Height of top of Gauge above Ground - ft. 9 3/8 in.

" " " Sea Level 470 ft.

Note.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	0.65	0.13	—	0.21	0.09	—	1.13	0.07	0.17	1
2	—	—	—	0.09	—	—	0.06	0.13	0.09	—	—	0.11	2
3	—	0.03	—	0.04	—	0.03	0.38	—	0.08	0.08	—	0.04	3
4	—	—	—	0.28	—	—	0.05	0.14	0.01	0.12	—	0.06	4
5	—	—	0.04	0.04	0.06	—	0.70	0.08	0.14	—	—	0.11	5
6	—	—	0.16	—	0.09	—	0.50	—	—	—	—	0.01	6
7	—	0.01	(snow) 0.15	0.06	—	—	0.14	—	—	—	—	0.03	7
8	(Snow.) 0.21	0.01	0.01	0.31	0.02	—	0.06	0.07	—	—	—	—	8
9	0.31	—	—	0.16	—	—	—	—	—	—	—	—	9
10	0.15	0.14	0.05	—	—	—	0.05	—	—	—	—	—	10
11	0.40	—	0.02	0.22	0.04	0.02	0.08	—	—	—	—	(Snow) 0.04	11
12	0.04	—	0.07	0.10	—	0.32	0.01	—	—	—	0.02	—	12
13	0.01	0.03	0.03	0.12	—	0.04	—	—	—	—	0.08	(Snow) 0.03	13
14	—	—	0.27	0.24	—	0.03	0.14	—	0.09	0.20	0.26	0.02	14
15	0.01	0.03	(snow) 0.23	0.15	—	—	0.01	—	0.19	0.01	0.08	(snow) 0.01	15
16	—	—	—	0.06	—	—	—	—	0.15	0.04	0.04	(snow) 0.01	16
17	0.03	—	0.01	0.04	0.10	0.10	0.05	—	0.16	—	—	(snow) 0.04	17
18	0.02	—	—	—	0.06	—	—	0.46	0.06	—	—	0.06	18
19	0.22	—	—	0.13	—	0.05	—	0.05	—	—	—	0.01	19
20	0.07	(snow) 0.12	—	0.30	—	0.55	—	—	—	—	—	—	20
21	—	0.01	—	—	—	—	0.40	0.09	0.34	—	—	0.07	21
22	—	—	—	0.16	—	—	—	—	0.48	—	—	0.09	22
23	0.01	—	—	—	—	—	0.67	—	—	—	—	0.37	23
24	0.01	—	0.09	—	—	—	—	—	—	—	0.02	0.04	24
25	0.01	0.04	0.06	0.01	0.19	—	0.31	—	—	—	—	—	25
26	0.14	—	0.09	0.03	0.09	—	0.06	—	—	—	—	0.01	26
27	0.23	0.03	0.01	0.29	—	0.31	0.04	—	—	—	0.37	0.11	27
28	0.44	—	0.16	—	0.11	0.02	0.04	—	—	—	0.01	0.02	28
29	0.10	—	0.09	—	0.10	—	0.09	—	—	—	—	0.23	29
30	—		—	—	0.04	0.06	0.27	0.01	0.13	—	0.34	0.11	30
31	0.04		—		0.02		—	—		0.26		0.20	31
Total	2.45	0.45	1.54	3.48	1.05	1.53	4.32	1.12	1.92	1.84	1.29	2.00	TOTAL for year 22.99
No. of Rain Days.	19	10	17	21	13	11	22	9	12	7	10	25	176
·04"	11	3	12	19	11	7	20	8	11	6	7	16	131

1,000, 1. '12.

EDWARD STAMFORD, 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

THERFIELD RECTORY
HERTS
1911-1920

REC

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

Kept at Therfiel ko
in.
in the County of He und 1 ft. 0 in.
Level 513 ft.
by John Crackn on
ne Royston
tance 3½ Direction NE

IMPORTANT NOTE result entered to the previous day. If an Obse l rule, he is earnestly requested to add the readi in the space provided for it at the end of this t of rain, the selection and placing h Rainfall Organization are given in " lication to Dr. H. R. Mill, 62, Camd

Jan. 1, following.

Date	Jan.	Feb.	March.						.	Nov.	Dec.	Date.
1	0·03	x	x	011	x	x	004	002	x	x	x	x	1
2	009	x	x	003	0·11	x	006	x	x	x	011	0·14	2
3	x	00·2	x	002	0·13	x	x	001	x	015	001	0·01	3
4	008	0·05	0·18	010	x	x	x	x	x	003	x	0·30	4
5	002	x	x	x	x	x	x	x	x	003	002	0·26	5
6	0·21	x	004	x	x	x	x	x	x	x	x	0·30	6
7	002	x	003	x	x	x	x	x	x	003	032	0·23	7
8	0·25	x	017	x	x	x	x	x	x	001	014	0·15	8
9	0·22	x	002	003	x	x	x	x	x	x	x	0·01	9
10	0·01	0·11	008	002	x	x	x	x	x	x	003	0·38	10
11	0·26	x	x	x	007	001	x	x	x	004	043	0·01	11
12	0·03	x	042	x	x	x	x	x	004	x	025	x	12
13	0·01	x	013	x	055	x	x	x	0·16	071	001	0·26	13
14	x	001	003	x	067	x	x	x	x	x	x	0·40	14
15	x	004	036	x	x	x	x	x	x	006	007	0·02	15
16	x	x	001	x	x	x	x	x	x	x	027	0·03	16
17	x	x	x	x	x	031	x	x	x	x	005	0·13	17
18	x	012	x	x	x	007	x	x	x	x	0·51	0·13	18
19	x	x	x	x	005	003	x	x	004	009	0·37	0·03	19
20	0·01	x	001	x	x	035	x	059	020	x	x	0·50	20
21	0·02	0·07	001	x	x	005	x	025	x	034	x	0·11	21
22	0·12	x	033	x	x	021	x	005	x	011	x	0·46	22
23	001	0·08	023	x	x	096	001	x	x	x	x	0·13	23
24	x	003	002	x	x	017	014	002	x	050	x	0·14	24
25	x	011	003	008	x	025	005	x	x	x	x	x	25
26	x	x	006	0·14	x	013	x	002	0·26	014	001	0·14	26
27	x	0·23		005	x	x	x	x	014	x	006	0·04	27
28	x	0·19		0·24	x	x	001	010	028	x	006	0·06	28
29	x			x	x	014	015	x		017	x	x	29
30	x			002	x			x		019	x	x	30
31	x				011			x				0·01	31
Total	1·39	1·06	2·16	0·84	1·69	2·68	0·46	1·06	1·12	2·60	2·72	4·38	TOTAL for year 22·16
No. of Rain Days.	16	12	18	11	7	12	7	8	7	15	17	26	156

W. 8,000, X. '11.

√

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

Kept at Therfield Rectory

in the County of Herts 3

by John Cracknell

RAIN GAUGE
Pattern Hicks
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 513 ft.

Time of Observation 9 am

Nearest Railway Station
Name Royston
Distance 3½ Direction NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·03	X	X	011	X	X	004	002	X	X	X	X	1
2	009	X	X	003	0·11	X	006	X	X	X	011	0·14	2
3	X	00·2	X	002	0·13	X	X	001	X	0·15	001	0·01	3
4	008	0·05	0·18	010	X	X	X	X	X	003	X	0·30	4
5	002	X	X	X	X	X	X	X	X	003	002	0·26	5
6	0·21	X	004	X	X	X	X	X	X	X	X	0·30	6
7	002	X	003	X	X	X	X	X	X	003	032	0·23	7
8	0·25	X	017	X	X	X	X	X	X	001	014	0·15	8
9	0·22	X	002	003	X	X	X	X	X	X	X	0·01	9
10	0·01	0·11	008	002	X	X	X	X	X	X	003	0·38	10
11	0·26	X	X	X	007	001	X	X	X	004	043	0·01	11
12	0·03	X	042	X	X	X	X	X	004	X	025	X	12
13	0·01	X	013	X	055	X	X	X	0·16	071	001	0·26	13
14	X	001	003	X	067	X	X	X	X	X	X	0·40	14
15	X	004	036	X	X	X	X	X	X	006	007	0·02	15
16	X	X	001	X	X	X	X	X	X	X	027	0·03	16
17	X	X	X	X	X	031	X	X	X	X	005	0·13	17
18	X	012	X	X	X	007	X	X	X	X	0·57	0·13	18
19	X	X	X	X	005	003	X	X	004	009	0·37	0·03	19
20	0·01	X	001	X	X	035	X	059	020	X	X	0·50	20
21	002	0·07	001	X	X	005	X	025	X	034	X	0·11	21
22	0·12	X	033	X	X	021	X	005	X	011	X	0·46	22
23	001	0·08	023	X	X	096	001	X	X	X	X	0·13	23
24	X	003	002	X	X	017	014	002	X	050	X	0·14	24
25	X	011	003	008	X	025	005	X	X	X	X	X	25
26	X	X	006	0·14	X	013	X	002	0·26	014	001	0·14	26
27	X	0·23		005	X	X	X	X	014	X	006	0·04	27
28	X	0·19		0·24	X	X	001	010	028	X	006	0·06	28
29	X			X	X	014	015	X		017	X	X	29
30	X			002	X			X		019	X	X	30
31	X				011			X				0·01	31
Total	1·39	1·06	2·16	0·84	1·69	2·68	0·46	1·06	1·12	2·60	2·72	4·38	TOTAL for year 22·16
No. of Rain Days.	16	12	18	11	7	12	7	8	7	15	17	26	156

W. 8,000, X. '11.

Exe DL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
2 - JAN 1913

Kept at Therfield Rectory
in the County of Herts 3
by john Cracknell

RAIN GAUGE
Pattern Hicks
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 513 ft.

Time of Observation 9

Nearest Railway Station
Name Royston
Distance 2 m Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			002	001		00·1	001	005	008	0·27		0·18	1
2		002	002	005		040	0·53					002	2
3	0·10		0·11		0·19	0·10	003	032					3
4	00·9	001	0·57		0·12	0·13		002					4
5	0·10	005	042		002			0·17	003			012	5
6	0·26	005				0·20	018	021			027	003	6
7	004				002	0·74	004	008			0·10		7
8	0·30	0·30	017			003	003	0·14	040				8
9	002	004		007		0·37	002	·		001			9
10		002				003		023	002		0·13	0·28	10
11	00·9	013				001		001	006			006	11
12	0·11	008	007		004	005		0·10			006	007	12
13		005				0·10	001	008			012		13
14					004	004		005		003	001		14
15		003	024		020	0·17		003				014	15
16	0·18		003		004	002		005		002	012		16
17	052		024			013		006			006		17
18	004		017					024			006	0·15	18
19	0·13	007	018				0·27	047			003		19
20	00·2		011				001	014		025			20
21	001	001	068		045			0·47		022	005		21
22	061	007			007		003	024	001	003		001	22
23	046	043	025		002		007	0·66		003	026	010	23
24	0·24					003		0·21				007	24
25						013		0·85			0·25	0·48	25
26		001				005	0·35	0·62		0·33	0·26	0·36	26
27										023		0·14	27
28		003					006	002	005	040		0·27	28
29			005			007	013	0·38	106	020	003		29
30	001				032	004	~~02~~	002	078	014			30
31			007				0·23	0·30		003		005	31
Total	3·33	1·40	3·40	0·13	1·53	2·85	1·97	6·22	249	219	181	253	TOTAL for year 29·85
No. of Rain Days.	19	17	17	3	12	21	16	28	9	14	15	17	188

W. 8,000, X. '11.

[illegible] 25·11·14 ~~[illegible]~~ 8

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

2 JAN 1914

Kept at Sherfield

in the County of Herts 3

by John Cracknell

Lat. 52 N Long. 1·0·30 W
Time of Observation 9 am
Nearest Railway Station Royston
Diameter of Rain Gauge Five in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 512·7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	004	018	009	020	X	X	X	X	0·81	X	007	005	1
2	006	016	X	X	X	X	013	X	019	X	X	X	2
3	001	X	010	004	.85 083	X	X	X	X	X	X	006	3
4	015	X	X	X	008	X	007	X	X	052	001	013	4
5	008	X	001	X	X	002	006	X	001	021	002	006	5
6	X	003	011	X	013	013	020	X	X	011	X	X	6
7	X	011	X	X	011	X	004	X	X	045	005	X	7
8	X	X	007	004	024	008	X	X	X	005	005	X	8
9	X	019	003	004	002	017	X	X	015	X	004	006	9
10	X	X	007	003	X	X	069	003	X	X	032	X	10
11	057	X	X	043	X	X	X	X	X	014	023	X	11
12	X	001	X	X	009	X	X	X	X	001	013	X	12
13	004	X	X	X	X	X	X	001	008	X	049	X	13
14	006	X	008	001	X	X	089	X	X	025	008	X	14
15	018	003	013	022	X	X	025	X	009	X	X	X	15
16	008	X	036	013	X	X	X	X	011	X	X	X	16
17	005	002	004	007	X	043	011	X	X	X	001	031	17
18	X	X	013	009	X	X	003	X	004	X	002	X	18
19	018	X	007	X	X	X	009	002	051	X	X	004	19
20	020	X	005	002	X	006	X	X	X	031	X	X	20
21	004	X	010	005	005	X	004	X	002	016	036	X	21
22	037	X	013	002	001	X	X	008	011	X	X	X	22
23	X	X	001	X	X	004	002	018	003	X	X	008	23
24	004	X	001	001	X	003	X	004	X	X	002	X	24
25	004	002	X	018	X	X	X	X	X	X	X	X	25
26	X	002	022	009	X	X	003	011	X	077	X	014	26
27	X	002	006	010	X	X	X	X	X	006	X	X	27
28	016	X	023	007	X	X	X	X	X	016	X	001	28
29	005		019	042	048	X	X	013	X	001	X	001	29
30	026		X	009	X	X	X	X	X	015	012	003	30
31	003		X		X		X	069		007			31
													YEAR'S TOTAL
Total	268	079	220	238	206	096	265	129	215	343	202	0·98	23·59
Rain Days.	21	11	22	21	10	8	14	9	12	16	16	12	172

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Kept at Therfield
in the County of Herts 3
by John Cracknell

Lat. 52 N Long. 1·0·30 W
Time of Observation 9 pm
Nearest Railway Station Royston
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. " in.
" " " " Sea Level 512·7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							043	025			007		1
2			001	004			002	022			007	008	2
3			015		011		066	005			007	001	3
4	0·19		001	022	002			006			056	021	4
5			002	028		010	025	016			001	011	5
6		010			007	008	002	002			017		6
7		014	020	011	025	011	002					022	7
8	009	010	061	003	003	051	001	012				002	8
9	042	016	050	012		049						080	9
10	022			007	006				013			005	10
11		015	035	001	004	039			003		031	022	11
12	005	005	008				002		054	001	001	025	12
13		021	018						005	010	004	043	13
14		001	031				012			028	013	044	14
15	008		023					001			007	010	15
16			003				001				005		16
17		031	002						008			007	17
18		001	003									040	18
19		004	011			001	017		005		021	063	19
20		012	033			005			006			009	20
21		040	009			010				001		013	21
22		001	003	005	026		009	003		059			22
23		003	007		012					014	001	009	23
24		002	007	018			011			014	015		24
25	004		005				001			034		023	25
26			004					008		004	005	053	26
27	004							007				022	27
28		003	005				001			006	072	096	28
29	00·1		004		001					031	011		29
30		✕								003	026	031	30
31		✕		✕	020	✕	005		✕		✕	005	31
Total	1·14	1·89	3·61	1·11	1·17	1·84	2·00	1·07	0·94	2·05	3·07	6·05	YEAR'S TOTAL 25·94 25·94
Rain Days.	9	17	25	10	11	9	16	11	7	12	19	25	171

W. 8,000. X. 14.

1046

REGISTER OF RAINFALL IN 19 15

FORM A.
BRITISH RAINFALL.
4. JAN 1916

Kept at Therfield
in the County of Herts 3
by John Cracknell

Lat. 52 N Long. 1·0·30 W
Time of Observation 9 a.m
Nearest Railway Station Royston
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 512 BM ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	042	012	015		005				006		005	022	1
2	020	028	025			002		040		003	001	007	2
3	046		005	021			007	019	003	003		016	3
4	014				001			0·18			002	050	4
5		023						002		008		019	5
6		002		015			089	003		003		004	6
7	021	035					052	009				024	7
8	007	031	007								001		8
9		005		003		006		002		001	017	048	9
10	024	045	002			009		050			001	009	10
11	004				002						067		11
12	010			042	030			005		014	052	005	12
13					1·28		037						13
14		005						019	008			033	14
15	014						003	024			025	012	15
16		029			004		050	078		002		003	16
17	001	036			023		021	002					17
18		010			003						011		18
19		001	031				011						19
20	036		007	007								041	20
21	013	005			002		003			001		005	21
22	0·95		045				040		001			018	22
23		015	017				030		020	016		016	23
24	002		002	004		007	004		025	002		010	24
25		009				013	002			002		020	25
26			003			004	009					022	26
27		001				026	010		001	038		005	27
28		013	002				002	005	062				28
29						036	018	020			006	011	29
30		X				002	010	004	003		002	017	30
31	002	X		X		X			X	050	X		31
Total	3·67	2·99	1·61	0·92	1·98	1·05	3·98	2·95	1·29	1·43	1·90	4·17	YEAR'S TOTAL 27·78
Rain Days.	16	18	12	6	9	9	18	16	9	13	12	23	161

W. 8,000. X. 15.

#CJE end months

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
13 JAN 1917

Kept at Therfield

in the County of Herts

by John Cracknell

Lat. 52 N Long. 1·0·30 W
Time of Observation 9 pm
Nearest Railway Station Royston
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 572 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.
1	003		005		012	004
2	027	002	012		025	
3		035	006			
4	018	015				026
5	003		002	003	003	037
6		002	025	027		017
7	013		025		012	008
8					037	038
9			003		019	004
10		004	022	009		032
11	005	016	006	015	004	027
12	002	003	002	001	047	025
13		045	015	006	042	010
14		074		004	003	002
15		013	032			
16		008	010	024	005	
17	008	006		018		
18		008	005	010		
19	001	003	013	014		
20	016		033	004		
21			075			
22		003	004		015	002
23	001	059				010
24			003			031
25		026	014		004	
26		010	001			006
27	007	011	065			006
28		037	033			003
29		013	008			013
30		X			057	002
31		X		X		X
Total	1·04	393	419	135	285	303
Rain Days.	12	21	24	12	14	20

July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
				022		1
		004	035			2
001		017	022	018		3
		001	015	028		4
010			005	035		5
005			002	045		6
021			013	050	005	7
					027	8
					007	9
007	001	002	001		004	10
					007	11
016	011	002	020	001		12
032	006		002			13
003	011				021	14
025	008					15
	006		006			16
011	013	029	025			17
	042	005	002	053		18
	002	015		070	012	19
	005			003	033	20
					053	21
052			002		045	22
	002			004	005	23
	002		002	002	018	24
	014		006	005		25
		002	005			26
	008		021			27
					019	28
	1·42		026		004	29
	016		040			30
	002	X	003	X		31
183	291	077	253	336	2·60 ~~2·82~~	YEAR'S TOTAL 30·39 ~~30·61~~
11	17	9	20	13	~~15~~ 14	~~188~~ 187

W. 8,000, VIII. 16

[illegible] 986

REGISTER OF RAINFALL IN 191

FORM A.
BRITISH RAINFALL.

19 JAN 1918

Kept at Therfield Rectory.

in the County of Herts

by Rev H. R. Humphreys.

Lat. 52 N. Long. 2 min or 1.0.30 W.

Time of Observation 9. a. m.

Nearest Railway Station Royston.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

„ „ „ „ Sea Level 512 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				008				153	006		027		1
2	002	004		030		004		028			006		2
3				002				033		045	006		3
4	020	012						035		073			4
5			003	021				025	023	009	009		5
6				002		010			008	005	004		6
7	027						024			058	001		7
8	015			006			150	020		020	008	012	8
9			008	006			003	048	002		006	013	9
10	032		015	011				015		0051	002		10
11	003		044	012						025			11
12	003		002					010		020			12
13	020		004					004	0051	008		001	13
14				009			003	006					14
15	004				002			015		002		005	15
16		011		014	002	003	021	005		074			16
17	004			028	069		025	002	044	030			17
18				009	005	008	053		046	001			18
19	009	010	004		014	004			024				19
20		017	010		120						014		20
21		002	007		003						006		21
22			007					003		020			22
23		007			023			019		004		006	23
24		003				015		017		006	006		24
25			003								004		25
26			012			002		046	006		036	002	26
27			006			002		065				004	27
28		004				090		006				004	28
29					001	078	200	003		030		017	29
30		X	008				078	028					30
31	012	X	028	X		X	054	009	X	0011	X	004	31
Total	1.52	070	1.61	1.48	2.29	2.16	6.11	5.75	1.64	4.36	1.35	068	YEAR'S TOTAL 29.64
Rain Days.	12	9	15	13	9	10	10	23	9	19	14	10	153

W. 8,000, IX. 17.

5.36

67

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at Therfield Rectory
in the County of Herts
by Rev. H. R. Humphreys.

Lat. 52 N Long. 2 min or 1.0.30 W
Time of Observation 9 a.m.
Nearest Railway Station Royston G.N.R.
Diameter of Funnel of Rain Gauge 5 in. Hicks.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 512 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				005							009	005	1
2	002	007		012				008	008	007		011	2
3		003	007		037			010	012		075	004	3
4		002	007						038		032	002	4
5					015			011	014	005			5
6	007	007		030	002			005				005	6
7	014	009		005					017	008	011		7
8									015	(·02)	008	002	8
9	003	002				005	022		040			016	9
10	007			003			020		014	017	004	015	10
11				003	008		015		005	024	007	004	11
12	002	013			028		014		011			002	12
13		003		002	024		002		010			015	13
14	020					019	007		029	030		016	14
15	110			110			015		005			007	15
16	022			097		002			110				16
17	011			023			035		005			009	17
18	035					015	013		040			026	18
19	003	004	015	016		013	020		002	010		008	19
20	002	003		034		008	005		009	017			20
21	005			020					075	005			21
22	005			004	007		009		007			027	22
23	002				049	004	016	009	007			005	23
24		019			006	021	003		008		007		24
25					004		003	026			018		25
26							035	004	005	003	014	008	26
27				020			014	020			012		27
28		008	013	002		002		003			026	007	28
29									140		004		29
30		X	033						006		008	075	30
31	003	X	008	X		X			X	008	X	005	31
Total	253	080	083	386	180	89	248	96	632	130	235	214	YEAR'S TOTAL 26·26
Rain Days.	17	12	6	16	10	9	17	9	25	12	14	22	169

W. 8,000, IX. 17.

930

FORM A. 1, METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Therfield Rectory.
in the County of Herts.
by Rev. H. R. Humphreys.

Lat. 52 N Long. 2 min. or 1.0.30. W.
Time of Observation 9 a.m.
Nearest Railway Station Royston G.N.R.
Diameter of Funnel of Rain Gauge 5 in. Hicks
Height of top of Gauge above Ground 1 ft – in.
" " " Sea Level 512 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	034			003	005	007	038			005		100	1
2	022	004	—		014		006		023		025	073	2
3	035		027				006		015		014	016	3
4	010		021			021	015	006	002			004	4
5	006	033	031				045		010	002		019	5
6			007		007					003	007	003	6
7	004		026								020		7
8	014		005	009							006		8
9			003	004							013		9
10	002		011	006							007		10
11	002		007	015			052					004	11
12			023			(·10)	012			007	004		12
13	008			028					006	001		002	13
14	015			027			001		015	001			14
15	032		010	011						012	003	033	15
16	004	070		001							012	003	16
17		112									019	002	17
18		008	044					012	005		002	007	18
19		008	044			018	014	035	010		003	006	19
20	021	005	004			079	055	040			002	001	20
21	038	030	004				070					005	21
22	007	021					018		012		006	050	22
23						003	015	003	009		001	005	23
24				043		004	002	003		002	004		24
25	007			002	004	002		025				002	25
26	020	038	009	005				033	005			031	26
27	087	028	003	.350 ✓				020				002	27
28		002	004	007			001	076		005	007	026	28
29	005			005		003	002	012		020	017	005	29
30		X		031.		020		008		005	022	024	30
31	003	X		X		X			X	002	X	002	31
TOTAL	3·76 ✓	3·59 ✓	2·43 ✓	4·47 ✓	0·30 ✓	1·67	3·52	2·73	1·12 ✓	0·65 ✓	1·88 ✓	4·25	YEAR'S TOTAL 30-37
Days with ·01 in. or more	21 ✓	12 ✓	18 ✓	16 ✓	4 ✓	10	16 ✓	12 ✓	11 ✓	12	20	24	176

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

884

12 FEB 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Therfield Rectory

in the County of Herts

by Rev. H. R. Humphreys

Lat. 52 N Long. 2 m or 1·0·30 W.

Time of Observation 9 a.m.

Nearest Railway Station Royston G.N.R.

Diameter of Funnel of Rain Gauge 5 in. Hicks.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 512 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				075	009		025	007		024		014	1
2				004			003	012		003		006	2
3		003		022		007	012			007			3
4				025			009	013		008			4
5			004		014		088	004	005			021	5
6			016		014		042	001	023				6
7			006	010			010					005	7
8	022			037			012	010					8
9	030			012				005					9
10	010	004	007	002			008					002	10
11	030		004	022	008	005	008					005	11
12	006		007	013		050					003		12
13		002	009	010		006							13
14			021	022		003	014		012	010	022		14
15	001		007	011					014		004		15
16				014	004				017	003		004	16
17	003		002	003	010	003	005		013			008	17
18	010				011			046	004			006	18
19	017	003		012		002		004					19
20	008	017		019		057		014	002				20
21							051		035			006	21
22				020				010	039			012	22
23							038					031	23
24	002		010									003	24
25	001	004	004	004	003	002	035						25
26	013		009	005	020	002	008						26
27	020	004	002	018		023						011	27
28	046		018		018	003	005				025	002	28
29	006		008		006		012				019	020	29
30	004	×	003		003	007	021		016		012	012	30
31	003	×		×		×			×	035	×	010	31
Total	2·32	0·37	1·37	3·60	1·20	1·70	4·06	1·26	1·80	0·90	0·85	1·78	Year's Total 21·21.
Days with ·01 in. or more	18	7	17	21	12	13	19	11	11	7	6	18	160.
Days with ·04 in. or more	13	4	14	19	10	7	18	10	10	5	5	15	130.

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

✓

FORM A2.
BRITISH RAINFALL.

4 JAN 1912

HERTS
THROCKING RECTORY
1911 – 1917

REC 911.

Kept at Throcking Rectory

in the County of Her

by the late Charles Wig
on December 22nd

…udon I believe (vide last year)
…p 5 in.
…bove Ground 1 ft. 0 in.
„ Sea Level 487 ft.
9. a.m.
…on { Name Buntingford
Distance 2½ Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	✳ ·04	–	·01	·13	–	–	·03	·02	–	–	–	–	1
2	✳ ·07	·01	·01	·09	·14	–	·02	·01	–	–	·10	·16	2
3	·01	·02	–	✳ ·03	·11	T ·02	–	·01	–	·31	·08	·06	3
4	·05	·04	·13	✳ ·12	–	–	–	–	–	·07	·08	·32	4
5	·01	·01	–	✳ ·01	–	–	–	–	–	·08	–	·20	5
6	·25	–	·05	–	–	–	–	–	–	·01	·01	·34	6
7	·02	–	·01	–	–	–	–	–	–	·14	·24	·25	7
8	·17	–	·17	–	–	–	–	–	–	·02	·11	·19	8
9	·20	–	·01	·02	–	–	–	–	–	–	·02	[illegible]	9
10	·01	·06	·09	·03	–	–	–	–	–	–	·09	·39	10
11	·26	–	·01	–	R ·11	·03	–	–	–	·01	·44	·01	11
12	✳ ·05	–	✳ ·42	·01	–	–	–	–	·03	–	·26	·01	12
13	–	–	✳-T ·09	–	T ·17	–	–	–	·25	·32	·01	·19	13
14	–	–	·02	–	·41	·01	–	–	–	·01	–	·42	14
15	✳ ·01	·02	✳ ·34	–	–	–	–	–	·01	·05	·05	·03	15
16	·01	–	·03	–	–	·30	–	–	–	·02	·36	·05	16
17	–	–	–	–	–	·11	–	–	–	–	·09	·11	17
18	–	·16	·01	–	–	·18	–	–	–	–	·54	·10	18
19	–	·01	–	·01	·03	·34	–	–	·04	·05	·41	·05	19
20	·02	·01	·01	–	–	–	–	·18	·25	·02	–	·56	20
21	·02	·14	·05	–	–	·02	–	·18	–	·40	·01	·11	21
22	·13	·01	T ·22	–	–	·10	–	·01	–	·07	·01	·47	22
23	✳ ·01	·20	·21	–	–	·98	–	–	·24	–	–	~~·14~~	23
24	–	·05	·02	–	–	·09	·04	·01	–	·58	–	·16	24
25	–	·04	✳ ·03	·05	–	·18	T ·12	–	–	–	·01	·01	25
26	–	–	–	·13	–	·10	·02	–	–	·14	·05	·09	26
27	–	·31	·06	·05	–	–	–	–	–	·01	·03	·05	27
28	–	·15	–	T ·26	·02	–	·02	·07	·15	–	·06	·03	28
29	–	+	–	T –	–	·14	·15	–	·28	·20	·01	–	29
30	–	+	·02	·03	·02	·01	–	/	·04	·21	–	·02	30
31	–	+	–	+	R ·11	+	–	[illegible]	+	·01	+	·02	31
Total	1·34	1·24	2·02	·97	1·12	2·61	·40	·49	1·29	2·73	~~2·98~~ 3·07	4·54	TOTAL for year 21·82 ✓
No. of Rain Days.	18	16	23	14	9	15	7	8	9	21	~~22~~ 23	28	191

W. 8,000, X. '11.

FORM A2. BRITISH RAINFALL. 4 JAN 1912

REGISTER OF RAINFALL IN 1911.

Kept at Throcking Rectory, Buntingford, Herts.

3

in the County of Hertford

by the late Charles Wigan Harvey, who died on December. 22nd 1911. (R.I.P.)

RAIN GAUGE
Pattern Snowdon Thebeise (vide post..)
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 487 ft.

Time of Observation 9. a.m.

Nearest Railway Station
Name Buntingford
Distance 2½ Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	* ·04	—	·01	·13	—	—	·03	·02	—	—	—	—	1
2	* ·07	·01	·01	·09	·14	—	·02	·01	—	—	·10	·16	2
3	·01	·02	—	* ·03	·11	T ·02	—	·01	—	·31	·08	·06	3
4	·05	·04	·13	* ·12	—	—	—	—	—	·07	·08	·32	4
5	·01	·01	—	* ·01	—	—	—	—	—	·08	—	·20	5
6	·25	—	·05	—	—	—	—	—	—	·01	·01	·34	6
7	·02	—	·01	—	—	—	—	—	—	·14	·24	·25	7
8	·17	—	·17	—	—	—	—	—	—	·02	·11	·19	8
9	·20	—	·01	·02	—	—	—	—	—	—	·02	—	9
10	·01	·06	·09	·03	—	—	—	—	—	—	·09	·39	10
11	·26	—	·01	—	R ·11	·03	—	—	—	·01	·44	·01	11
12	* ·05	—	* ·42	·01	—	—	—	—	·03	—	·26	·01	12
13	—	—	*-T ·09	—	T ·17	—	—	—	·25	·32	·01	·19	13
14	—	—	·02	—	·41	·01	—	—	—	·01	—	·42	14
15	* ·01	·02	* ·34	—	—	—	—	—	·01	·05	·05	·03	15
16	·01	—	·03	—	—	·30	—	—	—	·02	·36	·05	16
17	—	—	—	—	—	·11	—	—	—	—	·09	·11	17
18	—	·16	·01	—	—	·18	—	—	—	—	·54	·10	18
19	—	·01	—	·01	·03	·34	—	—	·04	·05	·41	·05	19
20	·02	·01	·01	—	—	—	—	·18	·25	·02	—	·56	20
21	·02	·14	·05	—	—	·02	—	·18	—	·40	·01	·11	21
22	·13	·01	T ·22	—	—	·10	—	·01	—	·07	·01	·47	22
23	* ·01	·20	·21	—	—	·98	—	—	·24	—	—	·14	23
24	—	·05	·02	—	—	·09	·04	·01	—	·58	—	·16	24
25	—	·04	* ·03	·05	—	·18	T ·12	—	—	—	·01	·01	25
26	—	—	—	·13	—	·10	·02	—	—	·14	·05	·09	26
27	—	·31	·06	·05	—	—	—	—	—	·01	·03	·05	27
28	—	·15	—	T ·26	·02	—	·02	·07	·15	—	·06	·03	28
29	—	+	—	T —	—	·14	·15	—	·28	·20	·01	—	29
30	—	+	·02	·03	·02	·01	—	—	·04	·21	—	·02	30
31	—	+	—	+	R ·11	+	—	+	+	·01	+	·02	31
Total	1·34	1·24	2·02	·97	1·12	2·61	·40	·49	1·29	2·73	~~2·98~~ 3·07	4·54	TOTAL for year 21·82
No. of Rain Days.	18	16	23	14	9	15	7	8	9	21	~~22~~ 23	28	191

W. 8,000, X. '11.

Exe JL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

7 - JAN 1913

Kept at Throcking Rectory, Buntingford

in the County of Hertford 3

by Bernard W. Harvey.

RAIN GAUGE
Pattern Snowden
Diameter of top 5 in.
Height of top above Ground 1 ft. = in.
" " " Sea Level 486·96 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Buntingford
Distance 2½ Direction SE.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	-	·03	·03	.	·03	·03	·04	·09	·29	-	·14	1
2	-	·01	·04	·05	.	·33	·45	-	·01	.	.	·03	2
3	·11	-	·04	·01	·32	·29	·03	·41	·01	-	-	·12	3
4	·11	-	·65	.	·12	·14	·01	·03	-	.	·40	·02	4
5	·14	·09	·31	.	.	·01	-	·15	·02	·01	·09	·01	5
6	·22	·04	·02	.	·05	·02	·15	·26	·01	.	.	·04	6
7	·04	·01	-	.	·03	·67	·01	·06	-	.	.	·03	7
8	·37	·32	·16	.	.	·02	-	·23	·26	·01	·03	·03	8
9	·03	·06	-	·07	·02	·64	·03	·01	·01	·01	-	·23	9
10	-	·03	·02	·01	.	·11	.	·21	·04	.	·20	·09	10
11	·11	·11	-		.	·02	.	·01	·04	·01	·01	·01	11
12	·12	·08	·08		·02	·04	.	-	·01	·01	·05		12
13	·02	·05	-		.	·30	·05	·11	·01	.	·22	·01	13
14	-	-	·03		·05	·04	.	·07	·01	·04	·02	·04	14
15	·02	·04	·21		·17	·22	·01	·04	-	.	·02	·10	15
16	·17	-	·03		·06	·05	.	·07	-	·06	·06		16
17	·63	-	·25		·01	·15	.	·07	-	·01	·01	·03	17
18	·55	.	·11		.	·02	·02	·12	·01	·01	·05	·11	18
19	·13	·06	·20		.	.	·19	·49	·01	.	·02		19
20	·02	-	·13		·03	.	·02	·06	-	·32	·01		20
21	·02	·02	·73		·32	.	-	·30	-	·17	·06	·01	21
22	·51	·09	·09		·06	.	·05	·19	-	·02	·01	·02	22
23	·42	·43	·23		·04	.	·04	·50	·01	·03	·22	·11	23
24	·27	.	·02			·08	·02	·14	·31	.	-	·15	24
25	·01	.	-			·15	-	·87	-	·01	·27	·39	25
26	-	.	.			·02	·45	·53	-	·35	38	·28	26
27	·05	.	.			·01	·01	·01	-	·14	·01	·17	27
28	-	·05	·02			-	·09	·03	·07	·52	·31	·30	28
29	-		.			·17	·19	·43	1·10	·25	·02	·02	29
30	·01		.		·32	·03	·20	·05	·75	·20	-		30
31	-		·10		·02		·20	·27		·03		·10	31
Total	4·09	1·49	3·50	0·17	1·64	3·56	2·25	5·76	2·48	2·50	2·47	2·59	TOTAL for year 32·50
No. of Rain Days	24	16	22	5	16	24	21	29	19	21	22	26	245

9,000, IX. '10.

FORM A.
BRITISH RAINFALL.
1 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Throcking Rectory
in the County of Hertford 3
by (J. H. Higgens Esqr) (the Revd B. W. Harvey)

Lat. 57° 57′ 5″ N Long. 0° 3′ 0″ W
Time of Observation 9 a.m.
Nearest Railway Station Buntingford G.E.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 487·4 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. //

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07	·14	·08	·21				Absolute Drought (July 26 - Aug 11) 17 days	·33	-	·14	·07	1
2	·05	·14		·01			·12		·05	-	·04	-	2
3	·02		·10	·07	·61				·01	·02	·01	·10	3
4	·19		·02		·08	·01	·06		-	·71	·03	·25	4
5	·04					·04	·20		·02	·35	·02	·12	5
6		·06	·03		·16	·13	·29		·03	·31	-	-	6
7	·01	·12			·13	·01	·05		·01	·47	·08	·01	7
8			·06*	·04	·21	·01			-	·07	·07	-	8
9		·19	·03	·04	·03	·10			·09	-	·04	·09	9
10	·02		·04	·03			·92			-	·35	-	10
11	·66	·01		·47						·14	·34	-	11
12		·02		·01	·06	·01		·01		·02	·27	-	12
13	·04		·01					·03	·06	-	·57	-	13
14	·08	·02	·06	·03			·44	·06	-	·28	·07	-	14
15	·15	·04	·18	·24			·19		·08	-	-	-	15
16	·06		·28	·20		·01			·09	·01	·02	-	16
17	·05	·02	·05	·14		·40	·12			-	·06	·16	17
18	·01		·21	·16			·03		·01	-	·02	·02	18
19	·22		·09	·01			·13		·34	·34	-	·03	19
20	·08		·06	·03	·02	·10				·17	·01	-	20
21	·04	·01	·16	·04	·02		·03		·01	-	·32	-	21
22		·01	·12				·02	·12	·13	-	·02	-	22
23	·34		·03		·01	·07	·03	·13	·03	-	·01	·08	23
24	·04			·02		·02		·02		·01	-	·01	24
25		·02		·19			·02			·22	-	·03	25
26		·02	·23	·09				·13		·06	·02	·14	26
27		·03	·06	·11				·01		·17	-		27
28	·16		·26	·07					·03	·08	·02	·02*	28
29	·06		·08	·37	·45^{T}			·14		·15	-		29
30	·21			·09						·05	·16	·02*	30
31			·01					·30					31
Total	2·60	0·85	2·25	2·67	1·78	0·91	2·65	0·95	1·32	4·13	2·69	1·15	YEAR'S TOTAL 23·95
Rain Days.	22	15	23	23	11	12	15	10	16	19	23	15	204

W. 7,500, XI. 12

cord by Obvr. 9.1.15

Esx 8 L

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
8 - JAN 1915

Kept at Throcking Rectory, Buntingford
in the County of Hertford.
3
by Bernard W. Harvey

Lat. 51° 57' 5" N Long. 0° 3' 0" W
Time of Observation 9. a.m
Nearest Railway Station Buntingford G.E.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground one ft. – in.
" " " " Sea Level 486·96 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. =

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-		·02			·01	·12	·23			·09	·01	1
2	·03		·04				·02	·07		·03	·12	·09	2
3	·01		·19	·04	·13		+·65	·13			·07	·02	3
4	·19	·02	·02	·01	·01			·08			·57	·21	4
5		·01	·05	·26	·07	·09	·30	+·45			·02		5
6		·11		+·27	·04	·08	·06	·02			·09	·18	6
7		·20	·24	·01	+·28	·01	·02	·02				·22	7
8	·10	·14	+·70	·13	·05	·36	·08	·12				·01	8
9	+·40		·51*	·15	·01	+·42		·01				·94	9
10	·18	·15	·02*	·05	·08				·15			·02	10
11		·16	·37	·08	·05	·39			·03		·26	·25	11
12	·04*	·05	·08	·01		·01			+·47	·02	·01	·29	12
13	·01*	·24	·17						·06	·30	·04	·41	13
14		·03	·42				·14		·01	·23	·13	·41	14
15	·07		·24					·02	·02	·01	·08	·09	15
16	·01		·05				·03		·02		·06		16
17		·33	·04						·21		·02	·08	17
18		·03	·06								·01	·22	18
19	·01*	·08	·13			·23T	·05		·08		·26	·02	19
20		·19	·16*			·05			·04	·01		·08	20
21		+·49	·11*			·13		·01		·02	·02	·15	21
22		·02	·02	·06	·25T	·02	·11	·05		+·70		·01	22
23		·05	·08		·08	·01				·15	·01	·11	23
24		·01	·04	·11	·01		·12	·01		·10	·13		24
25	·04	·01	·09				·01	·09		·40	·01	·03	25
26		·01	·03				·02	·07	·02	·03	·11	·44	26
27	·03						·01	·01			·02	·14	27
28		·03					·04			·04	+·59	+1·41	28
29	·05		·07							·32	·12		29
30	·01		·03							·03	·26	·21	30
31					·16		·04			-		·04	31
Total	1·18	2·36	3·98	1·18	1·22	1·81	1·82	1·39	1·11	2·39	3.10	6·09	YEAR'S TOTAL 27·83
Rain Days.	15.	21	27	12	13	13	17	16	11	15.	24	27	211

W. 8,000. X. 14.

cw for Mr. W.D. 9.III.16

1045
~~143~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Throcking

in the County of Hertfordshire 3

by B. W. Harvey

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.38	.10	.14		.05				.08		.06	.42	1
2	.22	.16	.27	.10		.06		.52		.03		.12	2
3	.37		.05	.25				.16	.05			.12	3
4	.13						10	.04		.03	.07	.06	4
5	.03	.26			.03			.03		.09		.20	5
6	.17	.05	.08	.21				.02				.07	6
7	.07	.35	.06				5·8	.07				.16	7
8	.01	.33	.03				47				.04		8
9		.05		.04		.08	.02	.01			.23	.50	9
10	26		.09					22				.09	10
11	.05		.03		.02						.68		11
12	11	.14		.34	.34			.07		.12	.75	.05	12
13	.02	.40			1.36								13
14		.05						.74	.09			.44	14
15	20				.06		.27	.26			.21	.12	15
16	.01	.30						17					16
17	01	.25			.20		.65	.04			.06		17
18	01	.13			.04		.25				.08		18
19		.07											19
20	24			.07			12					.46	20
21	.16											.09	21
22	96	.04	5·8				02					.25	22
23	.01	.13	.28			.09	.38		.25	.21		.24	23
24			.04				.22		.34	.06		.24	24
25				.03		.16	.26			.06		.19	25
26		.11				.07	12		.08			.26	26
27		.06				.16	.09		.18	.39		.05	27
28		.16	.02			.07	10	.08	1.05	.14			28
29						.52	.02	.14	.12		.09	.09	29
30	.04	×					.03		.06				30
31		×		×		×		.07	×	.56	×	.19	31
													YEAR'S TOTAL
Total	3.46	3.14	1.67	1.04	2.10	1.21	3.70	2.64	2.30	1.69	2.27	4.41	29.63
Rain Days.	21	19	12	7	8	8	17	16	10	10	10	22	160

W. 8,000. X. 14.

88 ✓ cnd by B

1017
~~144~~

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Throching ~~Rectory~~ Hall Farm

in the County of Hertfordshire

by Rev. B. W. Harvey

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·12		·05		·07	·03			·03		·25		1
2	·35	·04	·12		·21	·03			·08	·42	·01		2
3		·38	·07				·02		·41	·25	·26		3
4	·25	·17				·31			·02	·24	·34		4
5	·03		·01	·06	·02	·29	·33			·06	·42		5
6		·06	·08	·27		·20	·27			·06	·48		6
7	·08		·13	·02	·13	·07	·11			·15	·47	·09	7
8			·12		·34	·12						·28	8
9			·02		·32					·02		·05	9
10	·02	·08	·03	·13		·26	·05			·03		·08	10
11	·07	·13	·16	·16	·03	·20						·02	11
12	·04	·06	·01	·02	·48	·25	·15	·13		·14			12
13		·48	·17	·09		·15	·29	·37		·04			13
14		·49	·01	·06	·04	·03		·17		·04		·05	14
15		·16	·35				·05	·13		·06			15
16		·02	·06	·22	·06		·35	·03		·05			16
17	·08	·07		·24			·03	1·10	·34	·24		·09	17
18		·11	·06	·13				·10	·06	·04	·41		18
19	·02	·02	·12	·05		·01		·02	·18		(·70)	·05	19
20	·18		·35	·03				·03			·06	·44	20
21			·76				·26				·02	·47	21
22		·02	·03		·11					·02		·49	22
23	·03	·37				·16		·03			·05	·06	23
24		·06	·05			·38		·02		·03	·04	·26	24
25		·31	·08		·07			·13		·13	·09		25
26		·13	·08			·04		·08		·06			26
27	·05	·11	·74			·03		·07		·26			27
28		·35	·38			·08				·03		·19	28
29		·15	·07			·20		1·35	·06	·37		·09	29
30		✕			·08	·05		·20		·29			30
31		✕		✕		✕		·02	✕		✕		31
Total	1·32	3·77	4·11 4·10	1·48	1·96	2·89	1·91	3·98	1·18	3·03	(3·60) ~~2·90~~	2·71	YEAR'S TOTAL 31·94 ~~31·23~~
Rain Days.	13	22	26	13	13	20	11	17	8	23	14	15 ~~14~~	195

W. 8,000. X. 15.

81 ✓ Ex 81 985 ~~754~~

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Throcking

in the County of Hertfordshire

by B. W. Harvey

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. — in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·16				1·03	·03		·18		1
2	·04			·22		·17		·22		·07	·04		2
3				·02				·37		·74	·11		3
4		·08		·01			·01	·15		·62			4
5	·21		·06	·21				·76	·40	·09	·07		5
6				·01		·08			·06	·08	·05		6
7	·28					·01	·28			·44			7
8	·16			·09			1·10	·22		·21	·13	·15	8
9	·03		·02	·05			·01	·60	·03		·08	·15	9
10	·26		·22	·19				·11		·03	·02		10
11	·18		·48	·15						·28			11
12	·06		·02		·03			·10		·26			12
13	·07		·05	·01			·02	·05	·07	·03			13
14	·11			·08				·04		·01			14
15					·02		·02	·23		·02			15
16	·02	·07		·22	·08	·02	·07			·64			16
17	·03		·01	·20	·57		·30	·10	·38	·21	·06		17
18	·05	·01		·10	·02	·04	·15		·46	·01			18
19		·10	·07	·01	·23	·04		·01	·20				19
20		·19	·14		1·04			·08	·01		·13		20
21			·06		·02						·08		21
22			·05					·07		·24			22
23		·03	·02		·14			·11		·10		·03	23
24		·01				·15		·10			·05		24
25		·04	·04							·07	·02		25
26			·13		·01			·45	·04		·46		26
27			·01			·05		·75					27
28		·05	·04			·48		·13					28
29			·03			·17	1·03	·04		·35			29
30		X	·24				·62	·22				·02	30
31	·08	X	·03	X		X	·90	·10	X		X		31
Total	1·58	·58	1·72	1·73	2·16	1·21	4·51	6·04	1·68	4·50	1·48	·35	YEAR'S TOTAL 27·54
Rain Days.	14	(9)	19	16	10	10	12	24	10	20	14	4	162

W. 8,000, VIII. 16

4.17

TOTTERIDGE

WEST LODGE

HERTS

1911 - 1920

FORM A2.
BRITISH RAINFALL.

5 - JAN 1912

✓

Kept at West

in the County of H

by W. H. Ne

in.

nd 1 ft. — in.

Level 390 ft.

e Totteridge

ance 2 m. Direction E

IMPORTANT e result entered to the previous day. If al rule, he is earnestly requested to add t in the space provided for it at the end of rain, the selection and h Rainfall Organization are g lication to Dr. H. R. Mill, 62, Camden Square,

Jan. 1, following.
Nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	—	—	·56	—	—	·03	·04	—	—	—	—	1
2	·15	—	—	·33	·25	—	—	—	—	—	·23	·21	2
3	—	·01	—	·02	·21	—	—	—	—	·05	·15	·11	3
4	·07	·01	·07	·16	—	—	—	—	—	·05	·10	·31	4
5	·02	—	—	·05	—	—	—	—	—	·08	—	·07	5
6	·41	—	·10	—	—	—	—	—	—	—	—	·36	6
7	·06	—	—	·01	—	—	—	—	—	·08	·32	·26	7
8	·18	—	·21	—	—	—	—	—	—	—	·17	·13	8
9	·08	—	·13	·03	—	—	—	—	—	—	—	·01	9
10	·04	·07	—	·04	—	—	—	—	—	—	·05	·41	10
11	·34	—	—	—	·81	—	—	—	—	—	·62	·01	11
12	·05	—	·49	—	·11	·04	—	—	·04	—	·23	—	12
13	—	—	·08	—	·17	—	—	—	·47	·31	—	·23	13
14	—	·05	·02	—	·39	—	—	—	—	—	—	·46	14
15	—	·06	·19	—	—	—	—	—	—	·03	·45	·03	15
16	—	—	·01	—	—	·35	—	—	—	·01		·06	16
17	—	—	·14	—	—	·16	—	—	—	—	·48	·16	17
18	—	·15	·02	—	—	·20	—	—	—	—	·50	·24	18
19	—	—	—	—	·01	·11	—	—	·19	·06	·22	·1	19
20	—	·02	·02	—	—	—	—	·31	·20	·05	—	·6	20
21	·02	·07	—	—	—	—	—	·17	—	·65	—	·08	21
22	·10	—	·02	—	—	·02	—	—	—	·12	—	·43	22
23	—	·15	·24	—	—	·74	—	—	·31	—	·02	·19	23
24	·01	·14	·03	—	—	·07	·01	·04	—	1·09	—	·17	24
25	—	·03	·03	·06	—	·25	1·26	—	—	·01	—	·01	25
26	—	—	·02	·18	—	·13	·07	·02	—	·17	·01	·3	26
27	—	·52	·08	·06	—	—	—	·03	·13	—	·01	·1	27
28	—	·32	—	·27	·04	—	·02	·06	—	—	·02	—	28
29	·01		—	·04	—	·20	·12	—	·30	·28	·01	—	29
30	—		—	·05	·03	—	—	·01	·02	·15	—	·01	30
31	—		—		·14		—	—		—		—	31
Total	1·58	1·60	1·90	1·86	2·16	2·21	1·51	·68	1·66	3·19	3·59	5·07 5·67	27·01 TOTAL for Year 26·81
No. of Rain Days	15	13	18	14	10	11	6	8	8	16	18	26	163

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

5 - JAN 1912

Kept at West Lodge, Totteridge
in the County of Hertford 2
by W. H. Newman

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 390 ft.
Time of Observation 9 A.M.
Nearest Railway Station
Name Totteridge
Distance 2 m. Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
Nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	—	—	·56	—	—	·03	·04	—	—	—	—	1
2	·15	—	—	·33	·25	—	—	—	—	—	·23	·21	2
3	—	·01	—	·02	·21	—	—	—	—	·05	·15	·11	3
4	·07	·01	·07	·16	—	—	—	—	—	·05	·10	·31	4
5	·02	—	—	·05	—	—	—	—	—	·08	—	·07	5
6	·41	—	·10	—	—	—	—	—	—	—	—	·36	6
7	·06	—	—	·01	—	—	—	—	—	·08	·32	·26	7
8	·18	—	·21	—	—	—	—	—	—	—	·17	·13	8
9	·08	—	·13	·03	—	—	—	—	—	—	—	·01	9
10	·04	·07	—	·04	—	—	—	—	—	—	·05	·41	10
11	·34	—	—	—	·81	—	—	—	—	—	·62	·01	11
12	·05	—	·49	—	·11	·04	—	—	·04	—	·23	—	12
13	—	—	·08	—	·17	—	—	—	·47	·31	—	·23	13
14	—	·05	·02	—	·39	—	—	—	—	—	—	·46	14
15	—	·06	·19	—	—	—	—	—	—	·03	·45	·03	15
16	—	—	·01	—	—	·35	—	—	—	·01		·06	16
17	—	—	·14	—	—	·16	—	—	—	—	·48	·18	17
18	—	·15	·02	—	—	·20	—	—	—	—	·50	·24	18
19	—	—	—	—	·01	·11	—	—	·19	·06	·22	·10	19
20	—	·02	·02	—	—	—	—	·31	·20	·05	—	·60	20
21	·02	·07	—	—	—	—	—	·17	—	·65	—	·08	21
22	·10	—	·02	—	—	·02	—	—	—	·12	—	·43	22
23	—	·15	·24	—	—	·74	—	—	·31	—	·02	·19	23
24	·01	·14	·03	—	—	·07	·01	·04	—	1·09	—	·17	24
25	—	·03	·03	·06	—	·25	1·26	—	—	·01	—	·01	25
26	—	—	·02	·18	—	·13	·07	·02	—	·17	·01	·3	26
27	—	·52	·08	·06	—	—	—	·03	·13	—	·01	·10	27
28	—	·32	—	·27	·04	—	·02	·06	—	—	·02	—	28
29	·01		—	·04	—	·20	·12	—	·30	·28	·01	—	29
30	—		—	·05	·03	—	—	·01	·02	·15	—	·01	30
31	—		—		·14		—	—		—		—	31
Total	1·58	1·60	1·90	1·86	2·16	2·21	1·51	·68	1·66	3·19	3·59	5·07 5·61	TOTAL for year 27·01 26·81
No. of Rain Days	15	13	18	14	10	11	6	8	8	16	18	26	163

9,000, IX. '10.

Ex Dl

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

9 - JAN 1913

Kept at West Lodge. Totteridge
in the County of Hertford 2
by W. H. Newman

Lat. 51°-38' N. Long. 0°-13' W
Time of Observation 9 A.M.
Nearest Railway Station Totteridge
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 390 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·04

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	—	—	·11	·02	—	·14	·17	—	·05	·31	—	·16	1
2	—	·03	·12	·01	—	·06	·32	·13	—	—	—	—	2
3	·05	—	·14	—	·03	·16	·02	·31	·01	—	—	·1	3
4	·27	—	·59	—	·24	·19	—	—	—	—	·25	—	4
5	·21	·09	·07	—	—	—	—	·16	—	—	·04	—	5
6	·51	·02	—	—	—	·02	—	·13	—	—	—	·09	6
7	—	—	·02	—	·02	·47	·02	·22	—	—	—	·04	7
8	·41	·39	·21	—	—	·01	·01	·15	·02	—	·01	·03	8
9	·02	·1	—	—	—	·1	·04	·05	·03	—	—	·2	9
10	—	·04	—	·03	—	·09	—	·54	·02	—	·08	·18	10
11	·06	·4	—	—	—	·02	—	—	·04	—	·01	·13	11
12	·07	·13	·12	—	·19	·08	·01	—	—	·02	·09	—	12
13	—	—	·01	—	—	—	—	—	—	·01	·11	·04	13
14	—	—	·03	—	·02	—	—	·09	—	·05	—	·03	14
15	—	·03	·05	—	·24	·49	—	·03	—	·07	·01	·27	15
16	·31	—	·06	—	·05	·08	—	·19	—	—	·06	—	16
17	·35	—	·33	—	—	·13	—	·06	—	·01	—	·01	17
18	·07	—	·14	—	—	—	—	·26	—	—	·03	·14	18
19	·13	·05	·16	—	—	—	·13	·42	—	—	·01	—	19
20	·02	—	·12	—	—	—	—	·28	—	·37	—	—	20
21	·01	·08	·38	—	·03	—	·02	·09	—	·07	·06	—	21
22	·26	·22	·09	—	·06	—	·15	·18	—	·09	·2	·04	22
23	·4	·36	·37	—	—	—	2·45	·52	—	·02	—	·13	23
24	·4	·02	—	—	—	·03	·02	·11	—	—	—	·16	24
25	—	·01	—	—	—	·17	—	·72	—	—	·26	·5	25
26	—	·01	—	—	—	—	·14	·29	—	·45	·42	·36	26
27	—	—	·02	—	—	·01	—	—	—	·19	—	·24	27
28	—	·05	—	—	—	·04	·08	·05	·03	·82	·3	·21	28
29	—	·03	—	—	—	·14	·3	·28	1·2	·37	·06	—	29
30	—		—	—	·33	—	—	·02	·87	·15	—	—	30
31	—		·38	—	·02		·19	·17				·06	31
Total	3·55	2·06	3·52	·06	1·23	2·43	4·07	5·45	2·27	3·00	2·00	3·12	YEAR'S TOTAL 32·76
Rain Days.	17	18	21	3	11	19	16	25	9	15	17	21	192

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
12 JAN 1914

Kept at West Lodge Totteridge 2
in the County of Hertford
by W. H. Newman

Lat. 51°-38' N Long. 0°-13' W
Time of Observation 9 A.M.
Nearest Railway Station Totteridge
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 390 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	·18	·1	·29	–	–	–	–	·13	–	·06	·18	1
2	·08	·13	–	–	–	–	·07	–	·05	–	·02	–	2
3	–	–	·04	·22	·5	–	–	–	–	–	–	·03	3
4	·23	–	·01	·01	·12	–	·23	–	–	·2	·03	·03	4
5	·09	–	–	–	–	·01	·08	–	·19	·01	·02	·02	5
6	–	·05	·04	–	·1	·23	·08	–	·03	·16	·03	·07	6
7	–	·15	–	–	·16	·01	·24	–	–	·39	·11	–	7
8	–	·02	·05	·02	·12	·14	–	–	–	·03	·03	–	8
9	–	·18	–	·02	·03	–	–	–	·06	–	·05	·05	9
10	·02	–	·05	·09	–	–	1·66	·07	–	–	·30	–	10
11	·76	–	–	·49	·04	–	–	·07	–	·42	·07	–	11
12	–	·01	–	–	·02	–	–	–	–	·01	·42	–	12
13	·06	–	·01	–	–	–	–	·02	·05	–	·30	–	13
14	·05	·02	·1	·06	·01	–	·36	·1	–	·15	·12	–	14
15	·14	·05	·15	·33	–	–	·22	–	–	–	–	–	15
16	·14	–	·3	·15	–	–	–	–	·12	–	–	–	16
17	·02	–	·03	·13	–	–	·15	–	·02	–	·03	·03	17
18	·02	–	·12	·12	–	–	–	–	–	–	·09	–	18
19	·21	–	·04	–	–	–	·12	–	·32	–	–	·02	19
20	·1	–	·06	·03	–	–	–	–	–	·46	·02	–	20
21	·02	–	·16	·11	–	–	·03	–	–	·18	·72	–	21
22	·41	–	·13	·02	–	–	–	·04	·16	–	–	–	22
23	–	–	–	–	–	·03	–	·09	·03	–	–	·18	23
24	·02	–	–	·03	–	–	–	·06	–	–	·02	·01	24
25	–	·03	–	·14	–	–	–	–	–	–	–	–	25
26	–	·05	·21	·09	–	–	–	·07	–	·65	–	·21	26
27	–	·01	·03	·07	–	–	–	–	–	·01	–	–	27
28	·22	–	·23	·07	–	–	–	–	–	·08	·01	·01	28
29	·06		·08	·56	·68	–	–	·05	–	·01	–	·02	29
30	·27		–	·11	–	–	–	·08	–	·11	–	–	30
31	–		·03		–		–	·23		·03		–	31
Total	2·96	·88	1·97	3·16	1·78	·42	3·24	·88	1·16	2·90	2·45	·86	YEAR'S TOTAL 22·66
Rain Days.	20	12	21	22	10	5	11	11	11	16	19	13	171

W. 7,500, XI. 12

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
13 JAN 1915

2

Kept at West Lodge Totteridge
in the County of Hertford
by W. H. Newman

Lat. 57°-38'N Long. 0°-13'W.
Time of Observation 9 A.M.
Nearest Railway Station Totteridge
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 390 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·48

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·06	—	—	—	·01	·31	—	—	·05	·08	1
2	·02	—	—	—	—	—	·12	·21	—	—	·08	·11	2
3	—	—	·09	—	·17	—	·15	—	—	—	·03	·01	3
4	·13	—	·01	·21	·04	—	—	·08	—	—	·42	·26	4
5	·05	—	·07	·18	·18	·06	·49	·33	—	—	·01	—	5
6	—	·13	—	—	·04	·09	·02	·03	—	—	·32	·25	6
7	—	·25	·32	·15	·56	·07	·1	·01	—	—	·01	·14	7
8	·04	·31	·79	·12	·04	·16	·17	·15	·01	—	—	·02	8
9	·16	—	·6	·05	—	·4	—	—	·13	—	—	1·36	9
10	·03	·15	—	·06	·07	—	—	—	·13	—	—	·01	10
11	—	·28	·46	—	—	·41	—	—	·13	—	·27	·32	11
12	·02	·05	·12	—	—	—	·08	—	·24	·01	·01	·5	12
13	—	·38	·12	—	—	—	—	—	·14	·07	·06	·59	13
14	—	·1	·51	—	—	—	·09	—	—	·25}	·11	·32	14
15	·04	—	·19	—	—	—	—	·03	·02		·06	·06	15
16	—	—	·02	—	—	—	—	—	·04	—	·02	—	16
17	—	·45	·05	—	—	—	—	—	·11	—	·01	·2	17
18	—	·01	·12	—	—	—	—	—	—	—	—	·3	18
19	—	·05	·18	—	—	—	·06	—	·05	—	·18	·2	19
20	—	·22	·24	—	—	·06	—	—	·13	·01	—	·15	20
21	—	·47	·07	—	—	·01	—	—	—	·01	—	·05	21
22	—	—	—	·01	·48	·04	·2	·03	—	·3	—	—	22
23	—	·03	·11	—	·19	·05	·01	—	—	·12	—	—	23
24	·01	—	·02	·04	—	—	·01	—	—	·02	·12	·01	24
25	·03	—	·15	—	—	—	—	·15	—	·32	·01	·09	25
26	·02	—	·05	—	—	—	·05	·06	—	·05	·18	·64	26
27	·04	—	·01	—	—	—	—	—	—	—	·01	·23	27
28	—	·02	—	—	·12	—	—	·02	—	·02	·38	1·08	28
29	·13	×	·08	—	—	—	—	—	—	·27	·13	—	29
30	—	×	·06	—	—	—	—	—	—	·03	·53	·25	30
31	·01	×	—	×	·21	×	·02	—	×	—	×	·02	31
Total	·73	2·90	4·50	·82	2·10	1·35	1·58	1·41	1·13	1·48	3·00	7·25	YEAR'S TOTAL 28·25
Rain Days.	14	14 15	25	8	11	10	15	12	11	13 14	22	26	181 183

W. 8,000. X. 14.

cnd by B. 8.III.16 [illegible] 981

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

10 JAN 1916

Kept at West Lodge, Totteridge

in the County of Hertford 2

by W. H. Newman

Lat. Long.

Time of Observation 9 AM.

Nearest Railway Station Totteridge

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·15

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·48	·17	·11	—	·02	—	—	—	·13	·05	·28	·4	1
2	·36	·12	·3	·12	—	·01	—	·81	—	·05	—	·14	2
3	·4	—	·04	·17	—	—	·03	·55	·01	—	—	·42	3
4	·05	—	—	—	—	—	—	·07	—	—	—	·28	4
5	·04	·39	—	—	—	—	—	—	—	·03	—	·33	5
6	·22	·02	—	·24	·02	—	1·11	·01	—	—	—	·33	6
7	·17	·27	·03	—	—	—	·42	·02	—	—	·01	·19	7
8	·04	·5	·05	·09	—	—	·05	·03	—	—	—	—	8
9	—	·11	—	·09	—	·06	—	·07	—	—	·3	·63	9
10	·29	—	·01	—	—	—	—	·12	—	—	—	·15	10
11	·01	~~·04~~	—	—	·01	—	—	—	—	—	·76	—	11
12	·1	·4	—	·27	·36	—	—	·17	—	·01	·43	·03	12
13	—	·06	—	—	1·4	—	—	—	—	—	—	—	13
14	·01	—	—	—	—	—	1·35	·17	·07	—	—	·79	14
15	·21	—	—	—	·05	—	—	·08	—	—	·27	·13	15
16	—	·41	—	—	—	—	·8	·01	—	—	—	·01	16
17	—	·35	—	—	·75	—	·1	·1	—	—	—	—	17
18	—	·18	·08	—	·09	—	—	—	—	—	·04	—	18
19	—	·05	—	—	·01	—	·13	—	—	·01	—	—	19
20	·31	—	—	·06	—	—	—	—	—	—	—	·26	20
21	·15	—	—	—	—	—	·03	—	—	—	—	·04	21
22	·88	·17	·27	·01	—	—	·74	—	—	—	—	·18	22
23	·01	·07	·13	—	—	·05	·27	—	·3	·38	—	·32	23
24	—	—	·11	—	—	·01	·19	—	·3	·12	—	·18	24
25	—	—	·05	·08	—	—	·26	—	·01	·02	—	·16	25
26	—	·11	—	—	—	·12	·1	—	—	—	—	·49	26
27	—	—	·01	—	—	·73	·17	—	—	·4	—	·09	27
28	—	·08	—	—	—	·05	—	·01	1·36	·16	—	—	28
29	—	X	—	—	—	—	·36	·13	—	—	·16	·01	29
30	·05	X	—	—	—	·28	—	—	—	·03	·12	—	30
31	·02	X	—	X	—	X	—	·07	X	1·13	X	·22	31
Total	3·80	3·50	1·19	1·13	2·71	1·13 1·31	6·11	2·42	2·18	2·39	2·37	5·78	YEAR'S TOTAL 34·89
Rain Days.	19	18	12	9	9	8	16	16	7	12	9	23	158

W. 8,000. X. 15.

953

FORM A.
BRITISH RAINFALL.
29 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at West Lodge, Totteridge
in the County of Hertfordshire
by W. H. Newman

Lat. Long.
Time of Observation 9 A.M. Greenwich Time throughout year
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15	—	·01	—	·24	·04	—	—	·15	·1	·32	—	1
2	·5	·01	·11	—	·24	·01	—	—	·11	·36	·01	—	2
3	—	·41	·24	—	—	—	·03	—	·24	·33	·46	—	3
4	·25	·05	—	—	—	·48	·1	—	·03	·15	·44	—	4
5	·02	—	—	·02	·05	·17	—	—	—	·15	·61	—	5
6	·01	·06	·37	·19	—	·08	·37	—	—	·05	·44	—	6
7	·09	—	·31	—	·12	·17	·11	—	—	·01	·68	·07	7
8	—	—	—	—	·39	—	—	—	—	—	·01	·25	8
9	—	—	·01	—	·3	·27	—	—	—	·1	—	·03	9
10	—	·32	·11	·09	—	·54	·05	—	—	—	·01	·12	10
11	·09	·02	·01	·16	—	·27 }	—	—	·01	—	·01	·01	11
12	·02	·03	·01	·05	·36		·02	·2	·01	·07	—	—	12
13	—	·43	·26	·09	·07	·17	·21	·13	—	·02	—	—	13
14	—	·41	·01	·02	·1	—	—	·47 }	—	·05	—	·16	14
15	—	·3	·4	—	—	—	·04		—	—	—	—	15
16	—	—	·2	·17	·04	—	·21	·12	—	·02	—	—	16
17	·11	·07	—	·02	—	—	·03	1·21	·33	·59	—	—	17
18	·01	·08	·05	·08	—	—	—	·5	·1	·02	·66	—	18
19	·13	·02	·19	·24	—	—	—	—	·1	—	·73	·12	19
20	·17	—	·17	·04	—	—	—	—	—	—	·05	·38	20
21	—	—	·75	—	—	—	—	—	—	—	·01	·42	21
22	—	·03	·06	—	—	—	—	—	—	·05	—	·59	22
23	·03	·29	·02	—	—	·08	—	·02	—	·05	·05	·09	23
24	—	·04	—	—	·08	·36	—	·03	—	·07	·03	·41	24
25	—	·47	·1	—	—	·03 }	·04	·17	—	·04	·14	·01	25
26	—	·16	·01	—	—		—	·05	—	·04	—	—	26
27	·05	—	1·03	—	—	·04	—	·35	·1	·45	—	—	27
28	—	·38	·35	—	—	·08	—	·02	·12	—	·01	·25	28
29	·01	·08	—	—	—	·21	—	1·80	—	·4	—	·14	29
30	—	×	—	·03	·03	—	—	·12	·05	·58	—	—	30
31	—	×	—	×	—	×	—	·07	×	·12	×	·02	31
Total	1·64	3·66	4·78	1·20	2·02	3·00	1·21	5·26	1·35	3·82	4·67	3·07	YEAR'S TOTAL 35·68
Rain Days.	15	20	23	13	12	168	11	156	12	23	18	16	194

W. 8,000, VIII. 16

✓ Entd W 920

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL. 1 FEB 1918

Kept at West Lodge, Totteridge

in the County of Hertford

by W. H. Newman

Lat. 51°-38'N Long. 0°-13'W

Time of Observation

Nearest Railway Station Totteridge G.N.R

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 390 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. Nil.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	·2	—	—	—	·96	·04	—	·13	—	1
2	—	—	·01	·53	—	·06	—	·48	—	—	·05	—	2
3	—	—	—	·01	—	—	—		—	·25	·47	—	3
4	—	·15	·17	·03	—	—	·05	·19	—	·43	—	—	4
5	·25	—	·03	·4	—	—	—	·09	·58	·09	·17	—	5
6	—	—	·01	·01	—	·01	—	—	·07	·03	·09	—	6
7	·21	—	·01	—	—	—	·15	—	—	·29	·25	—	7
8	·18	—	·04	·1	—	—	·84	·14	—	·23		·32	8
9	·06	—	·16	·04	—	—	·04	·29	—	·01		·11	9
10	·25	—		·28	—	—	—	·11	—	—		·03	10
11	·11	—	·43	·21	—	—	—	—	—	·32	—	—	11
12	·13	—	·03	·01	·01	—	—	·05	—	·56	—	—	12
13	·05	—	·14	—	—	—	—	·16	·03	·01	—	—	13
14	—	—	—	·16	—	—	—	·14	—	·01	—	·04	14
15	·03	—	·01	·02	—	—	·35	·05	—	·04	—	—	15
16	·02	·15	—	·16	·22	·14	·03	—	—	·75	—	·24	16
17	—	·01	—	·1	·58	—	·4	·06	·5	·23	—	—	17
18	·1	·06	—	·1	1·08	·15		—	·2	·12	—	—	18
19	—	·14	—	—		—		—	·43		—	—	19
20	·06	·24	·12	—		—	·04	—	—		·09	—	20
21	·02	—	·02	·01		—	—	—	—	·01	·05	—	21
22	—	—	·06	—	—	·07	—	·1	—	·08	—	—	22
23	—	·1	—	—	·11	·02	—	·16	—	—	—	·03	23
24	—	·12	—	—	—	·05	—	·06	—	·29	—	·01	24
25	—	·03	·03	—	—	—	—	—	—	—	·11	—	25
26	—	—	·05	—	—	—	—	·21	·04	—	·42	·01	26
27	—	—	·08	—	—	—	—	·8	—	—	—	·02	27
28	—	—	·02	—	—	1·01	—	·13	—	—	—	—	28
29	—	✕	—	—	·4	·03	1·38	·22	—	·27	—	·17	29
30	—	✕	·35	—	—	—	1·35	·12	—	·02	—	·02	30
31	·05	✕	·04	✕	—	✕	·46	·01	✕	—	✕	·02	31
Total	1·52 ✓	1·00 ✓	1·81 ✓	2·37 ✓	2·40 ✓	1·54 ✓	5·09 ✓	4·53 ✓	1·89 ✓	4·04	1·83 ✓	1·02 ✓	YEAR'S TOTAL 29·04 ✓
Rain Days.	14 ✓	9 ✓	20 ✓	17 ✓	6 ✓	9 ✓	11 ✓	21 ✓	8 ✓	20 ✓	10 ✓	12 ✓	157 ✓

W. 8,000, IX. 17.

5

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
3 2. 19

Kept at West Lodge, Totteridge
in the County of Hertford
by W. H. Newman

Lat. 51·38' Long. 0°-13' W
Time of Observation 9 A.M. G.M.T.
Nearest Railway Station Totteridge
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 390 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·47

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·03	—	·3	—	—	—	—	—	—	·13	·05	1
2	—	·08	—	·08	—	—	—	·28	—	—	·11	·28	2
3	—	·01	·03	·03	·57	—	—	·13	·12	·01	·6	·02	3
4	—	·09	·11	·06	—	—	—	·06	·32	·01	·58	·03	4
5	—	·05	—	—	·1	—	—	·14	·03	·09	—	—	5
6	·12	·22	—	·3	·11	—	—	·03	—	—	—	—	6
7	·04	·1	—	·09	·16	—	—	·09	·15	·06	·13	·1	7
8	—	·07	—	·03	—	—	—	—	·12	·01	—	·03	8
9	—	·07	—	·04	—	·08	·36	—	·4	·16	·07	·29	9
10	·05	·01	—	·05	·07	—	·37	—	·01	·02	·05	·28	10
11	—	—	—	—	—	—	·27	—	·14	·27	—	·15	11
12	—	·1	—	·03	·14	—	·1	—	·02	—	—	·01	12
13	·03	·03	—	—	·31	—	·14	—	·10	—	—	·04	13
14	·21	—	·02	—	—	·24	·08	—	·29	·2	—	·22	14
15	1·18	—	—	1·11	—	—	·21	—	·01	—	—	·11	15
16	·19	—	—	·17	—	·05	—	—	·18	·04	—	·01	16
17	·2	—	—	·28	·37	·35	·24	—	·04	—	—	·15	17
18	·6	—	—	·01	—	·22	—	—	1·01	·05	—	·01	18
19	·03	·01	·04	·08	—	·12	·29	—	·05	·08	—	·15	19
20	·02	·17	—	·76	—	·02	·10	—	·11	·25	—	·05	20
21	·07	·01	—	·29	—	—	—	—	·44	·03	—	·01	21
22	·07	—	—	—	·22	—	·16	—	·16	—	—	—	22
23	·02	—	—	—	·32	—	·4	—	·01	—	·02	·26	23
24	—	·22	—	—	—	·08	·07	—	·08	—	·06	—	24
25	—	—	—	—	·02	·07	·24		—	—	·11	—	25
26	—	—	—	—	·1	—	·34	·48	—	·04	·24	·15	26
27	—	·02	·01	·09	—	—	·09		·04	—	·1	·04	27
28	—	·03	·21	—	—	—	—	—	—	—	·24	·15	28
29	—	X	·02	—	—	—	—	—	1·26	—	·02	·02	29
30	—	X	·42	—	—	—	—	—	·01	—	·07	·07	30
31	—	X	—	X	—	X	—	—	X	·12	X	·01	31
Total	2·83	1·32	·86	3·80	2·49	1·23	3·46	1·21	5·10	1·44	2·53	2·69	YEAR'S TOTAL 28·96
Rain Days.	14	18	8	18	12	9	16	9	24	16	15	26	185

W. 8,000, IX. 17.

869

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919

17 MAR 20

Kept at West Lodge, Totteridge
in the County of Hertford
by W. H. Newman

Lat. 51°-38' N Long. 0°-13' W
Time of Observation 9 A.M.
Nearest Railway Station Totteridge
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 390 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·47	·03	·01	—	·1	—	·19	—	—	·03		1·12	1
2	·29	—	·02	—	·2	—	·35	—	·22	·09		·11	2
3	·33	—	·25	—	·01	—	·12	—	·05	—		·34	3
4	·13	·02	·32	—	—	·09	·15	·08	·01	—	·3	·13	4
5	—	·4	·41	—	—	—	·31	—	·21	—		·3	5
6	·02	—	·1	·04	—	—	—	—	—	—		·05	6
7	·04	—	·45	—	—	—	—	—	—	—		—	7
8	·09	—	·06	·09	—	—	—	—	—	—	·01	—	8
9	·06	—	—	·02	—	—	—	—	—	—	·17	—	9
10	·35	—	·09	·04	—	—	—	—	—	—	—	·06	10
11	·03	—	·1	·26	·03	—	·28	—	—	—	—	·04	11
12	—	—	·13	·04	—	—	·13	—	—	·05	·04	—	12
13	·03	—	—	·24	—	·03	—	—	·01	·03	—	—	13
14	·4	—	—	·39	—	—	·06	—	·29	—	—	·01	14
15	·23	·03	·19	·12	—	—	—	—	—	·13	·05	·53	15
16	·05	·72	—	·02	—	—	—	—	—	—	·12	·04	16
17	—	·17	—	·01	—	—	—	—	—	—	·23	·02	17
18	—	—	·09	—	—	—	—	·03	·04	—	·1	·1	18
19	·03	·2	·9	—	—	·22	·24	·21	·11	—	·11	·01	19
20	·38	·13	·1	—	—		·24	·25	—	—	—	·01	20
21	·25	·33	·03	—	—		·15	—	—	—	—	·1	21
22	—	·2	—	—	—	·96	·11	—	·18	—	·04	·32	22
23	—	—	—	—	—		·01	·03	·07	·01	·02	·02	23
24	—	—	—	·13	—		·05	·11	—	·2	·1	·01	24
25	·03	—	—	·05	·08		—	·35	—		—	·04	25
26	·13	·21	·13	·15	—		·06	·1	·11		—	·35	26
27	·92	·04	·02	1·1	—	—	—	·35	—	·19	·04	·02	27
28	—	—	·12	·04	—	—	—	·83	—		·3	·29	28
29	—	╳	—	·29	—	—	—	·2	—		—	·05	29
30	—	╳	—		—	·19	—	·12	—		·35	·35	30
31	·06	╳	—	╳	—	╳	·01	—	╳		╳	·02	31
TOTAL	4·32	2·48	3·52	3·03	·42	1·49	2·46	2·66	1·30	·73	1·98	4·44	YEAR'S TOTAL 28·83
Days with ·01 in. or more	21	12	19	17 18	5	~~52~~ 10	16	12	11	~~8~~ 11	~~15~~ 19	26	~~167~~ 179

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Esd 970 821

24 JAN 1921

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at West Lodge, Totteridge
in the County of Hertford
by W. H. Newman

Lat. 51° 38′ Long. 0° – 13′ W.
Time of Observation 9 A.M.
Nearest Railway Station Totteridge. G.N.R
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 390 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·34

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·56	·1	—	·35	—	·02	·74	—	·29	1
2	—	—	·01	—	—	—	·03	·87	·1	·05	—	·13	2
3	—	·1	—	·09	—	—	·01	—	·09	·02	—	·06	3
4	—	·05	—	·08	—	—	·02	·06	—	·17	—	·23	4
5	—	—	·08	—	·03	—	·63	·02	·03	—	—	·05	5
6	—	—	·14	—	—	—	·33	·01	—	—	—	·02	6
7	·03	—	·03	·29	—	—	·21	—	—	—	—	·05	7
8	·09	·04	—	·17	·07	—	·02	·07	—	·01	—	—	8
9	·33	·01	—	·02	—	—	—	·01	—	—	—	—	9
10	·71	·07	·1	—	—	·16	·13	—	—	—	—	—	10
11	·17	—	·06	·24	·03	·07	·26	—	—	—	—	·2	11
12	·09	—	—	·12	—	·61	—	—	—	—	·01	—	12
13	·12	·01	·12	·2	—	—	—	—	—	—	·06	·01	13
14	·01	—	·37	·2	—	·27	—	—	·14	·52	·21	·03	14
15	·01	—		·22	—	—	·01	—	·52	·3	·1	·01	15
16	—	—	—	·1	—	—	—	—	·25	·24	—	·04	16
17	·03	—	—	·04	·19	·03	—	—	·59	—	—	—	17
18	·04	—	—	·01	—	—	—	·76	·1	—	—	·04	18
19	·16	—	—	·23	—	·05	—	—	—	—	—	·02	19
20	·05	·13	—	·19	—	·65	—	—	—	—	—	·02	20
21	—	—	—	—	—	—	·78	·03	·56	—	—	·11	21
22	·02	—	—	·3	—	—	·01	—	·12	—	—	·28	22
23	—	—	—	—	—	—	1·47	—	—	·01	—	·4	23
24	·02	—	·08	·01	—	—	—	—	—		—	·07	24
25	—	·04	·08	·02	—	—	·15	—	—		—	—	25
26	·09	—	·11	—	·17	—	·01	—	—		·04	·04	26
27	·22	·09	—	·35	—	·1	—	—	—		·73	·15	27
28	·55	·01	·14	·03	·07	·02	·12	—	—		·01	·02	28
29	·26	—	·1	—	—	—	·01	—	—		·1	·36	29
30	·04		—	—	·09	·02	·62	—	·5		·24	·25	30
31	·03		—		·02		—	—		·22		·17	31
TOTAL	3·07	·55	1·42	3·47	·77	1·98	5·17	1·83	3·02	2·28	1·50	3·05	YEAR'S TOTAL 28·11
Days with ·01 in. or more	21	10	13	21	9	10	19	8	12	10	9	25	167
Days with ·04 in. or more	14	7	11	16	6	7	11	4	10	7	7	18	118

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

8L ✓

136

REGI … 11

HERTS

TOTTERIDGE – DOLLIS BRAE

1911 – 1916

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

Kept at Dollis Br…

in the County of Hertfo…

by C. Stewart Ka…

…5 in.

…ve Ground 1 ft. 0 in.

„ Sea Level 350 ft.

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04			·56			·06	·05		·05			1
2	·16			·32	·26					·04	·22	·13	2
3	·02	·03		·02	·21						·17	·25	3
4	·07	·02	·08	·18						·04	·11	·09	4
5	·01			·07						·06	·01	·38	5
6	·45		·09									·26	6
7	·07									·11	·27	·17	7
8	·17		·21								·19		8
9	·10		·03	·03								·37	9
10	·06	·10	·14								·07		10
11	·32				·81						·61	·02	11
12	·01		·44		·08	·05			·05		·26		12
13			·06		·14				·42	74	·02	·24	13
14		·06	·04		·36							·45	14
15		·07	·20							·04	·06	·03	15
16						·37					·40	·05	16
17			·13			·10					·47	·17	17
18		·21	·02			·18					·48	·21	18
19						·15			·25	·08	·27	·12	19
20		·06	·03					·20	·09	·06		·63	20
21	·05	·10						·12		·58		·09	21
22	·09		·06			·04				·16		·41	22
23		·18	·22			·82			·33			·16	23
24		·16	·06			·06	·02	·05		1·16		·18	24
25		·05	·01	·06		·26	1·26				·03	·02	25
26		·02	·03	·20		26	·07	·02		·19	·01	·32	26
27		·52	·13	·08					14			·09	27
28	·01	·29		·25			·04	·07			·05		28
29				·06		·21	·11		·30	·28			29
30				·05					·01	·16			30
31					·09								31
Total	1·63	1·87	1·98	1·88	1·95	2·50	1·56	·51	1·59	3·75	3·70	4·84	TOTAL for year 27·76
No. of Rain Days	15	14	18	12	7	11	6	6	8	15	18	23	153

9,000, IX. '10.

88 ✓ 136

REGISTER OF RAINFALL 11

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

Kept at Dollis Brae, Totteridge

in the County of Hertfordshire 2

by C. Stewart King

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 350 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04			·56			·06	·05		·05			1
2	·16			·32	·26					·04	·22	·13	2
3	·02	·03		·02	·21						·17	·25	3
4	·07	·02	·08	·18						·04	·11	·09	4
5	·01			·07						·06	·01	·38	5
6	·45		·09									·26	6
7	·07									·11	·27	·17	7
8	·17		·21								·19		8
9	·10		·03	·03								·37	9
10	·06	·10	·14								·07		10
11	·32				·81						·61	·02	11
12	·01		·44		·08	·05			·05		·26		12
13			·06		·14				·42	·74	·02	·24	13
14		·06	·04		·36							·45	14
15		·07	·20							·04	·06	·03	15
16						·37					·40	·05	16
17			·13			·10					·47	·17	17
18		·21	·02			·18					·48	·21	18
19						·15			·25	·08	·27	·12	19
20		·06	·03					·20	·09	·06		·63	20
21	·05	·10						·12		·58		·09	21
22	·09		·06			·04				·16		·41	22
23		·18	·22			·82			·33			·16	23
24		·16	·06			·06	·02	·05		1·16		·18	24
25		·05	·01	·06		·26	1·26				·03	·02	25
26		·02	·03	·20		·26	·07	·02		·19	·01	·32	26
27		·52	·13	·08					·14			·09	27
28	·01	·29		·25			·04	·07			·05		28
29				·06		·21	·11		·30	·28			29
30				·05					·01	·16			30
31					·09								31
Total	1·63	1·87	1·98	1·88	1·95	2·50	1·56	·51	1·59	3·75	3·70	4·84	TOTAL for year 27·76
No. of Rain Days	15	14	18	12	7	11	6	6	8	15	18	23	153

9,000, IX. '10.

8h

140

FORM A2.
BRITISH RAINFALL.

24 JAN 1913

Ex H2b

REGISTER OF RAINFALL IN 1912

Kept at Dollis Brae, Totteridge

in the County of Hertfordshire 2

by C. Stewart-King

RAIN GAUGE
Pattern
Diameter of top ..... in.
Height of top above Ground ..... ft. ..... in.
" " " Sea Level ..... ft.

Time of Observation

Nearest Railway Station
Name
Distance ..... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·09	·04		·11	·11		·05	·32		·16	1
2			·14			·08	·30	·11					2
3	·05		·15		·05	·15	·05	·36	·03			·11	3
4	·27		·63		·26	·17		·03			·23		4
5	·19		·09					·18			·05		5
6	·49							·11	·01			·07	6
7			·02		·04	·39	·02	·22				·05	7
8	·38	·56	·17			·02		·16			·02	·02	8
9	·01	·09		·04		·15	·04	·03			·10	·18	9
10		·05	·01			·07		·32	·06			·20	10
11	·04	·36				·04			·05			·12	11
12	·09	·13	·10		·17	·11					·08		12
13			·04							·04	·09	·06	13
14			·03		·04			·10		·05		·05	14
15		·03	·08		·25	·46		·04			·02		15
16	·28		·06		·06	·13		·17		·07	·07		16
17	·51		·32			·13		·08			·02		17
18	·06		·14					·19			·02	·14	18
19	·17	·05	·15				·10	·41		·02			19
20	·02		·11		·02			·25		·35			20
21		·12	·49		·06			·11		·06	·06		21
22	·20	·22	·05		·04	·02	·16	·19		·08	·01	·04	22
23	·42	·43	·35				·99	·52		·02	·20	·12	23
24	·49	·02				·06	·02	·12				·19	24
25						·16		·71			·28	·54	25
26		0					·15	·27		·40	·41	·36	26
27			·01			·03				·18		·23	27
28		·05				·04	·09	·07	·05	·35	·30	·19	28
29		·04				·18	·35	·26	1·02	·44	·09		29
30					·25			·07	·85	·12			30
31			·41		·02		·20	·17				·07	31
Total	3·67	2·15	3·64	·08	1·26	2·50	2·58	5·25	2·12	2·50	2·05	2·90	TOTAL for year 30·70
No. of Rain Days.	16	13	22	2	~~11~~ 12	19	13	26	8	14	17	19	181

W. 8,000, X. '11.

82 144

FORM A.
BRITISH RAINFALL.

27 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Totteridge Dollis Brae

in the County of Hertfordshire E4 R 2

by C Stewart-King

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.04	.20	.11	.38	.14				.25		.02		1
2	.08								.12		.07	.14	2
3			.05	.17					.04		.03		3
4	.21		.02	.02	.50							.04	4
5	.10				.15		.26			.15	.05	.03	5
6		.04	.06				.13		.18	.02	.02	.03	6
7		.15			.16	.27	.07		.03	.16	.04		7
8		.03	.07		.15	.02	.26			.45	.11		8
9		.18		.02	.13	.16				.06	.05		9
10	.02		.07	.10	.04				.05		.33	.15	10
11	.61			.49			1.33	.07			.12		11
12		.01			.09			.06		.47	.07		12
13	.07		.02		.02					.02	.48		13
14	.07	.03	.11					.03	.08		.33		14
15	.13	.07	.20	.06	.01		.38	.12	.02	.17	.11		15
16	.03		.32	.31			.20						16
17			.05	.17					.13				17
18	.03		.12	.23			.17		.02		.04	.02	18
19	.20		.06	.13							.11		19
20	.10		.21	.01			.12		.31				20
21			.09	.04						.57	.02		21
22	.40		.05	.15			.03			.18	.73		22
23			.02	.04				.03	.17				23
24	.03					.03		.10	.03			.13	24
25		.04		.05				.05					25
26			.24	.17		.01					.03		26
27		.06	.03	.09				.09		.70		.35	27
28	.20		.20	.10						.01			28
29	.07		.09	.10						.10			29
30	.23			.50	.74			.07		.02			30
31			.05					.10		.09			31
Total	2.62 ✓	.81 ✓	2.24 ✓	3.33 ✓	2.13 ✓	.49 ✓	2.95 ✓	.72 ✓	1.43 ✓	3.17 ✓	2.76 ✓	.89 ✓	YEAR'S TOTAL 23.54
Rain Days.	18	10	22	21	11	5	10	10	13	15	19	8	162

W. 7,500, XI. 12

DL

cnd for pr. WD 9.III.15

Ex UMO

132

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Dollis Brae Totteridge

in the County of Hertfordshire

by C. Stewart King

Lat. ...... Long. ......

Time of Observation ......

Nearest Railway Station ......

Diameter of Rain Gauge ...... in.

Height of top of Gauge above Ground ...... ft. ...... in.

" " " " Sea Level ...... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01	·03			·21		·19			·06	·06	1
2			·09					·18			·07	·10	2
3	·02						·12				·08		3
4			·12		·18		·23	·09			·42	·25	4
5	·16		·02	·20	·04			·39					5
6	·06		·08	·19	·27	·05	·52	·03			·28	·23	6
7		·14	·01		·04		·03					·15	7
8		·22	·30		·55	·17	·10	·16				·08	8
9		·32	·87	·27	·05	·19	·24		·13			1·23	9
10	·22		·59	·05		·41			·19			·01	10
11	·03	·16		·07	·08				·07		·27	·24	11
12		·32	·50			·42			·27		·07	·48	12
13	·03	·06	·14				·07		·15	·08	·06	·47	13
14		·35	·10							·18	·11	·39	14
15		·11	·56				·08	·02		·04	·07	·07	15
16	·06		·21								·07		16
17							·01		·15			·19	17
18		·44	·10									·31	18
19			·13								·19	·20	19
20		·06	·05			·03	·05		·13	·02		·17	20
21			·11			·03				·02		·08	21
22		·47	·15					·03		·22			22
23					·49	·08	·15			·10			23
24		·03	·14			·08	·01			·02	·15		24
25			·03	·06	·19		·01	·11		·32		·10	25
26	·05		·16					·10		·04	·19	·60	26
27	·02		·03				·06				·05	·22	27
28					·03					·03	·37	1·21	28
29										·25	·13		29
30	·12		·14							·07	·56	·23	30
31	·01	·03	·08	–	·21	·02	·02					·02	31
Total	~~·77~~ ·78	~~2·69~~ 2·71	~~4·74~~ 4·71	~~·84~~ ·84	~~1·92~~ 2·13	~~1·67~~ 1·46	~~1·68~~ 1·70	1·30	1·09	1·39	3·20	7·09	YEAR'S TOTAL 28·40
Rain Days.	~~10~~ 11	13	~~25~~ 24	6	~~10~~ 11	~~10~~ 9	~~14~~ 15	10	7	13	18	24	160

W.7,000, XI. 13

8L

982
~~126~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Dollis Brae
in the County of Hertfordshire 2 Croft
by C. Stewart King

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.46	.17	.08		.03			–	.13	.05	.10	.42	1
2	.37	.11	.29	.11				.65		–		.18	2
3	.46		.05	.21			.03	.60		.04		.15	3
4	.09							.40					4
5	.04	.37								.03		.57	5
6	.22	.03		.25	.03		1.00	.02				.37	6
7	.18	.25	.03				.40					.17	7
8	.04	.53	.02	.06			.11	.06					8
9		.10		.08		.04		.07			.33	.54	9
10	.30		.03					.12				.14	10
11	.02		.01								.75		11
12	.09	.03		.25	.39			.14			.30		12
13		.38			1.41								13
14		.04					1.25		.07			.74	14
15	.25				.05			.20			.21	.11	15
16		.42					.79	.01				.01	16
17		.31			.68			.02					17
18		.21	.08		.07		.11				.03		18
19		.04	.01		.01		.13						19
20	.32			.06								.29	20
21	.13	.01										.06	21
22	.87	.16	.28				.73					.14	22
23			.26			.04	.23		.27			.28	23
24		.08	.09						.31	.43		.27	24
25			.04	.08		.02	.34			.01		.07	25
26		.11				.16	.12					.55	26
27			.02			.34	.12			.40			27
28		.08				.05			1.24	.15			28
29							.28	.12			.15	.01	29
30	.06	X				.41					.14		30
31	.03	X		X		X		.08	X	1.16	X	.19	31
Total	3.93	3.43	1.29	1.10	2.67	1.06	5.64	2.49	2.02	2.27	2.01	5.26	YEAR'S TOTAL 33.17
Rain Days.	17	19	14	8	8	7	15	19	5	~~8~~ 11	8	22	~~146~~ (150)

W. 8,000. X. 14.

8l ✓ Exe 8l

954
~~123~~

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Dollis Brae

in the County of Hertfordshire

by C. Stewart King

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	}				·20	–							1
2	·74}	·02	·09		·23								2
3		·38	·12	—									3
4	·28	·05											4
5	·03	}		·01	·04								5
6	·02	·08}	·30	·21									6
7	·08		·20		·11								7
8			·02		·51								8
9					·31								9
10		·22	·09	·10									10
11	·09	·10	·02	·15									11
12	·04	}	·02	·08	·39								12
13		·51}	·23	·11	·09								13
14		·38		·01	·10								14
15		·34	·40	·03									15
16			·17	·16	·04								16
17	·10	·09		·03									17
18	·01	·07	·05	·10									18
19	·17		·16	·27									19
20	·18		·15	·05									20
21			·74										21
22	}	·15	·06										22
23	·04}	·25											23
24		·03			·03								24
25		·43	·11	—									25
26		}	·01										26
27	·07	·16}	1·14										27
28		·25	·27										28
29		·09											29
30		X		·03									30
31		X		X		X			X		X		31
Total	1·85	3·60	4·35	1·34	2·05								YEAR'S TOTAL
Rain Days.	15	21	20	14	11								

W. 8,000. X. 15.

Copied

Tring
Pendley Manor
Hertfordshire
1914–1917

L IN 1914

FORM A.
BRITISH RAINFALL.
10 MAR 1915

t. Long. —

Kept

me of Observation

in the

earest Railway Station

ameter of Rain Gauge 5 in.

by

eight of top of Gauge above Ground 2 ft. in.

" " " " Sea Level 420 ft.

I daily at 9 a.m. and the result entered to the
previc to this almost universal rule, he is earnestly
reque of the following year in the space provided
for it s for the measurement of rain,
the s ars as to the British Rainfall
Orga " sent post-free on application to
Dr. I

Jan. 1, following.

Date	J							Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								·16	–	–	·07	–	1
2								·14	–	–	·26	·15	2
3	–	–	–	–	·20	–	·62	·34	–	–	·03	·08	3
4	·18	–	–	·28	·02	–	–	·13	–	–	·30	·60	4
5	·04	–	·06	·33	·03	·11	·43	·52	–	–	·02	–	5
6	–	·13	–	–	·04	·15	·06	·03	–	–	·07	·33	6
7	–	·38	·18	·06	·32	·21	·02	·03	–	–	·02	·29	7
8	·06	·10	1·02	·18	·07	·52	·50	·11	–	–	–	·03	8
9	·24	–	·48	·26	·06	·40	–	·02	·02	–	–	1·02	9
10	·04	·18	–	·12	·15	–	–	·01	·19	–	–	·03	10
11	–	·22	·41	·03	–	·60	–	–	–	–	·21	·31	11
12	·03	·10	·14	–	–	·01	·08	–	·28	–	–	·38	12
13	–	·39	·19	–	–	–	–	–	·31	·11	·05	·35	13
14	–	·08	·34	–	–	–	·02	–	·02	·64	·16	·28	14
15	·09	·04	·21	–	–	–	–	·02	·03* ·85	·07	·06	·13	15
16	·03	–	·08	–	–	–	·04	–	·15	–	·04	–	16
17	·01	·55	·12	–	–	–	–	–	–	·01	–	·43	17
18	–	·03	·08	–	–	–	–	–	·03	–	–	·66	18
19	–	·06	·33	–	–	1·16	·13	–	·11	–	·18	·07	19
20	–	·28	·36	–	–	·02	·04	–	–	–	–	·15	20
21	–	·53	·09	–	–	–	–	·03	–	·08	–	·13	21
22	–	·08	·05	·01	·03	·05	·04	·04	–	·80	–	–	22
23	–	·09	·11	–	·07	–	·24	–	–	·15	·17	·03	23
24	–	–	·15	·02	·01	–	·09	–	–	·24	·03	–	24
25	·05	–	·21	–	–	–	–	·14	–	·32	·20	·15	25
26	–	–	·21	–	–	–	·05	·03	–	·04	–	·59	26
27	·05	–	·02	–	–	–	–	–	–	–	·60	1·22	27
28	–	–	·03	–	·02	–	–	–	–	·27	·14		28
29	·06		·16	–	·04	–	–	–	–	·30	·27	–	29
30	–	X	·07	–	–	–	–	–	–	·07	–	·49	30
31	·02	X	–	X	·12	X	·04	–	X	–	X	·05	31
Total	·94	3·24	5·14	1·32	1·18	3·23	2·55	1·75	1·18	3·10	2·88	7·95	YEAR'S TOTAL 34·46
Rain Days.	15	16	25	10	14	10 17	17	15	10	13	19	24	188

W. 8,000. X. 14.

* Corrected from comparison with neighbouring records.

Copied

FORM A.
BRITISH RAINFALL.
10 MAR 1915

REGISTER OF RAINFALL IN 1914

Kept at Pendley Manor, Tring
in the County of Herts
by C. M. Williams (Herts. Nat. History Soc.)

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	–	·04	–	–	–	·04	·16	–	–	·07	–	1
2	·03	–	–	·03	–	–	·11	·14	–	–	·26	·15	2
3	–	–	–	–	·20	–	·62	·34	–	–	·03	·08	3
4	·18	–	–	·28	·02	–	–	·13	–	–	·30	·60	4
5	·04	–	·06	·33	·03	·11	·43	·52	–	–	·02	–	5
6	–	·13	–	–	·04	·15	·06	·03	–	–	·07	·33	6
7	–	·38	·18	·06	·32	·21	·02	·03	–	–	·02	·29	7
8	·06	·10	1·02	·18	·07	·52	·50	·11	–	–	–	·03	8
9	·24	–	·48	·26	·06	·40	–	·02	·02	–	–	1·02	9
10	·04	·18	–	·12	·15	–	–	·01	·19	–	–	·03	10
11	–	·22	·41	·03	–	·60	–	–	–	–	·21	·31	11
12	·03	·10	·14	–	–	·01	·08	–	·28	–	–	·38	12
13	–	·39	·19	–	–	–	–	–	·31	·11	·05	·35	13
14	–	·08	·34	–	–	–	·02	–	·02	·64	·16	·28	14
15	·09	·04	·21	–	–	–	–	·02	·82* ·85	·07	·06	·13	15
16	·03	–	·08	–	–	–	·04	–	·15	–	·04	–	16
17	·01	·55	·12	–	–	–	–	–	–	·01	–	·43	17
18	–	·03	·08	–	–	–	–	–	·03	–	–	·66	18
19	–	·06	·33	–	–	1·16	·13	–	·11	–	·18	·07	19
20	–	·28	·36	–	–	·02	·04	–	–	–	–	·15	20
21	–	·53	·09	–	–	–	–	·03	–	·08	–	·13	21
22	–	·08	·05	·01	·03	·05	·04	·04	–	·80	–	–	22
23	–	·09	·11	–	·07	–	·24	–	–	·15	·17	·03	23
24	–	–	·15	·02	·01	–	·09	–	–	·24	·03	–	24
25	·05	–	·21	–	–	–	–	·14	–	·32	·20	·15	25
26	–	–	·21	–	–	–	·05	·03	–	·04	–	·59	26
27	·05	–	·02	–	–	–	–	–	–	–	·60	1·22	27
28	–	–	·03	–	·02	–	–	–	–	·27	·14		28
29	·06		·16	–	·04	–	–	–	–	·30	·27	–	29
30	–	X	·07	–	–	–	–	–	–	·07	–	·49	30
31	·02	X	–	X	·12	X	·04	–	X	–	X	·05	31
Total	·94	3·24	5·14	1·32	1·18	3·23	2·55	1·75	1·18	3·10	2·88	7·95	YEAR'S TOTAL 34·46
Rain Days.	15	16	25	10	14	10 17	17	15	10	13	19	24	188

W. 8,000. X. 14.

* Corrected from comparison with neighbouring records.

Co. fr Herts Nat His Soc

E R R

975

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Tring Pendley Manor
in the County of Hertfordshire
by C M Williams

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. – in.
" " " " Sea Level 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.56	.12	.03		.09				.20	.06	.11	.40	1
2	.20	.35	.25	.10		.02		.80	.09	.06	.03	.11	2
3	65	02	.04	.14			.10	.42	.21		.02	.48	3
4	.05											.31	4
5	.03	.51						.03				.06	5
6	.22	.04	.02	.32			.56						6
7	.09	.39	.08	.03			.21	.03				.18	7
8	.12	.63	.06	.05			.04	.04			.04		8
9	.01	.01		.09		.02					.16	.62	9
10	.30		.03					.16				.05	10
11	.01		.04	.01							.82		11
12	.06	.08		.31	.35			.18		.04	.96	.06	12
13	.01	.59			1.23								13
14		.05					.68	.04	.03			.61	14
15	.19							.02			.13	.21	15
16		.54			.02		.72	.05				.18	16
17		.36					.06					02	17
18		.08	.16		.40						.02		18
19			03				.13						19
20	.38			.09								.24	20
21	.12	.05			.02		.02			.02		.11	21
22	.58	.48	.49	.01	.50		.49		.02			.16	22
23	03	.42	.18				.11		.11	.38		.28	23
24			.10		.10	.03	.13		.78	.15		.27	24
25				.07		.02	.03					.26	25
26		.14				.07	.16					.42	26
27		.05					.16		.02	.40		.10	27
28		.11				.18	.03		1.25	.13			28
29							.21	.24			.11	.02	29
30	.02	✕				.05		.06		.15	.04	.08	30
31	03	✕		✕		✕			✕	1.23	✕	.22	31
Total	3.66	5.02	1.51	1.22	2.71	.39	3.84	2.07	2.71	2.62	2.44	5.45	YEAR'S TOTAL 33.64
Rain Days.	20	20	13	11	8	7	17	12	9	10	11	24	162

W. 8,000. X. 15.

948

East Herts

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
30 MAR 1917

Kept at Tring, Pendley Manor,
in the County of Herts
by C. M. Williams
per G Hopkinson

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 0 in.
" " " " Sea Level 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·12		·02		·13	·03	·02		·07	·06	·42		1
2	·67	·10	·20		·15				·05	·39	·03		2
3	·01	1·04	·05		·02				·14	·22	·12		3
4	·24	·18	·01		·02	·36	·02		·03	·10	·48		4
5	·05	·04		·01	·07	·11				·11	·37	·01	5
6		·09	·16	·18	·05	·08	·35			·12	·53		6
7	·12		·33		·11		·11			·02	·40	·06	7
8			·01		·46	·04						·23	8
9	·03				·23					·05		·06	9
10		·16	·12	·09		·21	·07					·03	10
11	·09	·10	·06	·15	·05	·23						·08	11
12	·04	·04	·11	·06	·34	·17	·15	·02	·03	·15	·02		12
13		·58	·23	·06	·01	·22	·61	·21	·03	·03	·01		13
14		·55	·01	·03	·10			·09		·02		·02	14
15		·12	·36				·11	·16		·03			15
16	·05	·02	·48	·12	·09		·19	·08					16
17	·11	·07		·12			·03	·33	·25	·61			17
18		·11	·07	·16				·37	·09	·04	·69	·05	18
19	·06	·03	·20	·15				·01	·14		·86	·05	19
20	·32		·47	·10							·03	·55	20
21	·02		·86				·22					·72	21
22		·08	·04		·10					·12		·40	22
23	·04	·58				·25		·05		·03	·06	·15	23
24		·13			·05	·48		·03		·15	·02	·36	24
25		·55						·15		·08	·12		25
26		·15	·13			·05		·12		·10			26
27	·07	·04	1·26			·13		·17	·11	·46			27
28		·28	·42			·15			·13	·03	·01	·16	28
29		·12				·21		·85		·30		·15	29
30	·01					·08		·10		·31		·03	30
31								·02		·07		·08	31
Total	2·05 ✓	5·16 ✓	5·60 ✓	1·23 ✓	1·98 ✓	2·80 ✓	1·88 ✓	2·76 ✓	1·07 ✓	3·60 ✓	4·17 ✓	3·19	YEAR'S TOTAL 35·49 ✓
Rain Days.	17 ✓	23 ✓	22 ✓	12 ✓	16 ✓	16 ✓	11 ✓	16 ✓	11 ✓	24 ✓	16 ✓	18 ✓	202 ✓

W. 8,000, VIII. 16

✓ Copy Exd CH

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

9. MAR 1918

91.

Kept at Pendley Manor, Tring
in the County of Hertfordshire
by C M. Williams per J Hopkinson

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. — in.
" " " " Sea Level 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01	·28				1·48	12		·08	·03	1
2	·02		—	·10				·15		·02	·01		2
3		·02	—	·03				·60		·58	·04		3
4		·83	·26					·32		·46		·03	4
5	·29		·05	·26				·03	·13	·10	·06		5
6			·07						·09	·03	·06		6
7	·26		·04				·33			·41	·03		7
8	·48			·14			1·26	·21		·33	·10	·11	8
9	·03		·08	·11			·16	1·15		·02	·05		9
10	·30		·24	·36				·16			·04	·04	10
11	·10		·76	·18				·01		·36			11
12	·11	·02	·04		06			·22		·30	·02		12
13	·15		·04					·18	·05				13
14	·04			·08				·22				·09	14
15	·04			·29	·03		·08	·10		·05		·01	15
16	·02	·14		·14	·09	·12	·05			·92		·29	16
17	·06	·03			·83		·28	·10	·32	·25		·03	17
18		·05			·05	·18	·23	·08	·72	·07			18
19	·03	·13	·06	·18	·02	·03		—	·24				19
20	·05	·18	·08		·52		·08		·17		·12		20
21	·01	·03	·04		·04					·01	·04		21
22	·01	·10	·10			·03		·09		·15	·01		22
23			·02		·05			·21		·03			23
24	·01	·05				·30		·08		·26		·02	24
25		·05	·04			·04			·02		·11		25
26			·05					·46	·10		·21	·02	26
27			·03			·18		·85				·03	27
28			·05		—	·78		·18				·05	28
29			·12		·31	·11	·53	·84		·36		·15	29
30	·04	✕	·07		—		·91	·08		·01		·01	30
31	·03	✕	·21	✕		✕	·53	·03	✕	·02	✕	·03	31
Total	2·08 ✓	1·63 ✓	2·46 ✓	2·15 ✓	2·00 ✓	1·77 ✓	4·44 ✓	7·83 ✓	1·97 ✓	4·74 ✓	·98 ✓	·94 ✓	YEAR'S TOTAL 32·99 ✓
Rain Days.	20 ✓	12 ✓	22 ✓	12 ✓	10 ✓	9 ✓	11 ✓	24 ✓	10 ✓	21 ✓	15 ✓	15 ✓	181 ✓

W. 8,000, IX. 17.

Lat 51.47.0 N
Lon 0 36 30

FORM A2.
BRITISH RAINFALL.
18 MAR 1912

R 1911

HERTS
TRING- COW ROAST LOCK
1911—1919

Kept at Cowroa

in the County of Hert

by E Tho

f top 5 in.
op above Ground 3 ft. 8 in.
„ Sea Level 394' ft.
n
tation { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily h., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.35			.07						1
2	.08			.34	.19						.13	.11	2
3					.18						.13	.04	3
4	.07	.05	.15							.12	.16	.55	4
5		.03						.21		.06			5
6	.40		.07									.42	6
7	.06			.08						.09	.33	.27	7
8	.07		.19								.14	.30	8
9	.21										.05	.06	9
10		.15	.18									.57	10
11	.32				.96						.60		11
12			.43							.79	.20		12
13			.15		.12				.34	.06	.19	.64	13
14		.02			.08							.40	14
15		.08	.17										15
16						.17					.44	.11	16
17						.07					.08	.32	17
18		.17				.11					.25	.32	18
19						.38			.08	.08	.23	.10	19
20			.07					.24	.19			.76	20
21		.23						.50		.42		.10	21
22						.17				.06		.62	22
23			.36			.33			.20			.18	23
24		.24				.12		.05		.35		.13	24
25		.07	.07	.10	.08	.18			.03			.09	25
26				.18		.07	.10	.06		.14		.23	26
27		.43	.10				.14		.16		.04	.15	27
28		.32		.32			.03				.08		28
29				.03		.24	.08		.26	.28			29
30					19			.13		.21			30
31	.07				.09								31
Total	1.28	1.79	1.94	1.40	1.89	1.84	.42	1.19	1.26	2.66	3.05	6.47	TOTAL for year 25.19
No. of Rain Days.	8	11	11	7	8	10	5	6	7	12	15	22	122

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
18 MAR 1912

Lat 51.47.0 N
Lon 0 36 30

REGISTER OF RAINFALL IN 1911

Kept at Cowroast

in the County of Hertfordshire

by E Thomas J Hopkinson

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 3 ft. 8 in.
" " " Sea Level 394' ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.35			.07						1
2	.08			.34	.19						.13	.11	2
3					.18						.13	.04	3
4	.07	.05	.15							.12	.16	.55	4
5		.03						.21		.06			5
6	.40		.07									.42	6
7	.06			.08						.09	.33	.27	7
8	.07		.19								.14	.30	8
9	.21										.05	.06	9
10		.15	.18									.57	10
11	.32				.96						.60		11
12			.43							.79	.20		12
13			.15		.12				.34	.06	.19	.64	13
14		.02			.08							.40	14
15		.08	.17										15
16						.17					.44	.11	16
17						.07					.08	.32	17
18		.17				.11					.25	.32	18
19						.38			.08	.08	.23	.10	19
20			.07					.24	.19			.76	20
21		.23						.50		.42		.10	21
22						.17				.06		.62	22
23			.36			.33			.20			.18	23
24		.24				.12		.05		.35		.13	24
25		.07	.07	.10	.08	.18			.03			.09	25
26				.18		.07	.10	.06		.14		.23	26
27		.43	.10				.14		.16		.04	.15	27
28		.32		.32			.03				.08		28
29				.03		.24	.08		.26	.28			29
30					.19			.13		.21			30
31	.07				.09								31
Total	1.28	1.79	1.94	1.40	1.89	1.84	.42	1.19	1.26	2.66	3.05	6.47	TOTAL for year 25.19
No. of Rain Days.	8	11	11	7	8	10	5	6	7	12	15	22	122

W. 8,000, X. '11.

from Herts Natural History Soc

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

6 MAR 1913

Kept at Cowroast f M

in the County of Hertfordshire

by Gordon Thomas Hopkinson

Lat. 51-47 0 N Long. 0-36 30 W

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 8 in.

" " " " Sea Level 394 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.09			.16			.01	.38		.15	1
2			.06	.02	.05	.16	.79						2
3	.09				.32	.22		.32	.08			.13	3
4	.29		.60		.02	.15		.11			.29		4
5	.18	.08	.25			.04		.36			.10		5
6	35	.10						.28				.16	6
7			.06			.48	.02	.23				.13	7
8	.57	.33	.22		.10			.05	.06				8
9		.18	.03	.05		.15	.03					.37	9
10		.03				.02		.25	.04		.17	.09	10
11	.21	.09						.06	03		.04	.24	11
12	.06	.28	.13								.11		12
13						.17					.17		13
14			.02		.05			.04					14
15		.05	.10		.48	.36		.07				.28	15
16	.31		.07		.16	.12		.07		.15			16
17	.50		.12			.13		.14				.05	17
18	.06		.21					.15		.03		.15	18
19	.11	.10	.25				.44	.41			.03		19
20			.24				.08	.05		.28			20
21	.08	.05	.42		.45			.21		.17	.09		21
22	.38	.17	.10		.12		.15	.21					22
23	.49	.49	.32				.42	.40			.19	.18	23
24	.26					.10		.11				.19	24
25						.26		.18			.34	.43	25
26		.04					.08	.64		.50	.50	.35	26
27						.09	.10			.33		.20	27
28		.05				.02	.07	.18	.12	.49	.39	.30	28
29			.05			.19	.09	.30	1.49	.24			29
30					.43	.21			.89	09			30
31			.16		05		.36	.08					31
Total	3.94	2.04	3.50	.07	2.23	3.03	2.63	4.90	2.72	2.66	2.42	3.40	YEAR'S TOTAL 33.54
Rain Days.	15	14	20	2	11	18	12	24	8	10	12	16	162

W. 7,500, XI. ·12

Copy for Herts Nat His Soc

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

2 MAR 1914

Kept at Cowroast Lock No 46

in the County of Hertfordshire

by J. E. Thomas J Hopkinson

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 6 in.

" " " " Sea Level 393¼ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.18	.10	.06					.46		.11	.03	1
2	.12	.14					.17		.02	.59	.15		2
3	.05		.04	.06	.90							.12	3
4	.44		.04		.04		.26			.05	.06	.10	4
5	.10					.16			.02	.09	.01	.04	5
6		.13	.04		.13	.20	.03		.05	.36		.10	6
7		.26			.11			.03		.60	.07		7
8		.03			.21	.22				.18	.12		8
9		.20			.02	.10	.02	.05	.09		.03	.06	9
10			.04	.07			.28	.49			.41		10
11	.52			.41	.12					.58	.46		11
12											.70		12
13	.02		.02						.07		.32		13
14	.13		.12	.06			.05	.12		.15	.05		14
15	.21	.05	.31	.41			.18		.04		.01		15
16	.10		.30	.25					.02				16
17	.04		.08	.10		.02	.09	.02				.05	17
18			.30	.25	.05						.07		18
19	.58		.03				.15		.55			.03	19
20	.20		.11	.09		.11				.39			20
21	.01		.12	.05	.12		.04			.06	.48		21
22	.53		.24					.06	.21				22
23						.10		.03				.08	23
24	.01			.08				.02					24
25	.01	.06		.19						.03		.02	25
26		.02	.15	.20				.06		.42	.03	.17	26
27		.03	.03	.10						.02			27
28	.24		.24	.18						.15			28
29	.02		.09	.48	.41			.11		.07		.08	29
30	.37			.02					.04	.24	.10		30
31			.07					.30					31
Total	3.70	1.10	2.47	3.06	2.11	91	1.27	1.29	1.57	3.98	3.18	.88	YEAR'S TOTAL 25.52
Rain Days.	19	10	20	18	10	7	10	11	11	16	17	12	161

W.7,000, XI. 13

Copied from A original returned to observer 9/III/15.

REGISTER OF RAINFALL IN 1914

ExLMcC

FORM A.
BRITISH RAINFALL.

9 MAR 1915

Kept at Cowroast, Lock No 46

in the County of Herts

by Gordon Thomas pp Hertfordshire Natural History Society

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 6 in.

" " " " Sea Level 394 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·02	-	-	-	-	·07	·08	-	-	·06	·05	1
2	-	-	-	·02	-	-	·13	·21	-	-	·21	·16	2
3	-	-	-	-	·20	-	·49	·37	-	-	-	·06	3
4	·18	-	-	·07	-	-	-	·07	-	-	·32	·58	4
5	·04	-	·06	·56	·04	·13	·45	·60	-	-	-	-	5
6	-	·14	-	-	·05	-	-	·04	-	-	-	·37	6
7	-	·39	·20	·08	·53	·25	·04	·05	-	-	-	·34	7
8	·06	·15	·95	·11	·12	·50	·25	·10	-	-	-	·03	8
9	·21	-	·50	·21	-	·38	-	-	·04	-	-	1·22	9
10	·04	·17	-	·11	·06	-	-	-	·18	-	-	-	10
11	-	·26	·40	-	·14	·68	-	-	·02	-	·18	·33	11
12	-	·08	·12	-	-	-	·08	-	·30	-	-	·34	12
13	·02	·41	·16	-	-	-	-	-	·29	·12	·07	·37	13
14	-	·09	·34	-	-	-	·03	-	-	·39	·06	·39	14
15	·09	·03	·15	-	-	-	-	-	·05	·07	·17	·13	15
16	·02	-	·04	-	-	-	-	-	-	-	-	-	16
17	-	·56	·08	-	-	-	-	-	·17	-	-	·37	17
18	-	-	·05	-	-	-	-	-	-	-	-	·63	18
19	-	·07	·33	-	-	·47	·12	-	·03	-	·27	·04	19
20	-	·26	·25	-	-	-	·04	-	·09	-	-	·16	20
21	-	·46	·08	-	-	·03	-	·03	-	·09	-	·14	21
22	-	·05	-	-	·03	·10	·04	·06	-	·80	-	-	22
23	-	·07	·12	·02	·08	-	·15	-	-	·12	-	-	23
24	-	-	·16	·02	-	-	·11	-	-	·18	·17	-	24
25	·07	-	·20	-	-	-	-	·14	-	·32	·02	·10	25
26	-	-	·16	-	-	-	·05	-	-	·03	·20	·54	26
27	-	-	-	-	-	-	-	-	-	-	-	·32	27
28	-	·05	-	-	·03	-	-	-	-	·22	·49	1·24	28
29	·12		·17	-	·05	-	-	-	-	·28	·17	-	29
30	-	×	·04	-	-	-	-	-	-	·06	·35	·39	30
31	-	×	-	×	·12	×	·03	-	×	-	×	·07	31
Total	·87	326	4·56	120	1·45	2·54	2·08	175	117	268	274	837	YEAR'S TOTAL 32·67 ✓
Rain Days.	11	17	21	9	12	8	15	11	9	12	14	24	163 ✓

W. 8,000. X. 14.

Copy from Herts Nat Hist Soc

Ex BR

976

FORM A. BRITISH RAINFALL.

13 MAR 1916

REGISTER OF RAINFALL IN 1915

Kept at Tring Cow Roast Lock No 46

in the County of Hertfordshire

by Gordon C Thomas

Lat. 51.47.0 N Long. 0.36.30 W

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 6 in.

" " " " Sea Level 394 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.60	.14	.05		.06				.19	.07	.10	.33	1
2	.15	.32	.29	.11		.04		.78	.05	.06		.12	2
3	.71	.02	.03	.13	.02		.15	.40	.11			.18	3
4	.05											.48	4
5	.02	.49										.28	5
6	.21	.02		.32			.58					.06	6
7	.08	.49	.08				.22	.04				.25	7
8	.09	.48	.06	.04			.05				.03		8
9				.10				.04			.23	.64	9
10	.34		.02					1.48				.05	10
11			.04								.78		11
12	.07	.08		.35	.42			.15		.03	.98		12
13		.50			1.27								13
14		.04					.86	.28	.04			.67	14
15	.21				.02			.04			.14	.18	15
16		.50					.79	.02				.18	16
17		.42			.40		.07						17
18		.27	.08								.04		18
19		.08	.05				.11						19
20	.41			.05								.24	20
21	.15	.06			.63							.09	21
22	.68	.61	.50				.54					.16	22
23		.45	.14				.18		.13	.38		.29	23
24			.06			.05	.36		.77	.17		.32	24
25				.07		.05						.26	25
26		.16					.17					.47	26
27		.05				.10	.09			.43		.08	27
28		.15				.10			1.25	.15			28
29							.23	20			.12		29
30		X				.05					.03	.05	30
31	.04	X		X		X		.05	X	1.37	X	20	31
Total	3.81	5.33	1.40	1.17	2.82	.39	4.40	3.48	2.54	2.66	2.45	5.58	YEAR'S TOTAL 36.03
Rain Days.	15	20	12	8	7	6	14	11	7	8	9	22	139

W. 8,000. X. 15.

[illegible] From M.S. 949

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
30. MAR 1917

Kept at Cow Roast Lock,
in the County of Herts
by W. Yates per G.Hopkinson

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 6 in.
" " " " Sea Level 394 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·23				·15	·05			·06	·06	·37		1
2	·73	·11	·11		·13					·42	·03		2
3		·86	·09						·15	·25	·15		3
4	·27	·14			·02	·40	·04			·12	·44		4
5	·03			·02	·05	·12				·09	·58		5
6		·13	·13	·21	·06	·05	·36			·13	·64		6
7	·12		·36		·22		·08				·43		7
8					·53							·07	8
9					·17					·08		·30	9
10		·16		·09		·21	·03						10
11	·08	·09	·16	·15	·03	·21						·07	11
12	·03	·04	·14	·07	·25	·18	·20	·03		·13			12
13		·52	·22	·07		·19	·59	·21	·07	·03			13
14		·47			·13			·23		·09			14
15		·11	·37					·14					15
16	·02		·48	·17	·07		·23	·09					16
17	·13	·12		·14				·11	·24	·66			17
18		·08	·04	·14				·38	·11	·03	·67		18
19	·05		·19	·13					·14		·73		19
20	·30		·30	·07							·04	·78	20
21	·02		·85				·31					·66	21
22		·14			·06	·02				·06		·48	22
23	·03	·36				·24		·05			·07		23
24					·07	·50		·03		·21	·03	·50	24
25		·51	·14		·03			·26		·05	·12		25
26						·05		·07		·10			26
27	·06	·15	1·04			·11		·15	·13	·54		·24	27
28		·36	·15			·18			·14	·08		·18	28
29		·10				·17		·96		·42			29
30		×				·08		·07		·37			30
31		×		×		×		·02	×	·06	×	·07	31
													YEAR'S TOTAL
Total	2·10 ✓	4·45 ✓	4·77 ✓	1·26 ✓	1·97 ✓	2·76 ✓	1·84 ✓	2·80 ✓	1·04 ✓	3·98 ✓	4·30 ✓	3·35 ✓	34·62 ✓
Rain Days.	14 ✓	18 ✓	16 ✓	11 ✓	15 ✓	16 ✓	8 ✓	15 ✓	8 ✓	21 ✓	13 ✓	10 ✓	165 ✓

W. 8,000, VIII. 16

943

FORM A.
BRITISH RAINFALL.

7 MAR 1918

REGISTER OF RAINFALL IN 1917.

Kept at Cow. Roast Lock No 46
in the County of Hertfordshire
by Grand Junction Canal Comp.

Lat. .... Long. ....
Time of Observation 9 am.
Nearest Railway Station Tring
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 6 in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				0·17				1·71	·08				1
2				0·33				0·20					2
3								0·79		0·50			3
4	0·28		0·21					0·19		0·82			4
5				0·27					0·12	0·11	0·27		5
6		0·48	0·10						·09		·06		6
7	0·27									0·49			7
8	0·40			0·15			1·67	0·29		0·38	0·15		8
9							·02	0·80		~~·07~~	·07	0·18	9
10	0·32		0·30	0·32				0·18			·04		10
11	0·10		0·53	0·28						0·39			11
12	0·13				·06			·08		0·44			12
13	·08		·06					0·14					13
14				0·18				·04					14
15								0·21		·06			15
16	0·15	0·14		0·27	0·12	0·48				0·87			16
17				0·13	0·81		0·37	0·10	0·45	0·27			17
18	·07	·06		0·18		0·16	0·22	·05	0·75	·05			18
19		0·16	0·10		0·11				0·33				19
20		0·16	0·10		0·42		0·20		0·12		0·15		20
21					0·13						·03		21
22								·04		0·15			22
23		·09	·09		·06			0·19				0·38	23
24		·03				0·40		·09		0·35			24
25		·05	·04			·07							25
26								0·48	0·10		0·34		26
27						0·10		0·84					27
28		~~·07~~	·09			0·81		0·18					28
29		~~0·13~~	0·13		·09	·09	0·65	0·82		0·43			29
30		X					0·86	0·10					30
31		X		X		X	0·52		X		X	0·25	31
Total	1·80	1·18	1·75	2·28	1·89	2·11	4·51	7·52	2·04	5·31	1·11	0·81	YEAR'S TOTAL 32·22
Rain Days.	9	8	11	10	8	7	8	21	8	14	8	3	~~116~~

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

Ex 8L

FORM A. BRITISH RAINFALL.

1 JAN 1919

26

Kept at Cow Roast Lock 46.

in the County of Hertfordshire

by Grand Junction Canal Company

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Tring

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 6 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				0·18							0·41		1
2				0·21				0·18				0·31	2
3		0·25			0·62				0·18		0·63		3
4		·07	0·22						0·78		0·63		4
5		0·11			0·15			0·20		0·15			5
6	0·12	0·14		0·31								0·12	6
7		0·12		0·22	0·21				0·10	0·22	0·21		7
8									0·21				8
9		·08		·08		0·26	0·27		0·42	0·21		0·14	9
10				·06			0·28					0·14	10
11	·09						0·12		0·13	0·45			11
12		·09			·07		0·12		·04				12
13					0·53				0·15			0·17	13
14	0·22					0·10	0·27		0·18	0·21		0·14	14
15	0·80			0·82			·08		·07				15
16	0·40			1·32					0·67	0·17			16
17	0·30			0·20	0·60		0·61		·06			0·28	17
18	0·54					0·20	0·41		0·33			0·30	18
19			·05				0·12			0·13		0·16	19
20	·07	0·13		0·15					0·12	0·20			20
21	·07			1·39					0·72				21
22					0·46		0·10		0·20			0·35	22
23					0·69		0·44						23
24		0·18				·09			·08		0·14		24
25						0·11	0·25	0·36					25
26							0·14	0·17	0·13		0·36	0·31	26
27							0·14	0·26			0·12		27
28			0·20	·04							0·20	0·24	28
29									1·41				29
30			0·31						0·10			·05	30
31			0·10										31
Total	2·61	1·17	0·88	4·98	3·33	0·76	3·35	1·17	6·08	1·74	2·70	2·71	YEAR'S TOTAL 31·48
Rain Days.	9	9	5	12	8	5	14	5	20	8	8	13	116

1,000, XI. '12

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

B made Copy.

Ese 8L

891

HERTFORDSHIRE NATURAL HISTORY SOCIETY

--------------ooOoo-------------

REGISTER OF RAINFALL IN 1919.

At Cow Roast Loch. 46 ....

Latitude..............

Longitude..............

(Diameter of Funnel .5"........

(Height (above ground. 3' 6"...

(of Top (above sea-level........

Date	Jan.	Feb.	Mar.	Apl.	May.	June.	Jul.	Aug.	Sep.	Oct	Nov.	Dec.	Date.
1	·47						·29					1·17	1
2	·21				·11		·13		·21	·33	·22	·78	2
3	·54		·37				·07		·72		·08	·37	3
4	·08		·34			·10			·11			·17	4
5			·75				·21		1·15			·30	5
6	·14		·17		·14							·07	6
7			·53								·14		7
8				·31									8
9	·16										·11		9
10			·39										10.
11			·20	·27									11
12			·31	·06			·35						12
13	·08			·34			·12			·18			13
14	·40	·34		·35								·15	14
15	·41		·18	·23			·07					·49	15
16		·76									·26		16
17		·32									·21		17
18		·12						·28			·07	·21	18
19		·13	·93			·31	·16	·22	·13				19
20	·42	·08	·12			·54	·61	·41			·08		20
21	·25	·45					·19					·13	21
22		·22					·16		·23			·36	22
23						·12							23
24				·20			·19			·58	·12	·06	24
25								·39					25
26	·18	·21	·20	·16				·10	·17			·45	26
27	·72			1·10				·30					27
28			·15					1·00				·38	28
29				·11				·30		·22	·10		29
30				·27		·27		·10		·09	·63	·52	30
31										·07			31
	4·06	2·63	4·64	3·40	·25	1·34	2·55	3·10	2·72	1·47	2·02	5·61	33·79
Days	13	9	13	11	2	5	12	9	7	6	11	15	Days 113

Total in Year. 33·79 ✓. No of days. 113. ✓ Signed..............

Date

FORM A2.
BRITISH RAINFALL.
8 JAN 1912

REGIST

HERTS
TRING - GROVE LODGE
1911 - 18 ; 1920

Kept at Grove Lodge, Tr
in the County of Hertfords
by Winifed Boy

Lamba
in.
nd 1 ft. in.
Level 450 ft.
m
Tring
Distance 1½ Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03			·31			·04	·04				·02	1
2	·05			·37	·15		·01				·11	·08	2
3		·04	·01	·01	·16			·01			·08	·14	3
4	·06	·05	·14	·06					·03	·04	·14	·54	4
5	·03	·03		·02				·09		·05	·03	·04	5
6	·46		·04								·02	·55	6
7	·03		·03							·08	·32	·12	7
8	·13		·19							·03	·17	·32	8
9	·14		·01	·02							·03	·02	9
10	·03	·14	·19	·02							·04	·64	10
11	·19		·04		·39						·50	·02	11
12	·03		·53						·04	·25	·35	·01	12
13			·05		·26				·29	·08	·02	·59	13
14		·02	·04		·13							·36	14
15		·09	·13							·02	·08	·05	15
16			·02			·14					·33	·10	16
17		·02	·05			·12					·08	·32	17
18		·18	·02	·01		·08					·19	·24	18
19		·01				·28			·05	·05	·19	·11	19
20		·05	·03					·26	·19	·05		·70	20
21	·03	·14	·03			·09		·01		·24		·12	21
22	·01		·05			·06		·02		·17		·63	22
23		·09	·30			·36			·20		·02	·16	23
24		·14	·06			·09		·03		·45		·15	24
25		·05	·02	·06	·09	·25		·03	·03			·01	25
26		·05		·19	·02	·04	·04			·14	·05	·26	26
27		·36	·10	·03			·12				·03	·18	27
28		·28		·30				·10	·21		·05		28
29				·06		·20	·11		·23	·24	·02		29
30				·03	·30	·05		·05	·04	·14		·01	30
31					·12								31
Total	1·22	1·74	2·08	1·49	1·62	1·76	·32	·64	1·31	2·03	2·85	6·49	TOTAL for year 23·55
No. of Rain Days	13	17	22	14	9	12	5	10	10	15	22	28	177

9,000, IX. '10.

FORM A2.

BRITISH RAINFALL.
8 JAN 1912

REGISTER OF RAINFALL

Kept at Grove Lodge, Tring

in the County of Hertfordshire

by Winifred Boyson

RAIN GAUGE	Pattern	Negretti & Zambra
	Diameter of top	8 in.
	Height of top above Ground	1 ft. in.
	" " " Sea Level	450 ft.

Time of Observation 9 a.m.

Nearest Railway Station { Name Tring
Distance 1½ Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03			·31			·04	·04				·02	1
2	·05			·37	·15		·01				·11	·08	2
3		·04	·01	·01	·16			·01			·08	·14	3
4	·06	·05	·14	·06					·03	·04	·14	·54	4
5	·03	·03		·02				·09		·05	·03	·04	5
6	·46		·04								·02	·55	6
7	·03		·03							·08	·32	·12	7
8	·13		·19							·03	·17	·32	8
9	·14		·01	·02							·03	·02	9
10	·03	·14	·19	·02							·04	·64	10
11	·19		·04		·39						·50	·02	11
12	·03		·53						·04	·25	·35	·01	12
13			·05		·26				·29	·08	·02	·59	13
14		·02	·04		·13							·36	14
15		·09	·13							·02	·08	·05	15
16			·02			·14					·33	·10	16
17		·02	·05			·12					·08	·32	17
18		·18	·02	·01		·08					·19	·24	18
19		·01				·28			·05	·05	·19	·11	19
20		·05	·03					·26	·19	·05		·70	20
21	·03	·14	·03			·09		·01		·24		·12	21
22	·01		·05			·06		·02		·17		·63	22
23		·09	·30			·36			·20		·02	·16	23
24		·14	·06			·09		·03		·45		·15	24
25		·05	·02	·06	·09	·25		·03	·03			·01	25
26		·05		·19	·02	·04	·04			·14	·05	·26	26
27		·36	·10	·03			·12				·03	·18	27
28		·28		·30				·10	·21		·05		28
29				·06		·20	·11		·23	·24	·02		29
30				·03	·30	·05		·05	·04	·14		·01	30
31					·12								31
Total	1·22	1·74	2·08	1·49	1·62	1·76	·32	·64	1·31	2·03	2·85	6·49	TOTAL for year 23·55
No. of Rain Days	13	17	22	14	9	12	5	10	10	15	22	28	177

9,000, IX. '10.

Go. Dd

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

9 - JAN 1913

Kept at Grove Lodge, Tring

in the County of Hertfordshire

by Miss Winifred Boyson

Lat. 51° 48′ Long. 0° 39′

Time of Observation 9 a.m.

Nearest Railway Station Tring

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1			·06	·01		·07	·07	·03	·07	·40		·16	1
2		·02	·08	·02		·20	·67	·11	·01				2
3	·10		·03		·06	·20	·01	·34	·04		·02	·11	3
4	·31		·63		·32	·18		·11			·23	·01	4
5	·28	·09	·25			·04		·32	·02		·09	·04	5
6	·30	·05				·02		·32	·04			·16	6
7			·07			·55	·01	·24				·14	7
8	·60	·30	·27			·02	·02	·04	·02		·01	·02	8
9	·13	·18	·04	·04	·42	·08	·03	·05				·29	9
10		·02				·17		·31			·17	·10	10
11	·27	·14				·02		·12			·05	·20	11
12	·07	·28	·14		·02	·10	·02				·10		12
13		·03				·08	·02				·12		13
14			·02		·07			·07		·09		·02	14
15	·02	·05	·13		·51	·32		·04			·01	·26	15
16	·29		·07		·16	·11		·06		·10	·02		16
17	·44		·14			·10		·18				·05	17
18	·04		·26					·15		·04		·14	18
19	·11	·15	·23				·18	·34		·01	·02		19
20	·03		·20				·08	·05		·24			20
21	·02	·04	·55		·41			·15		·20	·09		21
22	·31	·16	·13		·12		·09	·18		·06		·03	22
23	·29	·62	·31		·01		·52	·41			·18	·15	23
24	·26					·03	·01	·18				·21	24
25						·20		·40			·35	·47	25
26		·03					·33	·42		·37	·37	·25	26
27			·04			·06	·16			·32		·18	27
28		·05					·03	·17	·09	·44	·46	·47	28
29		·03	·03			·27	·07	·31	1·55	·21		·01	29
30					·46	·02	·02	·02	·72	·13			30
31			·15		·08		·37	·09				·02	31
Total	3·87	2·24	3·83	·07	2·64	2·84	2·71	5·21	2·56	2·61	2·29	3·49	YEAR'S TOTAL 34·36
Rain Days.	18	17	22	3	12	21	19	28	9	13	16	23	201

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
22 JAN 1914

Kept at Grove Lodge, Tring

in the County of Hertfordshire

by Miss W. Boyson

Lat. 51° 48′ Long. 0° 39′

Time of Observation 9 a.m.

Nearest Railway Station Tring

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	·18	·13	·07	·02				·46		·12	·02	1
2	·04	·14					·09		·03	·38	·06		2
3	·06		·06	·03	·87							·10	3
4	·44		·03		·05	·02	·25			·05	·03	·07	4
5	·09				·03	·10	·01			·10	·02	·05	5
6		·12	·03		·21	·18			·02	48		·10	6
7	·01	·24			·15	·03	·05	·06		·44	·07	·01	7
8		·03	·01		·22	·21				·13	·13	·04	8
9		·20	·01		·02	·15	·02		·09		04		9
10			·03	·07	·01		·42	·07			·41		10
11	·49			·40	·09			·10		·67	·37		11
12					·02	·02					·64		12
13	·04		·01	·03					·08		·29		13
14	·11	·03	·14	·05			·02	·14		·15	·04		14
15	·28	·02	·16	·37			·24		·06		·02		15
16	·09		·32	·21					·02				16
17	·07	·02	·04	·07		·45	·10	·02			·02	·05	17
18	04		·30	·20	·03		16				·03	·03	18
19	·75			·02	·01	·02			·35				19
20	·16		·14	·07		·13				·38			20
21	·02		·21	·06	·12		·04			·06	·40		21
22	·45		·34	·02	·01			·10	·20				22
23			·02			·04	·02	·03	·08			·09	23
24	·03			·08				·01			·03		24
25	·02			·19		·02				·03			25
26		·03	·14	·20				·07		·43		·15	26
27		·03	·03	·11						·03	·03		27
28	·21		·23	·15						·13			28
29	·03		·08	·42	·42			·14		·07		·08	29
30	·33			·03				·05		26	·13	·01	30
31			·06					·21		·02			31
Total	3·81	1·04	2·52	2·85	2·28	1·37	1·42	1·00	1·39	3·81	2·88	·80	YEAR'S TOTAL 25·17
Rain Days.	22	11	22	21	16	12	12	12	10	17	19	13	187

W.7,000, XI. 13

6X 912

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
-4 FEB 1915

Kept at Grove Lodge, Tring
in the County of Hertford
by (Miss) Winifred Boyson

Lat. 51°48′ Long. 0° 39′
Time of Observation 9 a.m.
Nearest Railway Station Tring
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							·11	·14			·07	·01	1
2				·03		·02		·19			·21	·14	2
3					·21		·59	·31			·03	·08	3
4	·19			·29	·01			·14			·28	·55	4
5	·02		·06	·33	·04	·11	·43	·96			·03	·02	5
6		·13			·04	·14	·06	·03			·22	·40	6
7		·36	·17	·06	·31	·10	·02				·02	·27	7
8	·05	·13	·96	·15	·08	·56	·53	·12				·02	8
9	·24		·44	·22		·43		·02	·03			·93	9
10	·03	·20		·09	·06			·02	·20			·02	10
11		·22	·45	·03	14	·60			·01		·19	·27	11
12	·02	·09	·11			·02	·10		·27			·35	12
13		·36	·18						·31	·06	·05	·34	13
14		·07	·35				·04		·01	·72	·13	·30	14
15	·08	·03	·16					·01	·02	·06	·08	·11	15
16			·04				·04		·04		·02		16
17	·03	·45	·11						·14			·36	17
18		·02	·05							·01		·67	18
19		·06	·32			1·60	·12		·03		·19	·06	19
20		·28	·25				·02		·03			·14	20
21		·47	·07			·01		·02				·15	21
22		·06	·04		·02	·06	·04	·05		·08		·01	22
23		·07	·10		·06					·72		·03	23
24		·02	·15		·02		·13			·17	·16		24
25			·17				·09	·14		·27	·02	·11	25
26			·19				·05	·02		·32	·18	·63	26
27	·09		·01							·04	·01	·30	27
28		·04			·03					·34	·57	1·06	28
29	·07		·12		·04					·26	·15		29
30		X	·09							·06	·28	·45	30
31	·02	X		X	·10	X	·04		X		X	·06	31
Total	0·84	3·06	4·59	1·20	1·16	3·65	2·41	2·17	1·09	3·11	2·89	7·84	YEAR'S TOTAL 34·01
Rain Days.	11	18	23	8	14	11	16	14	11	13	20	28	187

974

FORM A.
BRITISH RAINFALL,
20 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Grove Lodge, Tring
in the County of Hertford
by Miss Bayson

Lat. 51°48′ Long. 0°39
Time of Observation 9 a.m.
Nearest Railway Station Tring
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·53	·14	·05		·09				·28	·08	·11	·39	1
2	·24	·34	·24	·10		·03		·87	·09	·05	·02	·11	2
3	·51	·02	·03	·11	·02		·09	·37	·11			·16	3
4	·04											·48	4
5	·03	·48						·02			·02	·28	5
6	·20	·03	·01	·34			·62	·02		·02		·05	6
7	·07	·39	·05	·02			·12	·02			·01	·22	7
8	·11	·63	·02	·02			·04	·03			·02		8
9	·02	·01		·08		·03		·01			·18	·57	9
10	·26	·02	·02					·08				·05	10
11			·03								·80	·01	11
12	·07	·06		·25	·40			·16		·04	·77	·03	12
13		·59			1·17								13
14		·04					·73	·04	·04			·77	14
15	·17	·02			·02						·13	·35	15
16		·49					·74	·02				·24	16
17		·34			·40		·05					·01	17
18		·28	·09								·03		18
19		·06	·02				·16						19
20	·37			·08	·01		·03					·25	20
21	·10	·02			·49		·43			·01		·10	21
22	·46	·44	·45	·02	·02		·12		·01			·16	22
23	·02	·41	·08				·16		·12	·34		·28	23
24			·08			·03	·04		·74	·14		·27	24
25				·04		·02	·20					·26	25
26		·11				·02	·17					·43	26
27		·04	·02			·10	·03		·02	·39		·10	27
28		·10				·18	·24		1·11	·11			28
29								·23			·12	·02	29
30	·02	X				·11				·11	·04	·08	30
31	·01	X		X		X		·05	X	1·23	X	·25	31
Total	3·23	5·06	1·19	1·06	2·62	·52	3·97	1·92	2·52	2·52	2·25	5·92	YEAR'S TOTAL 32·78
Rain Days.	18	23	14	10	9	8	17	13	9	11	12	26	170

W. 8,000. X. 15.

Exd C. L.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
26. FEB 1917

Kept at Grove Lodge, Tring
in the County of Hertford
by Miss Winifred Bayson

Lat. 51° 48' Long. 0° 39'
Time of Observation 9 a.m
Nearest Railway Station Tring
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·11				·11	·02	·01		·06	·10	·48		1
2	·68	·11	·12		·13	·01			·04	·36	·02		2
3		1·05	·07	·01	·01				·14	·26	·16		3
4	·24	·22			·01	·34	·04		·03	·11	·44		4
5	·04	·03		·02	·06	·11				·10	·54		5
6	·01	·10	·12	·20	·05	·06	·41			·13	·68		6
7	·10		·18		·09	·01	·01			·03	·39	·07	7
8			·06		·46	·06						·20	8
9	·02				·26	·01				·04		·06	9
10	·01	·15	·09	·09		·18	·08				·01	·02	10
11	·10	·09	·05	·15	·05	·29			·01		·01	·07	11
12	·03	·03	·07	·07	·28	·16	·20	·03	·04	·15	·02		12
13		·58	·21	·06		·17	·56	·19		·04			13
14		·15	·01	·02	·12		·01	·09		·02			14
15		·16	·36				·11	·11		·03			15
16	·04	·02	·44	·12	·09		·15	·22					16
17	·11	·06	·01	·11			·03	·94	·27	·55			17
18	·01	·11	·06	·10				·42	·07	·04	·63	·04	18
19	·05	·01	·20	·14				·03	·10		·85	·02	19
20	·30	·02	·28	·09				·01			·03	·58	20
21	·03		·81				·47				·02	·93	21
22		·05	·03	·01	·11	·02				·12		·45	22
23	·03	·24	·01			·27		·04		·03	·05	·14	23
24		·13	·02		·11	·33		·03		·17	·02	·31	24
25		·31	·12					·15		·10	·12		25
26		·09	·01			·04		·10		·11	·02		26
27	·06	·10				·07		·21	·13	·56			27
28		·25	·94			·21		·02	·16	·06		·18	28
29		·11	·22 ~~·94~~			·20		·88		·37		·18	29
30	·02	X	~~·22~~			·08		·09		·31		·02	30
31		X		X		X		·01	X	·06	X	·07	31
Total	1·99	4·17	4·49	1·19	1·94	2·64	2·08	3·57	1·05	3·85	4·49	3·34	YEAR'S TOTAL 34·80
Rain Days.	19	24	24	14	15	20	12	18	11	24	18	16	215

W. 8,000, VIII. 16

Feb - Mar interpolated

915

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

28 JAN 1918

Kept at Grove Lodge, Tring

in the County of Herts

by Herbert G. Boyson.

Lat. 51° 48′ Long. 0° 39′

Time of Observation 9 a.m.

Nearest Railway Station Tring

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.01	.25				1.52	.12		.08	.02	1
2	.02			.08				.17	.02	.02	.02		2
3		.02		.02				.65		.62	.06		3
4		.83	.26					.29		.64		.04	4
5	0.26		.05	.21				.03	.11	.11	.06		5
6			.07			.04			.07	.03	.07		6
7	0.26		.04				.33			.47	.02		7
8	0.33			.14			1.43	.26		.36	.12	.11	8
9	.02		.08	.06			.02	.99			.07	.03	9
10	0.28		.24	.34				.14			.04	.01	10
11	0.11		.76	.17						.36			11
12	0.09	.02	.04	.03	.05			.24		.30			12
13	0.08		.04					.20	.07			.01	13
14	0.03			.08				.30				.06	14
15	0.04				.06		.08	.03		.06		.01	15
16	0.03	.14		.29	.10	.05	.04			.99		.27	16
17		.03		.13	.86		.27	.13	.36	.35			17
18	0.04	.05		.14	.05	.18	.24		.78	.07			18
19	0.02	.13	.06		.18	.02			.27				19
20	0.03	.18	.08		.48		.09		.15		.12		20
21		.03	.04	.01	.04	.01				.02	.03		21
22	0.01	.10	.10			.03		.09	—	.15			22
23			.02		.04			.14					23
24		.05				.33		.06		.32	.02	.05	24
25		.05	.04			.03					.03	~~.01~~	25
26			.05					.44	.13		.25	.01	26
27			.03			.17		.80				.04	27
28			.05			.78		.17				.04	28
29			.12		.53	.05	.40	.87		.39		.14	29
30	0.02	X	.07				.90	.08		.01		.01	30
31	0.01	X	.21	X		X	.53	.02	X	.01	X	.02	31
Total	1.68	(1.63)	(2.46)	1.95	2.39	1.69	4.33	7.62	2.08	5.28	.99	.87	YEAR'S TOTAL 32.97
Rain Days.	18	(12)	(22)	14	10	11	11	22	10	19	14	16	179

W. 8,000, IX. 17.

4.17

915

Grove Lodge
Tring

18 JAN 1918

17 Jan. 1918.

attach to A

Dear Sir

Owing to my sister being very much engaged in war work I am acting as her deputy on this occasion.

Herewith I beg to return our Rainfall Record for 1917, such as it is, but I regret to say it has not been obtained entirely from our own gauge this time. Owing to an unfortunate accident the original records for February & March were destroyed, and the figures for those two months have been copied from the record kept at Pendley Manor. Pendley is only ½ to ¾ of a mile from here, but is 30 ft lower and, as we know from past experience, their records often differ from ours considerably. Under the circumstances you may possibly consider the record not worthy of inclusion in "British Rainfall 1917", a fact which we should regret equally with yourself.

I

(2d)

have taken steps which I hope will prevent such an unfortunate mishap occurring again.

I also enclose a small order for publications together with cheque therefore, and regret that being of those, who are suffering very considerably in pocket owing to the war, we are unable to do more to support the Organization than by paying full price for "British Rain-fall 1917" -

Yours faithfully,

Herbert G.P. Boyson

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
22.1.19

Kept at Grove Lodge, Tring
in the County of Hertfordshire
by Winifred Boyson

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Tring
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·06	·02	·13							·29	·03	1
2	·02	·06		·16				·23	·03	·02	·12	·14	2
3		·05	·04		·41			·09	·13		·58	·02	3
4		·07	05	·02				·05	·84	·03	·53	·03	4
5		·10			·16			·11		·07	·02	·02	5
6	·12	·11		·20	·05					·04		·08	6
7	·02	·14		·18	·15			·01	·08	·13	·22		7
8				·02					·22	·05	·02	·03	8
9	01	·07		·07		·22	·23		·49	·12		·13	9
10	·06			·06		·04	·27		·01	·04		·11	10
11				·02	·09		·08		·14	·39	·09	·03	11
12		·07			·16		·13		·02			·02	12
13		·01		·01	·17		·24		·16			·14	13
14	·22		·02		·01	·12	·11		·24	·22		·16	14
15	1·25			1·23		·04	·22		·01			·15	15
16	·18			·31		·02	·01		·61	·15		·02	16
17	·12			·25	·86		·81		·07			·10	17
18	·47			·01		49	·36		·31	·03		·44	18
19	·04	·03	·03	·02		·02	·12		·02	·08		·15	19
20	·04	·06		·63		·04			·07	·22			20
21	·07			·90			·01		1·22	·03		·02	21
22	·05				·44		·17		·03			·23	22
23	·04				·65		·36	·04	·06			·02	23
24		·16				·03			·06				24
25						·11	·13	·27		·02	·20		25
26							·10	·13		·02	·14	·22	26
27	·01	04	·03	·11			·23	·25	·11		·11	·04	27
28	·02	·07	·15	·02							·22	·21	28
29	·02								1·37		·02		29
30		X	·35						·11	·01	·07	·09	30
31		X	·03	X		X		·04	X	·07	X	·03	31
Total	2·76	1·10	·72	4·35	3·15	·83	3·58	1·22	6·41	1·74	2·58	2·66	YEAR'S TOTAL 31·10
Rain Days.	18	15	9	19	11	10	17	10	24	19	14	26	192

W. 500, IX. 17.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

5 FEB 1921

REGISTER OF RAINFALL IN 1920.

Kept at Grove Lodge, Tring

in the County of Hertfordshire

by A. P. Boyson

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Tring

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·81	·17		·26	·02	·01	·40		·34	1
2			·02	·12			·01	·14	·08			·13	2
3		·03		·05		·01	·05		·12	·14		·03	3
4				·08			·11	·18		·28		·07	4
5			·04	·03	·06		·73	·05	·02			·07	5
6			·16		·10		·37	·02				·03	6
7			·01	·10			·09						7
8	·13	·05		·27	·12		·14	·01					8
9	·34			·04				·06					9
10	·25	·07	·08			·06	·10						10
11	·28		·04	·22	·12	·05	·11						11
12	·09			·13		·68	·03				·06		12
13	·08	·06	·11	·34							·04	·04	13
14		·01	·25	·34		·45	·09		·13	·12	·30		14
15		·07	·27	·13					·14	·02	·07	·03	15
16				·10		·45			·09	·10			16
17	·01			·04	·21		·04		·66			·02	17
18	·06			·02	·06			·56	·08			·08	18
19	·16			·28	·01	·08		·06					19
20	·08	·16		·28		·34						·06	20
21							·32	·06	·46			·05	21
22				·22			·01		·41			·12	22
23							1·24	·01				·28	23
24	·06		·15					·02				·09	24
25	·01	·01	·05				·23						25
26	·17		·11			·06	·05					·04	26
27	·34	·12		·20		·31	·01				·37	·17	27
28	·49		·37	·02	·55		·03				·04		28
29	·16		·03	·02	·21		·15				·10	·22	29
30	·03	✕			·02	·15	·28		·38		·25	·27	30
31		✕		✕	·01	✕			✕	·37	✕	·08	31
Total	2·74	·58	1·69	3·84	1·64	2·64	4·45	1·19	2·58	1·43	1·23	2·22	Year's Total 26·23
Days with ·01 in. or more	17	9	14	22	12	11	22	12	12	7	8	20	166
Days with ·04 in. or more	14	6	11	18	9	10	17	7	10	6	8	16	132

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

DL

Hopkinson

WARE
RED HOUSE
HERTFORDSHIRE
1911–1920

IN 1911

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

14

Kept at

in the Cou

by Cha

Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.
bservation
ailway Station { Name
Distance Direction

IMPO 9 a.m., and the result entered to the
previous da almost universal rule, he is earnestly
requested t following year in the space provided
for it at t le measurement of rain,
the selectic to the British Rainfall
Organization ost-free on application to
Dr. H. R. M

Jan. 1, following.

Date.	Jan.								Sept.	Oct.	Nov.	Dec.	*Date*
	in.								in.	in.	in.	in.	
1	·02						·02	·02					1
2	·14		·01	·22	·17						·13	·10	2
3		·03		·02	·18	·06				·05	·05		3
4	·05	·03	·06	·05					·01		·12	·16	4
5	·03			·04						·05		·30	5
6	·28		·05									·24	6
7	·02									·09	·25	·44	7
8	·14		·10								·21	·17	8
9	·15			·04							·01	·02	9
10		·09	·12	·01							·02	·37	10
11	·20				·30						·56		11
12	·03		·39						·05	·01	·14		12
13			·15		·48				·40	·32	·18	·16	13
14		·01	·03		·57							·45	14
15		·04	·32							·03	·04	·04	15
16						·42					·25	·08	16
17						·07					·25	·08	17
18		·15	·02			·09					·36	·09	18
19					·02	·09			·20	·08	·25	·06	19
20	·02							·15	·25	·06		·56	20
21	·01	·21	·03			·07		·18		·39		·10	21
22	·12		·09			·01				·15		·52	22
23	·02	·10	·29			1·01			·30			·15	23
24		·07	·02	·01		·03	·02			·91		·19	24
25		·05				·19	·67					·02	25
26			·05	·18		·02	·09	·01		·16	·02	·16	26
27		·29	·08	·02					·17		·07	·07	27
28		·36		·19	·08		·02	·04			·05		28
29				·04		·15	·12		·32	·18	·01		29
30			·01	·07	·07				·05	·15		·02	30
31					·27					·01		·01	31
Total	1·23	1·43	1·82	1·05	2·14	2·21	·94	·40	1·75	2·64	2·97	4·56	TOTAL for year 23·14
No. of Rain Days	14	12	17	13	9	12	6	5	9	15	19	25	156

9,000, IX. '10.

Dl

Hopkinson

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

147

Kept at Ware

in the County of Hertfordshire 3

by Chas: Black

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02			·16			·02	·02					1
2	·14		·01	·22	·17						·13	·10	2
3		·03		·02	·18	·06				·05	·05		3
4	·05	·03	·06	·05					·01		·12	·16	4
5	·03			·04						·05		·30	5
6	·28		·05									·24	6
7	·02									·09	·25	·44	7
8	·14		·10								·21	·17	8
9	·15			·04							·01	·02	9
10		·09	·12	·01							·02	·37	10
11	·20				·30						·56		11
12	·03		·39						·05	·01	·14		12
13			·15		·48				·40	·32	·18	·16	13
14		·01	·03		·57							·45	14
15		·04	·32							·03	·04	·04	15
16						·42					·25	·08	16
17						·07					·25	·08	17
18		·15	·02			·09					·36	·09	18
19					·02	·09			·20	·08	·25	·06	19
20	·02							·15	·25	·06		·56	20
21	·01	·21	·03			·07		·18		·39		·10	21
22	·12		·09			·01				·15		·52	22
23	·02	·10	·29			1·01			·30			·15	23
24		·07	·02	·01		·03	·02			·91		·19	24
25		·05				·19	·67					·02	25
26			·05	·18		·02	·09	·01		·16	·02	·16	26
27		·29	·08	·02					·17		·07	·07	27
28		·36		·19	·08		·02	·04			·05		28
29				·04		·15	·12		·32	·18	·01		29
30			·01	·07	·07				·05	·15		·02	30
31					·27					·01		·01	31
Total	1·23	1·43	1·82	1·05	2·14	2·21	·94	·40	1·75	2·64	2·97	4·56	TOTAL for year 23·14
No. of Rain Days	14	12	17	13	9	12	6	5	9	15	19	25	156

9,000, IX. '10.

FORM A.
BRITISH RAINFALL.

17 FEB 1913

REGISTER ~~Ex DJ~~ OF RAINFALL IN 1912.

Ex DJ

Kept at Red House, Ware

in the County of Hertford 3

by Metropolitan Water Board

Lat.………… Long.…………

Time of Observation…………

Nearest Railway Station…………

Diameter of Rain Gauge………… in.

Height of top of Gauge above Ground………… ft.………… in.

" " " " Sea Level………… ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·10	-	-	·01	·09	-	·07	·28	-	·13	1
2	-	·04	·10	-	-	·25	·35	·19	·02	-	-	·01	2
3	·09	-	·05	-	·12	·12	-	·21	·01	-	-	·06	3
4	·22	-	·61	-	·14	·12	-	·24	-	-	·24		4
5	·01	·10	·20	-	-	·01	-	·05	-	-	·14		5
6	·37	·05	-	-	·02	-	-	·21	-	-	-	·03	6
7	-	·01	·02	-	·01	·49	·03	·60	-	-	-	·03	7
8	·32	·34	·19	-	-	·09	·06	·63	·09	-	·01	·01	8
9	·04	·12	-	·07	-	·58	·03	-	-	-	-	·11	9
10	·01	·03	-	-	-	-	-	·57	·02	-	·12	·14	10
11	·05	·16	-	-	-	·03	-	·04	·03	-	-	·09	11
12	·03	·12	·04	-	·05	·10	-	-	-	-	·05	-	12
13	·05	·03	·03	-	-	·04	·04	·24	·01	-	·17	·03	13
14	-	-	·01	-	·02	·02	-	·03	-	·07	·01	·03	14
15	-	·03	·09	-	·13	·25	-	·02	-	-	·02	·17	15
16	·16	-	·02	-	·08	·16	-	·10	-	·03	·07		16
17	·53	-	·33	-	-	·09	-	·06	-	-	·01		17
18	·07	-	·08	-	-	-	-	·05	-	·01	·02	·10	18
19	·15	·06	·11	-	-	-	·06	·47	-	-	·07		19
20	·04	·01	·08	-	-	-	·02	·21	-	·43	-		20
21	-	·01	·63	-	·08	-	-	·14	-	·08	·05		21
22	·36	·10	-	-	·05	-	·04	·05	-	·01	-	·03	22
23	·35	·19	·29	-	-	-	·06	·51	·01	-	·11	·04	23
24	·54	·01	·01	-	·01	·08	·03	·16	-	-	-	·13	24
25	-	-	-	-	-	·15	-	·63	-	-	·21	·27	25
26	-	·02	-	-	-	-	·08	·64	-	·31	·61	·35	26
27	-	-	-	-	-	-	-	-	-	·12	-	1·17	27
28	-	·05	-	·01	-	·08	·01	·01	·06	·32	·31	·25	28
29	-	·03	-	-	-	·16	·13	·13	·92	·03	·05	·01	29
30	-	×	-	-	·09	·12	·01	·24	1·09	·47	-	-	30
31	-	×	·10	×	·03	-	·12	·21	×	·02	×	·02	31
Total	3·39	1·51	3·09	·08	·83	2·95	1·16	6·64	2·33	2·18	2·21	3·21	YEAR'S TOTAL 29·58
Rain Days.	18	20	20	2	13	20	16	27	11	13	18	22	209

W. 7,500, XI. 12

Dl. Hopkinson

157

FORM A.
BRITISH RAINFALL.

27 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Ware, Red House

in the County of Hertfordshire E+M 3

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	·12	·08	·10					·12	·01	·07	·05	1
2	·02	·13			·06		·07		·01	·01	·02		2
3			·07	·08	·52							·06	3
4	·16		·06		·09		·17			·23	·06	·05	4
5	·04					·03	·16		·05	·47	·01	·13	5
6		·03	·03		·07	·12	·05		·02	·12	·04	·01	6
7		·12			·11	·01	·17	·03		·40	·06		7
8		·01	·04		·17	·05				·05	·06		8
9		·20	·02	·02	·04	·02					·04	·08	9
10	·02	·01	·03	·04			·05	·01	·08		·25		10
11	·43			·44	·18			·05		·33	·09		11
12		·01			·04					·01	·35		12
13	·03		·01					·02			·47		13
14	·03	·01	·06	·04			·48	·06	·02	·16	·15		14
15	·25	·07	·27	·20			·18		·10		·01		15
16	·06		·33	·13					·08				16
17	·02	·02	·06	·08		1·10	·09				·01	·02	17
18	·01		·11	·27					·32		·07	·01	18
19	·19		·09	·04			·15		·19			·02	19
20	·25		·05	·04		·09				·50	·01		20
21	·02		·16	·25			·02			·17	·34		21
22	·39		·13	·01					·12				22
23			·01			·04	·01	·11	·03		·01	·11	23
24	·02			·02									24
25		·03		·10						·01		·01	25
26		·01	·21	·05				·19		·70	·01	·14	26
27		·03	·03	·07						·05	·01		27
28	·15		·16	·04						·21			28
29	·11		·04	·32	·31			·38		·01		·03	29
30	·27			·08				·11		·10	·09		30
31								·23		·03			31
Total	2·53 ✓	·80 ✓	2·05 ✓	2·42 ✓	1·59 ✓	1·46 ✓	1·60 ✓	1·19 ✓	1·14 ✓	3·57 ✓	2·23 ✓	·72 ✓	YEAR'S TOTAL 21·30
Rain Days.	20	14	22	21	10	8	12	10	12	19	22	13	183

W. 7,500, XI. 12

8L

147

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Red House, Ware
in the County of Hertfordshire 3
by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01				·10	·21			·07	·02	1
2	·02		·02				·07	·12			·32	·18	2
3	·01		·20	·02	·15		·64				·13		3
4	·10		·01	·22	·01			·05			·33	·26	4
5	·02		·06	·22	·15	·06	·39	·67					5
6		·10			·02	·10	·04	·03			·22	·22	6
7		·22	·17	·09	·27	·02						·13	7
8	·09	·19	·75	·06	·06	·15	·17	·09				·01	8
9	·22		·64	·04		·62			·01			·92	9
10	·15	·16	·06	·09	·04				·09			·02	10
11		·25	·36		·05	·78			·08		·33	·26	11
12	·02	·05	·08						·43	·01	·01	·30	12
13		·26	·14						·18	·15	·05	·30	13
14		·04	·32				·33			·27	·14	·46	14
15	·06	·01	·15							·01	·04	·05	15
16			·05				·01		·03		·01		16
17		·26	·02						·16			·11	17
18		·03	·09									·22	18
19		·04	·15				·06		·03		·18	·06	19
20		·18	·20			·05			·17			·06	20
21		·42	·09			·07				·01		·11	21
22				·06	·29	·02	·06	·01		·28		·02	22
23			·07		·28		·39			·14			23
24			·01	·07		·01	·07			·03	·10	·02	24
25	·05		·09					·07		·29		·12	25
26			·02				·03	·06		·03	·18	·51	26
27	·04		·02				·01				·02	·29	27
28										·03	·28	1·25	28
29	·03		·07							·26	·15		29
30			·05							·02	·36	·16	30
31					·13		·03					·04	31
Total	·81	2·21	3·90	·87	1·45	1·88	2·40	1·31	1·18	1·53	2·92	6·10	YEAR'S TOTAL 2656
Rain Days.	12	14	27	9	11	10	15	9	9	13	18	26	173

W.7,000, XI. 13

Exe F.W. 1030

FORM A. BRITISH RAINFALL.

17 FEB 1916

REGISTER OF RAINFALL IN 1915

Kept at Red House, Ware

in the County of Hertford

by A. Roat

Lat. Long.

Time of Observation 9 a. m.

Nearest Railway Station Ware G.E.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·35	·12	·06		·03				·08	·03	·09	·43	1
2	·12	·16	·14	·04				·42	·04	·03		·08	2
3	·31		·03	·20			·03	·35	·08			·24	3
4	·04							·08		·03		·40	4
5	·03	·18		·03	·18			·02		·04	·02	·24	5
6	·14	·02	·03	·23			·53					·20	6
7	·08	·40	·03	·03			·28	·02				·16	7
8		·45	·02				·03						8
9		·04		·02		·04		·12			·19	·52	9
10	·30		·01					·11			·03	·15	10
11	·01		·02		·02						·40	·01	11
12	·08	·01		·24	·33			·06		·05	·35	·01	12
13	·06	·35			1·29								13
14		·05					·81	·02	·02			·34	14
15	·31				·05			·45			·35	·11	15
16		·38					·64	·61				·03	16
17		·26			·38		·16	·44					17
18		·16	·21		·06						·08		18
19		·10					·10						19
20	·30		·01	·05								·34	20
21	·11						·02					·04	21
22	·43	·04	·33				·36					·11	22
23		·08	·06				·11		·16	·22		·34	23
24		·02					·15		·20	·02		·25	24
25				·03		·09	·04			·03		·13	25
26		·04				·06	·02					·24	26
27		·01	·01			·30	·25			·36		·04	27
28		·12	·01			·12		·02	1·29	·18			28
29			·01			·10	·03	·12			·15	·04	29
30	·02					·09			·02	·01	·04		30
31	·05							·03		·62		·16	31
Total	3·10	3·05	1·01	·90	2·34	·83	3·56	3·14	1·89	1·62	2·03	4·40	YEAR'S TOTAL 28·20
Rain Days.	14	20	15	9	8	7	16	15	8	12	10	24	161

W. 8,000. X. 15.

Ex DL

1002

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1916

Kept at Red House

in the County of Ware. Herts

by A Roat.

Lat. Long.

Time of Observation 9.0 a.m.

Nearest Railway Station Ware G.E.F.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 12 ft. - in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.08		.02		.01	.01			.08	.02	.17		1
2	.43	.01	.12		.20				.17	.39	.02		2
3		.41	.20				.02		.38	.22	.50		3
4	.27	.14	.01		.01	.27			.01	.25	.36		4
5	.03		.02		.02	.27				.06	.49	.01	5
6		.04	.13	.28	.01	.07	.29			.01	.52		6
7	.10		.15		.09	.03	.07				.81	.03	7
8			.01		.33	.02						.32	8
9	.01				.21	.07				.11		.07	9
10		.09	.09	.08		.12	.04			.01		.08	10
11	.02	.15	.03	.12	.01	.11						.04	11
12	.03	.02		.01	.47	.17	.08	.18		.11			12
13	.02	.53	.16	.13	.13	.14	.23	.37		.01			13
14		.40		.02	.05			.39		.03		.08	14
15		.12	.29	.02			.05	.17		.04			15
16		.04	.06	.12	.05		.13	.09	.01	.03			16
17	.07	.05		.07			.10	.39	.36	.31			17
18		.07	.02	.09				.08	.15	.03	.50	.01	18
19	.10		.15	.09					.20		.63	.10	19
20	.22		.30	.03				.01			.02	.35	20
21			.84				.04					.49	21
22		.05	.03		.03					.03	.01	.40	22
23		.20				.08		.02		.05	.05	.12	23
24		.04	.02			.23		.02		.03	.03	.32	24
25		.30	.12		.03			.26		.07	.08		25
26		.12			.05	.01		.03		.02			26
27	.12	.04	.80			.09		.23	.01	.48			27
28		.32	.43			.20			.02	.03		.22	28
29		.10				.13		1.31	.01	.31		.12	29
30					.05	.03		.13		.35		.01	30
31								.01		.07			31
Total	1.50	3.24	4.00	1.06	1.75	2.05	1.05	3.69	1.40	3.07	4.19	2.77	YEAR'S TOTAL 29.77
Rain Days.	13	21	22	12	17	18	10	16	11	25	14	17	196

W. 8,000. X. 14.

8L

Exe D1

969
129

FORM A.
BRITISH RAINFALL.

26 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Red House Ware

in the County of Hertfordshire

by M. W. B

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01		·14				·84	·03		·10		1
2	·01	·01		·38		·01		·07			·02		2
3								·40		·18	·10		3
4		·09	·05					·21		·44			4
5	·22		·03	·11				·31	·59	·10	·11		5
6				·01		·03			·09	·01	·04		6
7	·27						·19			·32	·01	·02	7
8	·13			·13			·85	·16		·25	·13	·16	8
9	·02		·05	·10				·22			·10	·09	9
10	·23		·19	·19				·05		·01	·01	·02	10
11	·10	·03	·47	·05						·25			11
12	·06		·02							·35		·01	12
13	·04		·02	·01			·04	·02	·02	·09		·01	13
14	·01			·19				·07		·02			14
15	·02						·01	·02		·01		·02	15
16	·03	·08		·35	·12		·08			·51		·26	16
17		·01		·14	·62		·20	·06	·30	·29			17
18	·05	·01		·09	·04	·07	·19	·01	·39				18
19		·08	·03		·33	·02			·32				19
20	·03	·16	·09		·53		·01				·14		20
21			·03		·02						·03		21
22	·01		·04					·07		·11			22
23		·09	·01		·12			·20		·02		·02	23
24		·02				·03		·05		·22	·01	·01	24
25		·01	·03				·02				·07		25
26			·10			·01		·42	·03		·57	·02	26
27			·03			·07		·65				·01	27
28		·01	·03			·53		·11				·02	28
29			·02		·40	·04	·31	·33		·15		·11	29
30	·02	X	·15				1·03	·10		·02		·01	30
31	·04	X	·10	X		X	·21	·02	X		X	·02	31
Total	1·29	·61	1·49	1·89	2·18	·81	3·14	4·39	1·77	3·35	1·44	·81	YEAR'S TOTAL 23·17
Rain Days.	17	13	19	13	8	9	12	22	8	19	14	16	170

W. 8,000, VIII. 16

Dl

51
~~126~~

FORM A.
BRITISH RAINFALL.
27.1.19

REGISTER OF RAINFALL IN 1918

Kept at Red House, Ware

in the County of Hertfordshire

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.14					—		.11	.08	1
2	.01	.07		.04				.15	.03		.01	.12	2
3		.01	.03		.50			.22	.09		.55	.01	3
4		.06	.08					.02	.35		.51	.02	4
5		.01			.08			.12	.06	.07			5
6	.10	.12		.30	.08			.01				.04	6
7	.11	.09		.04	.04				.13	.18	.08		7
8				.03			.01		.07	.04	.07	.02	8
9	.03	.02				.14	.27		.36	.15	.01	.20	9
10	.07			.05		.01	.38		.01		.02	.22	10
11	.01				.07		.33		.03	.17	.04	.02	11
12	.01	.07			.18		.04		.07			.01	12
13		.01			.15		.13		.15			.07	13
14	.17					.16	.03		.17	.21		.20	14
15	1.07			1.23			.18					.04	15
16	.24			.39		.05			.17				16
17	.14			.32	.01		.69	.01	.02			.18	17
18	.41					.14	.16		1.13	.04		.41	18
19	.05	.01	.12	.22		.06	.15			.05		.14	19
20	.01	.08		.42		.04	.08		.05	.17	.01	.03	20
21	.08			.15		.01			.25	.03			21
22	.04			.01	.23		.07		.13			.19	22
23					.83		.51	.02	.09			.03	23
24		.17			.01	.01	.06		.06		.04		24
25					.15	.09	.07	.10		.01	.08		25
26					.02		.31	.02		.05	.12	.15	26
27		.01		.10			.01	.16	.06		.10	.02	27
28		.02	.31			.01		.02			.35	.09	28
29									1.44		.03		29
30			.33						.05		.06	.09	30
31			.02							.10		.06	31
Total	2.55	.75	.89	3.44	2.35	.72	3.48	.85	4.97	1.27	2.19	2.44	YEAR'S TOTAL 2590
Rain Days.	16	14	6	14	13	11	18	11	23	13	17	24	180

W. 8,000, IX. 17.

DK

11-3-20

916
12+

FORM A.
BRITISH RAINFALL.

17 MAR 20

REGISTER OF RAINFALL IN 1919

Kept at Red House, Ware
in the County of Hertfordshire
by M. W. B.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·32	·05	—	·05	·20		·31			·02	·02	·97	1
2	·22				·10		·10		·21	·02	·10	·33	2
3	·22		·27		·01		·02		·15		·06	·27	3
4	·06		·19			·09	·54	·11			·04	·16	4
5	·02	·28	·43				·13		·16		·03	·20	5
6			·05	·01							·01	·08	6
7	·01		·31								·25		7
8	·07		·05	·06							·08		8
9	·01		·03	·06							·17		9
10	·18		·04	·06							·01	·02	10
11	·02		·06	·26			·28					·01	11
12	·01		·16	·04		·03	·05			·04	03		12
13	·03	·01		·29						·07		·01	13
14	·18	·01		·40			·09		·14	·02	·04		14
15	·14	·01	·05	·12						·05	·03	·11	15
16	·15	·76		·01							·11	·03	16
17		·75	·03	·01							·27	·01	17
18		·18	·03					·01	·05		·03	·08	18
19		·12	·43			·25	·05	·20	·08		·11	·02	19
20	·29	·09	·07			·81	·16	·30				·01	20
21	·26	·35	·02			·04	·25					·07	21
22		·06				·02	·08	·01	·40		01	·40	22
23						·08	·02		·04		·07	·01	23
24				·21	·01	·01	·05	·05		·04	·17		24
25	·05			·14	·14			·46				·01	25
26	·18	·19	·14	·01			·03		·18			·31	26
27	·76	·07	·04	1·51				·54				·03	27
28			·08	·08				·65		·01	·15	·23	28
29	·03			·05				·12		·17	·21	·03	29
30		☒		·30		·13		·09		·02	·20	·29	30
31	·02	☒	·01	☒		☒	·02		☒		☒	·02	31
													YEAR'S TOTAL
Total	3·23	2·93	2·49	3·67	·46	1·46	2·18	2·54	1·41	·46	2·20	3·71	26·74
Rain Days.	22	14	20	19	5	9	16	11	9	10	23	25	183

W, 6,500, VII. 18. w w d

W A 975 only Herts N 105 870

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Red House Ware

in the County of Herts

by Metro: Water Board

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·50	·07		·19			·51	·03	.24	1
2				–			·05	·41	·06	·07		.09	2
3		·03.		·25			·03		·07	·12		.04	3
4			·02	·05			·18	·06		·08		.15	4
5			.06	–	·02		·61	·01	·06			.02	5
6			·10	–	·07		·26					.01	6
7	·02		·08	·15			·11					.03	7
8	·09			·27	·02		·11	·04				.	8
9	·31	·01		·02				·02				.	9
10	·21	·03	·08	·06			·08					·01	10
11	·22		·03	·25	·02	·03	·16					·15	11
12	·04		·01	·10		·47					·01	·01	12
13	·04		·09	·13							·04	.	13
14		·02	·21	·20		·04	·08		·09	·03	·18	·01	14
15		·01	·19	·12			·02		·49	·01	·10	.02	15
16			·01	·09					·14	·04		.02	16
17	·03			·01	·10	·30			·32			.03	17
18	·01		·03	-				·52	·07			.03	18
19	·16			·23		·05		·02				.02	19
20	·05	·11		·23		·47			·11			.00 ·09	20
21				-			·70	·02	·57			.07 .07	21
22				·22					·03			·09	22
23				–			·73					.32	23
24			·06	·01								.04	24
25		·02	·07	-	·01		·17		·02			.02	25
26	·06		·07	·02	·14	·08	·03				·01	.01	26
27	·23	·05		·28		·09	·01				·27	.11	27
28	·34		·17	-	·05	·01	·02					.01	28
29	·11		·04	-	·08		·07				·10	.34	29
30	·01	X	·01	-	·04	·02	·26		·23		·19	.18	30
31	·01	X		X		X			X	·23	X	.09	31
TOTAL	2·03.	·28	1·33	3·19	·62	1·56	3·87	1·10	2·26	1·09	·93	2·16 ✓	YEAR'S TOTAL 20.42 ✓
Days with ·01 in. or more	14	8	18	20	11	10	20	8	13	8	9	27 ✓	169 ✓
	12	2	12	16	7	7 1	15	4	11	6	6	3	~~115~~ N1

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

WARE
GRAMMER
SCHOOL
HERTFORDSHIRE
1911 - only.

pproved 12.III.12

ALL IN 1911

FORM A2.
BRITISH RAINFALL.
30 JAN 1912

Kept a

in the (

by Wo

AIN
UGE
Pattern
Diameter of top 5·02 in.
Height of top above Ground ft. 10 in.
„ „ „ Sea Level 120 ft.

ne of Observation 9 A.M.

arest Railway Station
Name Ware G.E.R.
Distance 100 yds Direction N.E

IM ily at 9 a.m., and the result entered to the previou this almost universal rule, he is earnestly request f the following year in the space provided for it for the measurement of rain, the sel lars as to the British Rainfall Organiz sent post-free on application to Dr. H.

Jan. 1, following.

Date	Ja							Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·0							·02					1
2	·16			·19	·14	—					·13	·09	2
3		·01		·01	·16	·15				·06	·02	·06	3
4	·03	·02	·06	·08						·01	·20	·30	4
5	·01			·03								·25	5
6	·24		·04							·02		·59	6
7	·01			·01						·14	·23	·22	7
8	·17		·12			—					·18	·20	8
9	·12	—	·01	·02							·03		9
10	·01	·08	·07								·53	·44	10
11	·18				·30						·25	·01	11
12	·04		·43		·04				·05		·23		12
13			·20		·32				·40	·36	·01	·25	13
14			·03		·49	·02						·48	14
15		·03	·28							·44	·03	·03	15
16			·01			·37					·28	·09	16
17						·06					·21	·18	17
18		·12	·01			·16					·40	·11	18
19					·02	·07			·22	·12	·21	·15	19
20	·02	·01	·01					·25	·25	·04		·56	20
21	·01	·11	·02			·03		·10		·49		·08	21
22	·12		·13			·01				·08		·54	22
23	·01	·08	·27			1·00			·30			·15	23
24		·05	·02			·01		·02		·91		·21	24
25		·03	·03	·08		·18	·79		—	·13		·01	25
26		·01	·01	·13		·03 ·03	·02	·01				·16	26
27	—	·28	·07						·16		·10	·06	27
28	·01	·35		·18	·01		·02	·04		·25	·02		28
29				·02		·13	·12		·31	·16	·01		29
30				·07	·06				·03	~~·45~~		·01	30
31					·35								31
Total	1·15	1·18	1·82	1·01	1·89	2·22 ✓	·98	·44	1·72	3·21 ~~3·34~~	3·07 ~~2·94~~	5·23	TOTAL for year 23·92 ✓
No. of Rain Days.	16	13	19	12	10	13	5	6	8	14 ~~15~~	18 ~~17~~	25	159

W. 8,000, X. '11.

[illegible] 12.III.12

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
30 JAN 1912

Kept at Ware

in the County of Hertford 3

by Ware Grammar School E. Rutter

Rain Gauge
Pattern
Diameter of top 5·02 in.
Height of top above Ground ft. 10 in.
" " " Sea Level 120 ft.

Time of Observation 9 A.M.

Nearest Railway Station
Name Ware G.E.R.
Distance 100yds Direction N·E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01			·19			·03	·02					1
2	·16			·19	·14						·13	·09	2
3		·01		·01	·16	·15				·06	·02	·06	3
4	·03	·02	·06	·08						·01	·20	·30	4
5	·01			·03								·25	5
6	·24		·04							·02		·59	6
7	·01			·01						·14	·23	·22	7
8	·17		·12								·18	·20	8
9	·12		·01	·02							·03		9
10	·01	·08	·07								·53	·44	10
11	·18				·30						·25	·01	11
12	·04		·43		·04				·05		·23		12
13			·20		·32				·40	·36	·01	·25	13
14			·03		·49	·02						·48	14
15		·03	·28							·44	·03	·03	15
16			·01			·37					·28	·09	16
17						·06					·21	·18	17
18		·12	·01			·16					·40	·11	18
19					·02	·07			·22	·12	·21	·15	19
20	·02	·01	·01					·25	·25	·04		·56	20
21	·01	·11	·02			·03		·10		·49		·08	21
22	·12		·13			·01				·08		·54	22
23	·01	·08	·27			1·00			·30			·15	23
24		·05	·02			·01		·02		·91		·21	24
25		·03	·03	·08		·18	·79			·13		·01	25
26		·01	·01	·13		·03 03	·02	·01				·16	26
27		·28	·07						·16		·10	·06	27
28	·01	·35		·18	·01		·02	·04		·25	·02		28
29				·02		·13	·12		·31	·16	·01		29
30				·07	·06				·03	~~·15~~		·01	30
31					·35								31
Total	1·15	1·18	1·82	1·01	1·89	2·22 ✓	·98	·44	1·72	3·21 ~~3·34~~	3·07 ~~2·94~~	5·23	TOTAL for year 23·92 ✓
No. of Rain Days.	16	13	19	12	10	13	5	6	8	14 ~~15~~	18 ~~17~~	25	159

W. 8,000, X. '11.

REGIS 5

HERTS.
WARESIDE VICARAGE
1915 – 1918

FORM A.
BRITISH RAINFALL
3 - JAN 1916

0° 1′ 13″ E

Kept at Wareside

a.m daily.

in the County of Hertf

Mardocks G. E. R.

by John W. B. J

n Gauge 5 in.

ove Ground 1 ft. 0 in.

Sea Level 201 ft.

IMPORTANT NOTE.— the result entered to the previous day. If an Observe conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·36	·14	·08	–	·03	–	–	–	·14	·02	·09	·45	1
2	·09	·15	·17	·11	–	·01	–	·29	–	·04	·01	·10	2
3	·33	–	·02	·18	–	–	·04	·16	·01	–	–	·23	3
4	·06	–	–	–	–	–	–	·18	–	·06	–	·38	4
5	·03	·19	–	–	·57 TH	–	–	·01	–	·05	·03	·25	5
6	·17	·03	·06	·23	–	–	·52	·01	–	–	–	·18	6
7	·08	·40	·04	·01	–	–	·31	·01	–	–	–	·17	7
8	–	·39	·01	·01	–	–	·04	·01	–	–	–	–	8
9	–	·07	–	·02	–	·09	–	·10	–	–	·19	·54	9
10	·27	–	·03	–	–	–	–	·13	–	–	·02	·19	10
11	·01	–	·01	–	·02	–	–	–	–	–	·70	·01	11
12	·09	·02	–	·23	·34	–	–	·06	–	·05	·38 R+Sn	·01 Sn	12
13	·04	·34	–	–	1·32	–	–	–	–	–	–	–	13
14	–	·03	–	–	–	–	·82	–	·02	–	–	·34	14
15	·27	–	–	–	·06	–	–	1·10 TH	–	–	·39 Sn	·11	15
16	–	·37	–	–	–	–	·65	·42	–	–	–	·04	16
17	·01	·26	–	–	·37	–	·18	·04	–	–	–	–	17
18	·01	·18	·20 Sn	–	·06	–	–	–	–	–	·09	–	18
19	–	·08	–	–	–	–	·10	–	–	–	–	–	19
20	·27	–	–	·04	–	–	–	·01	–	·02	–	·37	20
21	·12	–	–	–	–	–	·02	–	–	–	–	·04	21
22	·67	·03	·32	–	–	–	·38	–	·01	–	–	·10	22
23	·01	·12 Sn	·23	–	–	·04	·09	–	·12	·20	–	·38	23
24	–	·01 Sn	·01	–	–	–	·14	–	·31	·02	–	·26	24
25	–	–	–	·03	–	·02	·03	–	–	·04	–	·13	25
26	–	·07	–	–	–	·05	·03	–	–	–	–	·23	26
27	–	·01	·01 Sn	–	–	·23	·26	–	–	·36	–	·08	27
28	–	·20	–	–	–	·07	–	·02	1·36	·18	–	·01	28
29	–	×	·01 Sn	–	–	·09	·03	·12	–	·01	·12	·06	29
30	·04	×	–	–	–	–	–	–	·03	–	·06	–	30
31	–	×	–	×	–	×	–	·04	×	·67	×	·15	31
													YEAR'S TOTAL
Total	2·93	3·09	1·20	·86	2·77	·60	3·64	2·71	2·00	1·72	2·08	4·81	28·41
Rain Days.	19	20	14	9	8	8	16	17	8	13	11	25	168

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1915

Kept at Wareside Vicarage

in the County of Hertford

by John W. B. Higgens

Lat. 51° 49′ 10″ N Long. 0° 1′ 13″ E

Time of Observation 9 a.m. daily.

Nearest Railway Station Mardocks G. E. R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 201 ft.

FORM A.
BRITISH RAINFALL
3 - JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·36	·14	·08	–	·03	–	–	–	·14	·02	·09	·45	1
2	·09	·15	·17	·11	–	·01	–	·29	–	·04	·01	·10	2
3	·33	–	·02	·18	–	–	·04	·16	·01	–	–	·23	3
4	·06	–	–	–	–	–	–	·18	–	·06	–	·38	4
5	·03	·19	–	–	·57 TH	–	–	·01	–	·05	·03	·25	5
6	·17	·03	·06	·23	–	–	·52	·01	–	–	–	·18	6
7	·08	·40	·04	·01	–	–	·31	·01	–	–	–	·17	7
8	–	·39	·01	·01	–	–	·04	·01	–	–	–	–	8
9	–	·07	–	·02	–	·09	–	·10	–	–	·19	·54	9
10	·27	–	·03	–	–	–	–	·13	–	–	·02	·19	10
11	·01	–	·01	–	·02	–	–	–	–	–	·70	·01	11
12	·09	·02	–	·23	·34	–	–	·06	–	·05	·38 R+Sn	·01 Sn	12
13	·04	·34	–	–	1·32	–	–	–	–	–	–	–	13
14	–	·03	–	–	–	–	·82	–	·02	–	–	·34	14
15	·27	–	–	–	·06	–	–	1·10 TH	–	–	·39 Sn	·11	15
16	–	·37	–	–	–	–	·65	·42	–	–	–	·04	16
17	·01	·26	–	–	·37	–	·18	·04	–	–	–	–	17
18	·01	·18	·20 Sn	–	·06	–	–	–	–	–	·09	–	18
19	–	·08	–	–	–	–	·10	–	–	–	–	–	19
20	·27	–	–	·04	–	–	–	·01	–	·02	–	·37	20
21	·12	–	–	–	–	–	·02	–	–	–	–	·04	21
22	·67	·03	·32	–	–	–	·38	–	·01	–	–	·10	22
23	·01	·12 Sn	·23	–	–	·04	·09	–	·12	·20	–	·38	23
24	–	·01 Sn	·01	–	–	–	·14	–	·31	·02	–	·26	24
25	–	–	–	·03	–	·02	·03	–	–	·04	–	·13	25
26	–	·07	–	–	–	·05	·03	–	–	–	–	·23	26
27	–	·01	·01 Sn	–	–	·23	·26	–	–	·36	–	·08	27
28	–	·20	–	–	–	·07	–	·02	1·36	·18	–	·01	28
29	–		·01 Sn	–	–	·09	·03	·12	–	·01	·12	·06	29
30	·04		–	–	–	–	–	–	·03	–	·06	–	30
31	–		–		–		–	·04		·67		·15	31
Total	2·93	3·09	1·20	·86	2·77	·60	3·64	2·71	2·00	1·72	2·08	4·81	YEAR'S TOTAL 28·41
Rain Days.	19	20	14	9	8	8	16	17	8	13	11	25	168

W. 8,000. X. 15.

DL W DL [illegible] 1004 ~~141~~

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

Kept at Wareside Vicarage

in the County of Hertfordshire

by J. Higgens

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·06		·01		·02	·02			·11	·03	·16		1
2	·41		·14		·18				·14	·37	·02		2
3		·50	·20			·02	·04		·44	·21	·57		3
4	·26	·13	·01		·01	·28			·04	·13	·30		4
5	·03		·02		·01	·34				·07	·49	·02	5
6		·02	·15	·31	·01	·01	·25			·01	·50		6
7	·11		·16		·11	·09	·06			·01	·69	·04	7
8			·01		·33	·01						·31	8
9					·21	·01				·14		·06	9
10		·12	·11	·10		·23	·02	·01		·01		·08	10
11	·07	·13	·04	·13	·01	·10						·01	11
12	·02	·01		·02	·46	·21	·15	·23		·14	·01		12
13	·01	·55	·25	·13	·20	·14	·16	·33		·01			13
14		·29	·02	·07	·04	·01		·29		·04		·10	14
15		·14	·28	}			·05	·15	·01	·04		·01	15
16		·01	·08	·14 }	·06		·22	} ·25		·05			16
17	·07	·07		·10			·03	} 1·53	·34	·30			17
18		·07	·03	·11				·10	·05	·03	·43		18
19	·06	·01	·12	·10					·22		·64	·11	19
20	·19		·30	·04							·02	·32	20
21	·01		·88	·01			·09					·47	21
22		·05	·02		·04					·02		·42	22
23	·01	·23				·11		·02		·02	·05	·11	23
24		·04	·04		·01	·17		·02		·04	·03	·33	24
25		·30	·09		·02			·22		·07	·08	·01	25
26		·12	·01			·01		·10		·02			26
27	12	·03	·67			·06		·09	·02	·46			27
28		·34	·46			·18			·04	·03		·18	28
29		·11				·15		1·28		·30		·11	29
30		╳			·06	·02		·21		·35		·01	30
31		╳		╳		╳		·01	╳	·07	╳	·01	31
Total	1·43	3·27	4·10 4·30	1·26	1·78	2·17	1·07	4·84 4·83	1·41 1·43	2·97	3·99	2·71	YEAR'S TOTAL 31·00 31·20
Rain Days.	14	21	24	13	17	20	10	16	10	26	14	19	204

W. 8,000. X. 15.

81 971 ~~731~~

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Wareside Vicarage
in the County of Hertfordshire
by J. W. B. Higgens

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·18				·81	·04		·10		1
2	·01	·02		·35				·14			·02		2
3			·01					·46		·21	·06		3
4		·08	·03					·27		·83			4
5	·23	·01	·02	·12				·14	·24	·11	·10		5
6				·01					·06	·03	·04		6
7	·30					·05	·13			·34			7
8	·13			·15			·96	·25		·31	·12	·12	8
9	·03		·06	·17			·01	·26			·13	·10	9
10	·25		·17	·17				·07			·01 ~~·005~~	·02	10
11	·11	·04	·50	·05						·30			11
12	·06		·01	·01						·33	·01 ~~·005~~	·01	12
13	·07		·01	·01				·02	·03	·14			13
14				·23				·04			·01 ~~·005~~	·01	14
15	·05							·10		·01		·03	15
16	·04	·09		·37	·12		·04			·53		·25	16
17		·01		·15	·59		·21	·05	·31	·32	·01 ~~·005~~		17
18	·05	·01		·08	·10	·10	·21	·01	·40				18
19		·10	·07		·21	·01			·33				19
20	·05	·17	·09		·70			·02			·13		20
21			·06		·04						·05		21
22			·08			·02		·08		·12	·01 ~~·005~~		22
23		·07			·15	·01		·12		·08		·03	23
24		·02				·05		·06		·27			24
25		·01	·07				·53				·09		25
26			·09					·33	·03		·58	·05	26
27			·03			·13		·65				·03	27
28		·02	·02			·51		·12				·03	28
29			·04		·21	·06	·37	·21?		·16		·13	29
30	·04	X	·19				1·16	·11			·01	·01	30
31	·02	X	·10	X		X	·24	·02	X		X	·01	31
Total	1·44	·65	1·65	2·05	2·12 ~~1·22~~	·94 ~~·92~~	3·86	4·34?	1·44 ~~1·34~~	4·09	1·48 ~~1·455~~	·83	YEAR'S TOTAL ~~24·845~~ 24·89
Rain Days.	15	13	19	14	8	9	10	23	8	16	17 ✓	14	166

W. 8,000, VIII. 16

Jl

~~128~~ 53

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

27 · 1 19

Kept at Wareside Vicarage
in the County of Hertfordshire
by J. W. B. Higgens

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·18									1
2	·01	·08		·03									2
3	·01	·01	·04										3
4		·07	·06										4
5		·02											5
6	·11	·10		·28									6
7	·12	·09		·07									7
8				·02									8
9	02	·01											9
10	·06			·05									10
11				·01									11
12	·03	·09											12
13		·01											13
14	·13												14
15	1·15 ~~2·00~~			1·35									15
16	·23			·32									16
17	·12			·33									17
18	·35												18
19	·07	·02	·13	·21									19
20	·02	·06		·46									20
21	·08			·15									21
22	·03			·01									22
23	·01												23
24		·17											24
25													25
26													26
27				·14									27
28		·05	·25										28
29													29
30		×	·34										30
31		×	·02	×		×			×		×		31
Total	2·55 ~~3·40~~	·78	·84	3·61									YEAR'S TOTAL
Rain Days.	17	13	6	15									

W. 8,000, IX. 17.

FORM A2.
BRITISH RAINFALL.
20 JAN 1912

RE 19 11

HERTS.
WATFORD — GROVE END
1911 – 1920

Kept at Grove E
Bu
in the County of H
by John

f top 5 in.
p above Ground – ft. 7 in.
„ Sea Level 230 ft.
9.0 AM
ation Name Bushey
Distance ¾ m Direction SSW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	—	—	·60	—	—	·05	·06	—	—	—	—	1
2	·07	—	—	·29	·22	—	—	—	—	—	·23	·19	2
3	·01	·02	—	—	·20	—	—	—	—	—	·11	·08	3
4	·04	·04	·08	·05	—	—	—	—	—	·05	·16	·35	4
5	·02	—	—	·04	—	—	—	— ·005	—	·05	— ·005	·09	5
6	·41	—	·09	—	—	—	—	—	—	—	—	·44	6
7	·04	—	·01	·05	—	—	—	—	—	·11	·40	·31	7
8	·16	—	·21	—	—	—	—	—	—	—	·14	·17	8
9	·07	—	·01	—	—	—	—	—	—	—	·01	·01	9
10	·05	·06	·21	·02	—	—	—	—	—	—	·02	·50	10
11	·22	—	—	—	·41	—	—	—	—	—	·65	·01	11
12	snow ·07	—	·46	—	·03	—	—	—	—	—	·26	·01	12
13	—	—	·06	—	·37	—	—	—	·47	·48	·01	·31	13
14	—	·05	—	—	·14	—	—	—	—	—	—	·39	14
15	—	·06	·13	—	—	—	—	—	—	·02	·05	·03	15
16	—	—	·01	—	—	·28	—	—	—	—	·38	·09	16
17	—	—	·08	—	—	·18	—	—	—	—	·29	·21	17
18	—	·09	·04	—	—	·30	—	—	—	—	·36	·28	18
19	—	—	—	—	—	·31	—	—	·16	·10	·26	·20	19
20	·01	·04	·01	—	—	—	—	·58	·12	·02	—	·70	20
21	·02	·14	·01	—	—	·01	—	·67	—	·49	—	·09	21
22	·09	—	·03	—	—	·06	—	—	—	·32	—	·56	22
23	—	·08	·25	—	—	·63	—	—	·19	—	—	·21	23
24	—	·15	·03	—	—	·10	·03	·04	—	·90	—	·20	24
25	—	·05	·01	·08	·01	·21	·24	—	·01	·01	—	—	25
26	—	·02	·02	·18	·01	·09	·03	·03	—	·16	·01	·33	26
27	—	·45	·10	·04	—	—	·04	—	·14	—	·01	·14	27
28	—	·37	—	·25	·02	—	—	·07	—	—	·06	—	28
29	—		—	·08	—	·18	·14	—	·26	·27	·01	—	29
30	—		—	—	·04	—	—	·03	—	17	—	·01	30
31	—		—		1·64		—	—		— ·005		—	31
Total	1·31	1·62	1·85	1·68	3·09	2·35	·53	1·49 1·485	1·35	3·15 3·155	3·43 3·425	5·91	TOTAL for year 27·76
No. of Rain Days	15	14	20	11	11	11	6	~~7~~ 8	7	14	20 ~~19~~	26	163 163

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911

FORM A2.

BRITISH RAINFALL
20 JAN 1912

Kept at Grove End, Bushey Hall Road, Watford

in the County of Herts 2

by John Durst

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground — ft. 7 in.
" " " Sea Level 230 ft.

Time of Observation 9.0 AM

Nearest Railway Station
Name Bushey
Distance ¾ m Direction SSW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	—	—	·60	—	—	·05	·06	—	—	—	—	1
2	·07	—	—	·29	·22	—	—	—	—	—	·23	·19	2
3	·01	·02	—	—	·20	—	—	—	—	—	·11	·08	3
4	·04	·04	·08	·05	—	—	—	—	—	·05	·16	·35	4
5	·02	—	—	·04	—	—	—	— ·005	—	·05	— ·005	·09	5
6	·41	—	·09	—	—	—	—	—	—	—	—	·44	6
7	·04	—	·01	·05	—	—	—	—	—	·11	·40	·31	7
8	·16	—	·21	—	—	—	—	—	—	—	·14	·17	8
9	·07	—	·01	—	—	—	—	—	—	—	·01	·01	9
10	·05	·06	·21	·02	—	—	—	—	—	—	·02	·50	10
11	·22	—	—	—	·41	—	—	—	—	—	·65	·01	11
12	Snow ·07	—	·46	—	·03	—	—	—	—	—	·26	·01	12
13	—	—	·06	—	·37	—	—	—	·47	·48	·01	·31	13
14	—	·05	—	—	·14	—	—	—	—	—	—	·39	14
15	—	·06	·13	—	—	—	—	—	—	·02	·05	·03	15
16	—	—	·01	—	—	·28	—	—	—	—	·38	·09	16
17	—	—	·08	—	—	·18	—	—	—	—	·29	·21	17
18	—	·09	·04	—	—	·30	—	—	—	—	·36	·28	18
19	—	—	—	—	—	·31	—	—	·16	·10	·26	·20	19
20	·01	·04	·01	—	—	—	—	·58	·12	·02	—	·70	20
21	·02	·14	·01	—	—	·01	—	·67	—	·49	—	·09	21
22	·09	—	·03	—	—	·06	—	—	—	·32	—	·56	22
23	—	·08	·25	—	—	·63	—	—	·19	—	—	·21	23
24	—	·15	·03	—	—	·10	·03	·04	—	·90	—	·20	24
25	—	·05	·01	·08	·01	·21	·24	—	·01	·01	—	—	25
26	—	·02	·02	·18	·01	·09	·03	·03	—	·16	·01	·33	26
27	—	·45	·10	·04	—	—	·04	—	·14	—	·01	·14	27
28	—	·37	—	·25	·02	—	—	·07	—	—	·06	—	28
29	—		—	·08	—	·18	·14	—	·26	·27	·01	—	29
30	—		—	—	·04	—	—	·03	—	·17	—	·01	30
31	—		—		1·64		—	—		— ·005		—	31
Total	1·31	1·62	1·85	1·68	3·09	2·35	·53	1·49 1·485	1·35	3·15 3·155	3·48 3·425	5·91	TOTAL for year 27·76
No. of Rain Days	15	14	20	11	11	11	6	~~7~~ 8	7	14	20 ~~19~~	26	167 163

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
10 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Grove End, Bushey Hall Road, Watford

in the County of Hertfordshire 2

by John Durst

RAIN GAUGE
Pattern Round
Diameter of top 5 in.
Height of top above Ground 1 ft. 2 in.
" " " Sea Level 230 ft.

Time of Observation 9·0 AM

Nearest Railway Station
Name Bushey
Distance 3/4 mile Direction SSW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·09	—	—	·16	·08	—	·06	·28	—	·20	1
2	—	snow ·01	·10	·02	—	·07	·27	·02	—	—	—	—	2
3	·06	—	·11	—	·01	·22	·02	·26	·01	—	—	08	3
4	·29	—	·59	—	·16	·37	—	·05	—	—	·27	—	4
5	·24	snow ·08	·14	—	—	·01	—	·30	—	—	·03	·01	5
6	·63	·04	—	—	—	·02	—	·28	·02	—	—	·15	6
7	—	—	·02	—	·02	·50	·02	·19	—	—	—	·06	7
8	·47	·32	·25	—	—	—	—	·11	—	—	—	·01	8
9	·06	·17	—	·05	—	·07	·03	·04	—	—	—	·24	9
10	—	·04	—	—	—	·08	—	·26	—	—	·08	·17	10
11	·10	·32	—	—	—	·01	—	·01	·02	·01	·02	·16	11
12	·06	·13	·13	—	·11	·09	—	—	—	—	·09	—	12
13	—	—	·01	—	—	—	—	—	—	—	·12	·03	13
14	—	—	·03	—	·03	—	—	·01	—	·05	—	·02	14
15	—	·02	·15	—	·18	·45	—	·06	—	—	·01	·23	15
16	·30	—	·09	—	·05	·01	—	·16	—	·08	·05	—	16
17	·23	—	·31	—	—	·10	—	·09	—	—	—	·01	17
18	·27	—	·16	—	—	—	—	·12	—	—	·03	·18	18
19	·13	·09	·18	—	—	—	·43	·44	—	—	—	—	19
20	·03	—	·15	—	—	—	03	·47	—	·37	—	—	20
21	·01	·05	·43	—	·17	—	—	·10	—	·14	·04	—	21
22	·41	·21	·09	—	·28	—	·12	·16	—	·01	—	·04	22
23	·32	·34	·36	—	—	—	·11	·41	—	·01	·20	·16	23
24	·36	·01	—	—	—	—	—	·06	—	—	—	·13	24
25	—	—	—	—	—	·18	—	·57	—	—	·31	·51	25
26	—	·02	—	—	—	—	·06	·24	—	·41	·43	·28	26
27	—	—	·02	—	—	·02	—	—	—	·20	—	20	27
28	—	·05	—	—	—	—	·05	22	·01	·52	·42	·49	28
29	—	·01	—	—	—	·43	·15	·16	1·41	·19	—	—	29
30	—		—	—	·38	·04	·04	—	·87	·26	—	—	30
31	—		·32		03		·17	·15		—		·04	31
Total	3·97	1·91	3·73	·07	1·42	2·83	1·58	4·94	2·40	2·53	2·10	3·40	TOTAL for year 30·88
No. of Rain Days.	17	17	21	2	11	18	14	26	7	13	14	22	182

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A2.
BRITISH RAINFALL.
13 JAN 1914

Kept at Grove End, Bushey Hall Road Watford
in the County of Hertfordshire
by John Durst

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 2 in.
" " " Sea Level 230 ft.

Time of Observation 9·0 AM
Nearest Railway Station: Name Bushey
Distance 3/4 mile Direction SSW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	·13	·15	·09	–	–	–	–	·20	–	·10	·06	1
2	·03	·13	–	–	·07	–	·11	–	·02	·01	·05	·01	2
3	·03	–	·02	·21	·62	–	–	–	–	–	–	·05	3
4	·26	–	–	·01	·12	–	·16	–	–	·10	·05	·08	4
5	·11	–	–	–	–	·03	·11	–	·07	·04	·01	·03	5
6	–	–	·05	·01	·07	·15	·02	–	·02	·32	·03	·09	6
7	–	·04	–	–	·07	·04	·01	·03	–	·51	·07	·01	7
8	–	·18	·05	·01	·09	·16	–	–	–	·09	·03	–	8
9	–	·17	–	–	·02	–	–	–	·04	–	·03	·08	9
10	–	–	·03	·07	–	–	·37	·05	–	–	·50	–	10
11	·71	–	–	·47	–	–	–	·14	–	·35	·47	–	11
12	–	–	–	–	·01	–	–	–	–	·01	·38	–	12
13	·05	–	·01	–	–	–	–	·02	·07	–	·31	–	13
14	·09	·04	·09	·10	–	–	·47	·10	–	·13	·11	–	14
15	·16	·04	·27	·39	–	–	·13	–	·11	–	–	–	15
16	·10	–	·39	·17	–	–	–	–	·05	–	–	–	16
17	·03	·04	·05	·16	–	·09	·14	–	–	–	·02	·12	17
18	·03	–	·27	·07	–	–	–	–	–	–	·03	·01	18
19	·37	–	·05	–	–	–	·13	–	·20	–	–	·02	19
20	·13	–	·07	·04	–	–	–	–	–	·56	–	·01	20
21	–	–	·16	·03	·01	–	·02	–	–	·15	·57	–	21
22	·45	–	·14	–	–	–	–	·09	·21	–	–	–	22
23	–	–	·02	–	–	·01	–	·13	·02	–	–	·15	23
24	·01	–	–	·03	–	–	–	·08	–	–	·02	–	24
25	–	·02	–	·20	–	–	–	–	–	–	–	·02	25
26	–	·04	·19	·13	–	–	–	·09	–	·65	–	·29	26
27	–	–	·02	·09	–	–	–	–	–	·06	–	–	27
28	·28	–	·28	·18	–	–	–	–	–	·07	–	–	28
29	·04		·09	·56	·35	–	–	·09	–	·04	–	–	29
30	·30		–	·02	–	–	–	·05	–	·25	·10	–	30
31	–		·05		–		–	·47		·03		–	31
Total	3·22	·83	2·45	3·04	1·43	·48	1·67	1·34	1·01	3·37	2·88	1·03	TOTAL for year 22·75
No. of Rain Days.	19	10	21	21	10	6	11	12	11	17	18	15	171

W. 8,000, X. '11.

CX ML

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 7 JAN 1915

Kept at Grove End, Bushey Hall Road Watford

in the County of Hertfordshire 2

by John Durst

Lat. 51° 39' 12" Long. 0° 22' 30"

Time of Observation 9.0 AM

Nearest Railway Station Bushey

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·04	–	–	–	–	·22	–	–	·06	·04	1
2	–	–	–	–	–	–	·12	·27	–	–	·05	·13	2
3	–	–	·04	–	23	–	·05	–	–	–	·01	–	3
4	·18	–	–	·26	·08	–	–	·08	–	–	·35	·38	4
5	·04	–	·09	·14	·18	·07	·60	·26	–	–	–	–	5
6	–	·12	–	–	·05	·19	·11	·02	–	–	·19	·21	6
7	–	·25	·30	·08	·50	·04	·12	–	–	–	–	·15	7
8	·05	·20	·63	·08	·04	·17	·35	·13	–	–	–	–	8
9	·17	–	·65	·08	–	·60	–	–	·14	–	–	1·25	9
10	·01	17	–	·11	·05	–	–	–	·20	–	–	·03	10
11	–	·24	·54	–	–	·65	–	–	·04	–	·23	·25	11
12	Snow ·02	·07	·51	–	–	–	·21	–	·28	–	–	·44	12
13	–	·36	·25	–	–	–	–	–	·15	·08	·05	·51	13
14	–	·10	·67	–	–	–	·05	–	–	·32	·12	·34	14
15	·09	·01	·21	–	–	–	–	·01	·04	·05	·01	·05	15
16	–	–	·04	–	–	–	·02	–	·15	–	·01	–	16
17	–	·50	·07	–	–	–	–	–	·10	–	–	·31	17
18	–	–	·10	–	–	–	–	–	–	–	–	·35	18
19	–	·06	·29	–	–	·01	·12	–	·04	–	·18	·11	19
20	–	·22	·14	–	–	·03	–	–	–	–	–	·12	20
21	–	·46	·06	–	–	·25	–	–	–	·03	–	·07	21
22	–	·04	·02	–	·35	·07	·08	·04	–	·42	–	–	22
23	–	·09	·12	–	·24	02	·01	–	–	·09	–	–	23
24	–	–	·10	·02	–	–	·04	–	–	10	·11	–	24
25	·03	–	·11	–	–	–	–	·11	–	·35	–	·09	25
26	–	–	·12	–	–	–	·08	·04	–	·05	·21	·56	26
27	·05	–	·03	–	–	–	–	–	–	–	·04	·25	27
28	–	·03	–	–	·05	–	–	–	–	·04	·36	1·24	28
29	·05		·12	–	–	–	–	–	–	·23	16	–	29
30	–	✕	·09	–	–	–	–	–	–	·05	·49	·45	30
31	–	✕	–	✕	·11	✕	·05	–	✕	–	✕	·03	31
Total	·69	2·92	4·94	·77	1·88	2·10	2·01	1·18	1·14	1·81	2·63	7·36	YEAR'S TOTAL 29·43 ✓
Rain Days.	10	16	25	7	11	11	15	10	9	12	17	23	166 ✓

W. 8,000. X. 14.

985

BRITISH RAINFALL
FORM A.

3 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Grove End, Bushey Hall Road Watford
in the County of Hertfordshire 2
by John Durrc

Lat. 0° 22′ 30″ W Long. 51° 39′ 12″ N
Time of Observation 9·0 AM
Nearest Railway Station Bushey
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·48	·01	·03	—	·03	—	—	—	·17	·05	·18	·41	1
2	·25	·17	·28	·12	—	·02	—	·54	—	·04	—	·17	2
3	·50	·28	·05	·13	—	—	·05	·29	—	—	·01	·31	3
4	·05	—	—	—	—	—	—	—	—	—	—	·34	4
5	·04	—	—	—	·02	—	—	—	—	·06	—	·30	5
6	·21	·45	—	·31	—	—	·80	·05	—	—	—	·28	6
7	·13	·07	·07	—	—	—	·55	·03	—	—	—	·30	7
8	·05	·32	·01	·04	—	—	—	·05	—	—	—	—	8
9	—	·50	—	·08	—	·05	—	·08	—	—	·24	·61	9
10	·29	·06	·02	—	—	—	—	·06	—	—	—	·13	10
11	·02	—	·43	—	—	—	—	—	—	—	·82	·04	11
12	·08	—	—	·22	·43	—	—	·11	—	·02	·48	snow ·03	12
13	—	·75	—	—	1·15	—	—	—	—	—	—	—	13
14	—	·04	—	—	—	—	·92	·25	·07	—	—	·67	14
15	·20	—	—	—	·04	—	—	·51	—	—	snow ·19	·18	15
16	—	·45	—	—	—	—	·71	—	—	—	—	·06	16
17	—	·35	—	—	·57	—	·09	—	—	—	—	—	17
18	—	·18	·06	—	·06	—	—	—	—	—	—	—	18
19	—	·09	—	—	—	—	·17	—	—	·01	·02	·01	19
20	·45	—	—	·09	·01	—	—	—	—	—	—	·19	20
21	snow ·11	·03	—	—	—	—	—	—	—	—	—	·05	21
22	·83	·17	·34	—	—	~~·03~~	·65	—	—	—	—	·25	22
23	·02	snow ·40	·08	—	—	·03	·21	—	·22	·38	—	·29	23
24	—	—	·08	—	—	·01	·38	—	·38	·11	—	·25	24
25	—	—	·02	·05	—	·04	·08	—	—	·04	—	·21	25
26	—	·13	—	—	—	·15	·18	—	—	—	—	·45	26
27	—	—	—	—	—	·30	·38	—	—	·38	—	·09	27
28	—	·09	—	—	—	·08	—	—	1·03	·13	—	—	28
29	—		·01	—	—	·04	·36	·11	—	—	·13	·02	29
30	—		—	—	—	·33	—	—	—	·09	·20	·02	30
31	·05		—		—		—	·04		1·02		·17	31
Total	3·76	4·54	1·08	1·04	2·31	1·05	5·53	2·12	1·87	2·33	2·27	5·83	YEAR'S TOTAL 33·73
Rain Days.	17	19	13	8	8	10	14	12	5	12	9	26	153

W. 7,500, XI. 12

957

[illegible]

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

8 JAN 1917

Kept at Grove End, Bushey Hall Road, Watford

in the County of Hertfordshire

by John Durst

Lat. 51° 39′ 12″ N. Long. 0° 22′ 30″ W.
Time of Observation 9.0 AM
Nearest Railway Station Bushey
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·21	–	·01	–	·33	·05	–	–	·11	·04	·26	–	1
2	·44	·02	·11	–	·21	–	–	–	·11	·37	·01	–	2
3	–	·50	·09	–	·01	–	·02	–	·17	·29	·32	–	3
4	·25	·06	·01	–	–	·45	·05	–	·03	·13	·41	–	4
5	·03	·01	–	·05	·04	·09	–	–	–	·11	·68	–	5
6	–	·08	·30	·20	–	·11	·35	–	–	·06	·41	–	6
7	·09	–	·26	–	·15	·06	·19	–	–	·01	·65	·03	7
8	–	·02	·03	–	·35	·01	–	–	–	–	–	·29	8
9	–	–	–	–	·24	·02	–	–	–	·10	–	·03	9
10	–	·14	·13	·08	–	·35	·07	–	–	·01	–	·04	10
11	·05	·13	·04	·17	·01	·24	–	–	–	–	–	·11	11
12	·03	·03	·03	·04	28	·15	·04	·19	–	·07	·01	–	12
13	–	·43	·40	·10	·01	·06	·16	·28	·01	·02	–	–	13
14	–	·41	·02	·03	·10	–	–	·57	–	·10	–	snow ·15	14
15	–	·20	·38	–	–	–	·06	·20	–	–	–	–	15
16	–	·02	·30	·15	·05	–	·17	·06	–	–	–	–	16
17	·10	·07	–	·04	–	–	·02	·65	·30	·42	–	–	17
18	·01	·09	·05	·12	–	–	–	·19	·13	·03	·65	–	18
19	·11	·04	·18	·33	–	–	–	–	·28	–	·70	snow ·11	19
20	·19	–	·17	·04	–	–	–	–	–	–	·03	·45	20
21	·03	–	·65	–	–	–	·15	–	–	–	–	·48	21
22	–	·05	·04	–	·02	·01	–	–	–	·03	–	·55	22
23	·03	·39	–	–	–	·04	–	·02	–	·03	·05	·11	23
24	–	·03	–	–	·02	·26	–	·03	–	·12	·04	·40	24
25	–	·59	·08	–	·07	–	–	·20	–	·09	·11	–	25
26	–	·15	–	–	–	·10	–	·04	–	·06	–	–	26
27	·09	–	1·05	–	–	·22	–	·39	·10	·20	–	–	27
28	–	·34	·45	–	–	·10	–	–	·20	·02	·01	·21	28
29	·01	·07	–	–	–	·22	–	1·49	·01	·39	·02	·16	29
30	–	X	–	–	·02	·03	–	·06	–	·52	–	–	30
31	–	X	–	X	–	X	–	·06	X	·11	X	·04	31
Total	1·67	3·87	4·78	1·35	1·91	2·57	1·28	4·43	1·45	3·33	4·36	3·16	YEAR'S TOTAL 34·16
Rain Days.	15	23	22	12	16	19	11	15	11	24	16	15	199

W. 8,000. X. 15.

✓ 923

FORM A.
BRITISH RAINFALL.

7. JAN 19

REGISTER OF RAINFALL IN 1917

Kept at Grove End, Bushey Hall Road Watford
in the County of Hertfordshire
by John Durst

Lat. 51° 39' 12" N Long. 0° 22' 30" W
Time of Observation 9·0 AM
Nearest Railway Station Bushey
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	Snow ·37	—	—	—	·88	·06	—	·13	—	1
2	—	—	·01	Snow ·24	—	·07	—	·07	—	—	·02	—	2
3	—	—	—	Snow ·03	—	—	—	·26	—	·31	·42	—	3
4	—	Snow ·16	Snow ·17	—	—	—	·03	·09	—	·39	—	—	4
5	·25	—	·03	·24	—	—	—	—	·19	·09	·19	—	5
6	—	—	·06	·01	—	·02	—	—	·10	·03	·10	—	6
7	·28	—	—	—	—	·11	·13	—	—	·35	—	·02	7
8	·25	—	—	·16	—	—	·92	·86	—	·30	·18	·13	8
9	·02	—	Snow ·04	Snow ·10	·01	—	·06	·13	—	·32	·09	·12	9
10	Snow ·25	—	·18	Snow & Rain ·30	—	—	—	·12	—	—	·03	·02	10
11	·10	Snow ·01	·38	S & R ·19	—	—	—	—	·01	·47	—	—	11
12	·11	·01	·07	Snow ·02	·06	—	—	·09	—	·52	·11	·01	12
13	·05	—	·08	—	—	—	—	·18	·03	—	—	—	13
14	Snow ·03	—	—	·21	—	—	—	·11	—	·09	—	·02	14
15	·02	—	—	—	—	—	·08	—	—	·06	—	—	15
16	·05	·11	—	·22	·09	·31	·10	—	—	·81	—	Snow & Rain ·35	16
17	—	·01	—	·10	·69	—	·20	·02	·49	·26	—	—	17
18	·06	·10	—	·09	·06	·20	·14	·08	·23	·10	—	—	18
19	·01	·14	·06	—	·02	·06	—	—	·46	—	—	—	19
20	·04	·18	·05	—	·54	—	—	·02	—	—	·06	—	20
21	·02	—	Snow ·02	·03	·03	·02	—	—	—	·02	·03	—	21
22	—	—	Snow ·19	—	—	·11	—	·10	—	·07	—	—	22
23	—	·08	—	—	·15	—	—	·15	—	—	—	·02	23
24	—	·08	—	—	—	·05	—	·02	—	·36	·05	·04	24
25	—	·02	Snow ·03	—	—	—	—	—	—	—	·13	—	25
26	—	—	Snow ·10	—	—	·05	—	·16	·05	—	·36	·01	26
27	—	—	Snow ·01	—	—	—	—	·93	—	—	—	·07	27
28	—	—	·02	—	—	1·45	—	·22	—	—	—	·02	28
29	—	X	·04	—	·04	·10	·93	·14	—	·35	—	·14	29
30	Snow ·03	X	Snow ·23	—	—	—	1·36	·13	—	—	·01	·02	30
31	Snow ·03	X	·04	X	—	X	·44	—	X	—	X	Snow ·04	31
Total	1·60 ✓	·90 ✓	1·81 ✓	2·31 ✓	1·69 ✓	2·55 ✓	4·39 ✓	4·76 ✓	1·62 ✓	4·90 ✓	1·91 ✓	1·03 ✓	YEAR'S TOTAL 29·47 ✓
Rain Days.	17 ✓	11 ✓	20 ✓	15 ✓	10 ✓	12 ✓	11 ✓	21 ✓	9 ✓	18 ✓	15 ✓	15 ✓	174 ✓

W. 8,000, VIII. 16

FORM A.
BRITISH RAINFALL.

11.1.19

REGISTER OF RAINFALL IN 1918

Kept at *Grove End, Bushey Hall Road Watford*

in the County of *Hertfordshire*

by *John Durst*

Lat. 51° 39′ 12″ N Long. 0° 22′ 30″ W

Time of Observation 9.0 A.M.

Nearest Railway Station Bushey

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan. +	Feb. ~~·02~~	March. +	April.	May. +	June. +	July. +	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	·202	–	·29	–	–	–	–	·01	·01	·18	·05	1
2	–	·10	–	·11	–	–	–	·22	–	·02	·20	·28	2
3	–	·01	·05	·02	·53	–	–	·07	·06	·03	·52	·01	3
4	–	·09	·07	·02	–	–	–	·02	·43	–	·47	·03	4
5	–	·03	·01	–	·09	–	–	·16	·09	·10	–	·01	5
6	·12	·22	–	·32	·12	–	–	·01	·01	–	–	·09	6
7	snow ·03	·12	–	·09	·11	·01	–	·02	·05	·06	·15	–	7
8	–	·04	–	·01	–	–	–	–	·29	·06	·05	·01	8
9	·02	·09	–	·06	–	·06	·36	–	·37	·16	–	·18	9
10	·03	–	–	·07	–	–	·47	–	·08	–	–	·32	10
11	–	–	–	·02	·07	–	·33	–	·10	·37	·07	·10	11
12	·02	·09	–	–	·15	–	·21	–	·11	–	–	–	12
13	snow ·01	·01	–	·01	·21	–	·14	–	·17	–	–	·05	13
14	·27	–	·02	·01	–	·32	·08	–	38	·16	–	·22	14
15	Snow ·65 Rain ·38	–	–	1·00	–	·03	·12	–	–	–	–	·11	15
16	snow ·17	–	–	·41	·02	·06	–	–	·94	·05	–	·01	16
17	·21	–	–	·28	·06	·16	·20	·04	·01	–	–	·16	17
18	·64	–	–	–	–	·22	·11	–	·36	·07	–	·12	18
19	·08	·02	·04	·07	–	·02	·17	·02	·05	·05	·01	·15	19
20	·02	·16	–	·92	–	·03	·08	–	·13	·20	–	·03	20
21	·15	·02	–	·67	–	–	–	–	·42	·04	–	·01	21
22	·10	–	–	–	·17	–	·09	–	·11	–	–	·17	22
23	·04	–	–	–	·39	–	·74	·05	·02	–	–	07	23
24	–	·16	–	–	–	·03	·01	–	·06	–	·08	–	24
25	–	–	–	–	–	·03	·10	·18	–	·01	·05	–	25
26	–	–	–	–	–	–	·33	·03	–	·03	·14	·16	26
27	–	–	–	·10	–	–	·02	·27	·07	–	·11	·06	27
28	–	·07	·22	·01	–	·05	–	–	–	–	·20	·17	28
29	01	╳	·01	–	–	–	–	–	1·30	–	·01	·01	29
30	–	╳	·35	–	–	–	–	–	·04	–	·07	·04	30
31	–	╳	·03	╳	–	╳	–	–	╳	·10	╳	·02	31
Total	2·95	1·25	·80	4·49	1·92	1·02	3·56	1·09	5·66	1·52	2·31	2·64	YEAR'S TOTAL 29·21
Rain Days.	17	16	9	20	10	12	17	12	25	17	15	27	198

W. 8,000, IX. 17.

Ex D L

871

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Grove End, Bushey Hall Road, Watford
in the County of Hertfordshire
by John Durst

Lat. 51° 39' 12" N Long. 0° 22' 30" W
Time of Observation 9·0 AM
Nearest Railway Station Bushey
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 230 ft.

14 JAN 20

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·58	snow ·05	·03	·01	·11	—	·20	—	—	—	·05	1·13	1
2	·30	—	·02	—	·17	—	·04	·02	·21	·17	·15	·20	2
3	·39	—	·32	—	·03	—	·13	—	·08	—	·06	·29	3
4	·11	·08	·36	—	—	·07	·16	·12	·05	—	·02	·14	4
5	—	snow ·29	·64	—	—	—	·08	—	·17	—	·03	·31	5
6	·02	—	·09	·02	—	—	—	—	—	—	·01	·04	6
7	·05	—	·49	—	—	—	—	—	—	—	·05	—	7
8	·18	—	·08	·03	—	—	—	—	—	—	·01	—	8
9	·05	—	·01	·04	·16	—	—	—	—	·01	·07	—	9
10	·14	—	·09	·02	—	—	—	—	—	—	·03	·09	10
11	·04	—	·12	·25	·01	—	·23	—	—	—	snow ·01	·05	11
12	—	—	·10	·02	—	·07	·14	—	—	·05	snow ·01	—	12
13	·02	—	—	·31	—	—	—	—	·01	·03	—	·01	13
14	·37	·04	—	·68	—	—	·06	—	·34	—	—	—	14
15	·28	·03	·13	·02	—	—	—	—	—	·02	snow ·02	·54	15
16	·10	·69	—	—	—	—	—	—	—	—	·09	·05	16
17	—	·76	—	·01	—	—	—	—	—	—	·24	·03	17
18	—	·09	·07	—	—	—	—	·04	·06	—	·09	·11	18
19	·04	·12	·89	—	—	·23	·41	·09	·05	—	·15	—	19
20	·36	·12	·12	—	—	·78	·06	·27	·02	—	·01	—	20
21	·26	·38	03	—	—	·09	·13	—	—	—	·02	·13	21
22	—	·20	—	—	—	·02	·10	·01	·63	—	·02	·37	22
23	—	—	—	—	—	·05	—	·05	·13	·01	·02	—	23
24	—	—	—	·22	—	—	·14	·08	—	·25	·11	·01	24
25	·04	—	—	·13	·01	·01	—	53	·10	—	—	·06	25
26	·13	·23	·13	·09	—	—	—	—	—	—	—	·45	26
27	snow ·76	·03	·03	snow 1·24	—	—	—	·41	—	—	·03	·02	27
28	—	—	snow ·14	·03	—	—	—	·78	—	—	·21	·27	28
29	·05		—	·07	—	—	—	·27	—	·14	·10	·03	29
30	—		·07	·25	—	·15	—	·13	—	·02	·31	·45	30
31	·01		·02		—		·01	—		—		·02	31
TOTAL	4·28	3·11	3·98	3·44	·49	1·47	1·89	2·80	1·85	·70	1·92	4·80	YEAR'S TOTAL 30·73
Days with ·01 in. or more	22	14	22	18	6	9	14	13	12	9	26	23	188

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Cowdy Herts NHS.

823

FORM A.
BRITISH RAINFALL.

5 JAN 1921

REGISTER OF RAINFALL IN 1920

Kept at Grove End, Bushey Hall Road, Watford

in the County of Hertfordshire

by John Durst

Lat. 51° 39' 12" N Long. 0° 22' 30" W

Time of Observation 9.0 A.M

Nearest Railway Station Bushey

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec. ·31	*Date.*
1	—	—	—	·56	·15	—	·23	—	—	·52	·01	·30	1
2	—	—	·01	—	—	—	·29	·60	·07	·03	—	·15	2
3	—	·11	—	·12	—	—	·09	—	·09	·02	—	·04	3
4	—	·03	—	·05	—	—	·04	·13	—	·34	—	·05	4
5	—	·01	·05	—	·03	—	·67	·04	·02	—	—	·04	5
6	—	—	·26	—	·13	—	·39	·05	—	—	—	·04	6
7	·02	—	·01	·21	—	—	·17	—	—	—	—	·04	7
8	·08	·03	—	·20	·02	—	·24	·13	—	—	—	—	8
9	·40	—	·01	·03	—	—	—	·02	—	—	—	—	9
10	·48	·09	·07	—	—	·04	·14	—	—	—	—	—	10
11	·23	—	·07	·20	·08	·05	·24	—	—	—	—	snow ·08	11
12	·07	—	—	·14	—	64	·02	—	—	—	·01	—	12
13	·09	—	·17	·20	—	—	—	—	—	—	·04	snow ·01	13
14	·01	·01	·40	·19	—	·85	·09	—	—	·54	·26	·04	14
15	·02	·06	·18	·37	—	—	·01	—	·20	·11	·08	·01	15
16	—	—	—	·26	·01	·07	—	—	·28	·09	—	—	16
17	·03	—	—	·01	·19	—	·01	—	·11	—	—	·04	17
18	·04	—	—	—	—	—	—	·56	·31	—	—	·03	18
19	·17	—	—	·14	—	·06	—	·04	·15	—	—	·03	19
20	·06	·09	—	·30	—	·55	—	—	—	—	—	·03	20
21	—	—	—	—	—	—	·52	·03	·02	—	—	·12	21
22	·01	—	—	·29	—	—	·01	—	·49	—	—	·25	22
23	—	—	—	—	—	—	·86	—	·14	—	—	·39	23
24	·01	—	·13	·01	—	—	—	—	—	—	·01	·05	24
25	—	·03	·11	·01	·07	—	·25	—	—	—	—	—	25
26	·07	—	·12	—	·07	—	·06	—	—	—	—	·05	26
27	·27	·10	·01	·27	—	·19	—	—	—	—	·60	·16	27
28	·43	·01	·14	·03	·14	·01	·12	—	—	—	·04	—	28
29	·22	—	·03	—	·04	—	·02	—	—	—	·17	·32	29
30	·04	X	—	—	·01	·04	·56	—	·29	—	23	24	30
31	·03	X	·01	X	·04	X	—	—	X	·17	X	·13	31
Total	2·78	·57	1·78	3·59	·98	2·50	5·03 ~~5·12~~	1·60	2·17	1·82	1·45	2·44	YEAR'S TOTAL 26·9 ~~27·00~~
Rain Days.	21	11	17	20	13	10	22	9	12	8	10	24	177
	14	5	11	15	9	9	17	7	10	6	7	19	179

W, 6,500, VII. 18. W W C

8L ✓

138

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

REG 11

HERTS.
WATFORD - WESTWOOD
1911 — 1920

Kept at Walford

in the County of Hertf

by J. Hopkinson

5 in.

ve Ground 1 ft. in.

Sea Level 269 ft.

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03			·50			·06	·08					1
2	·06			·42	·17						·22	·18	2
3	·02	·01		·01	·19						·10	·06	3
4	·04	·04	·07	·09						·14	·13	·41	4
5	·05	·01		·04						·04	·01	·09	5
6	·40		·07								·02	·50	6
7	·04		·01	·02						·11	·36	·33	7
8	·15		·21								·08	·15	8
9	·09		·01	·02							·02	·03	9
10	·04	·05	·19		·02						·01	·54	10
11	·21				1·96						·68	·01	11
12	·04		·49		·03				·02		·21	·02	12
13			·04		·85				·48	·64	·01	·45	13
14		·06	·04		·17							·41	14
15		·04	·13							·03	·07	·02	15
16			·01			·20					·41	·09	16
17			·05			·17				·01	·20	·33	17
18		·15	·03			·31					·34	·26	18
19		·02				·20			·13	·05	·27	·17	19
20	·01	·05	·01					·48	·13	·03		·69	20
21	·02	·10						·83		·79		·07	21
22	·08	·01	·05			·05		·01		·05		·56	22
23		·10	·24			·57			·20			·25	23
24		·13	·02			·05	·01	·03		·73		·16	24
25		·05	·03	·07	·03	·20	·28		·01			·01	25
26		·04	·01	·15	·01	·10	·02	·03		·11	·04	·32	26
27		·40	·09	·04			·07	·01	·10		·02	·15	27
28		·38		·29	·02		·02	·09			·09		28
29				·05		·19	·12		·25	·28		·01	29
30			·01	·01	·05	·01		·07		·19			30
31					1·09					·01			31
Total	1·28	1·64	1·81	1·71	4·59	2·05	·58	1·63	1·32	3·21	3·26 ✓	6·27	TOTAL for year 29·35
No. of Rain Days	15	17	21	13	12	11 ~~12~~	7	9	8	15	20	27	175

9,000, IX. '10.

82 ✓

138

FORM A2. BRITISH RAINFALL.

23 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Watford, Weetwood

in the County of Hertfordshire 2

by J. Hopkinson

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 269 ft.

Time of Observation

Nearest Railway Station: Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03			·50			·06	·08					1
2	·06			·42	·17						·22	·18	2
3	·02	·01		·01	·19						·10	·06	3
4	·04	·04	·07	·09						·14	·13	·41	4
5	·05	·01		·04						·04	·01	·09	5
6	·40		·07								·02	·50	6
7	·04		·01	·02						·11	·36	·33	7
8	·15		·21								·08	·15	8
9	·09		·01	·02							·02	·03	9
10	·04	·05	·19		·02						·01	·54	10
11	·21				1·96						·68	·01	11
12	·04		·49		·03				·02		·21	·02	12
13			·04		·85				·48	·64	·01	·45	13
14		·06	·04		·17							·41	14
15		·04	·13							·03	·07	·02	15
16			·01			·20					·41	·09	16
17			·05			·17				·01	·20	·33	17
18		·15	·03			·31					·34	·26	18
19		·02				·20			·13	·05	·27	·17	19
20	·01	·05	·01					·48	·13	·03		·69	20
21	·02	·10						·83		·79		·07	21
22	·08	·01	·05			·05		·01		·05		·56	22
23		·10	·24			·57			·20			·25	23
24		·13	·02			·05	·01	·03		·73		·16	24
25		·05	·03	·07	·03	·20	·28		·01			·01	25
26		·04	·01	·15	·01	·10	·02	·03		·11	·01	·32	26
27		·40	·09	·04			·07	·01	·10		·02	·15	27
28		·38		·29	·02		·02	·09			·09		28
29				·05		·19	·12		·25	·28		·01	29
30			·01	·01	·05	·01		·07		·19			30
31					1·09					·01			31
Total	1·28	1·64	1·81	1·71	4·59	2·05	·58	1·63	1·32	3·21	3·26 ✓	6·27	TOTAL for year 29·35
No. of Rain Days	15	17	21	13	12	11 ~~12~~	7	9	8	15	20	27	175

9,000, IX. '10.

82

142

FORM A2.
BRITISH RAINFALL.

24 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Watford

in the County of Hertfordshire 2

by J. Hopkinson

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.05			.15	.08		.06	.28		.16	1
2		.03	.09	.02		.11	.26	.03					2
3	.06	.01	.02		.03	.20	.03	.29	.03		.01	.08	3
4	.29	.01	.71	—	.20	.19		.07			.26	.01	4
5	.21	.05	.24			.05		.33	.02		.03		5
6	.57	.10			.01			.28	.02			.08	6
7	.01	.01	.02		.03	.51	.02	.25				.08	7
8	.44	.34	.24				.04	.14	.01			.02	8
9	.10	.16		.05		.31	.02	.06				.26	9
10		.03	.01			.01		.14	.02		.08	.16	10
11	.10	.25				.02		.03	.03		.03	.17	11
12	.06	.19	.10		.06	.08					.10		12
13		.01				.02			.01		.10	.03	13
14	.01		.04		.03			.03		.01	.01	.03	14
15	.02	.03	.14		.17	.33		.05		.04	.01	.20	15
16	.29	—	.08		.05	.01		.14		.10	.04		16
17	.51		.31			.11		.10				.01	17
18	.04		.19					.31			.01	.12	18
19	.15	.10	.15				.32	.82		.01	.01		19
20	.03		.17				.01	.33		.33			20
21	.01	.09	.31		.38			.10		.12	.05		21
22	.35	.18	.09		.13		.16	.16		.02		.05	22
23	.36	.29	.37	—	.02		.14	.44		.01	16	.15	23
24	.41	.02				.01	.01	.07		.03		.17	24
25		.01				.17		.48		.01	.29	.47	25
26		.03					.06	.27		.42	.47	.35	26
27			.03			.03	.03			.20		.21	27
28		.05				.02	.02	.13	.02	.57	.41	.33	28
29		.04	.01			.01	.11	.26	1.64	.18	.02	.01	29
30	.01	—			.38	.07	.14	.02	.95	.33			30
31			.24		.06		.21	.14		.01		.04	31
~~Total~~	4.03	2.03	3.61	.07	1.55	2.41	1.66	5.47	2.81	2.67	2.09	3.19	TOTAL for Year 31.59
No. of Rain Days.	21	22	22	2	13	20	17	27	11	17	18	23	213

W. 8,000, X. '11.

82 146

FORM A.
BRITISH RAINFALL.

27 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Watford, Westwood E4R
in the County of Hertfordshire 2
by J. Hopkinson

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·14	·14	·10					·22	·01	·21	·06	1
2	·02	·11		·01			·09		·01	·02	·08	·01	2
3	·06		·03	·16	·75		·01					·07	3
4	·29		·02		·06		·13			·06	·05	·06	4
5	·10	·01				·01	·12		·06	·02	·01	·04	5
6		·05	·08	·02	·08	·20	·03		·01	·25	·02	·08	6
7		·20			·13	·03	·03	·01		·56	·07	·02	7
8	·01	·01	·04		·12	·09				·10	·06		8
9		·19		·02	·02	·02	·01		·03		·04	·06	9
10	·01		·03	·07	·01		·35	·04			·36		10
11	·64			·45	·03			·07		·39	·38		11
12		·01			·02					·02	·44		12
13	·04	·01	·01	·01				·02	·07		·30		13
14	·10	·01	·09	·08			·38	·10		·14	·09		14
15	·16	·03	·32	·42			·13		·15		·01		15
16	·10	·01	·41	·18					·04				16
17	·03		·04	·10		·01	·13	·01	·01		·02	·14	17
18	·04		·32	·22			·01		·02		·04	·01	18
19	·42		·03				·13		·23			·02	19
20	·11		·06	·05						·56	·01		20
21	·01	·03	·12	·05	·04		·02			·13	·50		21
22	·45		·14	·02				·07	·21				22
23			·02			·02		·08	·05		·01	·15	23
24	·02		·02	·04		·02		·02					24
25		·02		·18							·01	·01	25
26		·03	·18	·12				·06		·61	·01	·27	26
27			·11	·09						·04			27
28	·29		·25	·17						·09		·01	28
29	·03		·08	·55	·36			·07		·04		·02	29
30	·31			·02				·03		·14	·08		30
31	·01		·07					·25		·09			31
Total	3·28	·86	2·61	3·13	1·62	·40	1·57	·83	1·11	3·27	2·80	1·03	YEAR'S TOTAL 22·51
Rain Days.	23	15	23	23	11	8	14	13	13	18	22	16	199

W. 7,500, XI. ·12

82 ✓

134

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Watford, Weetwood

in the County of Hertfordshire 2

by J. Hopkinson

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.01					.12			.05	.04	1
2				.02		.01	.12	.19			.04	.19	2
3	.01		.04	.01	.24		.12	.02			.07		3
4	.16		.02	.25	.08			.11			.38	.42	4
5	.03	.01	.08	.20	.16	.07	.62	.24			.03		5
6		.13			.05	.16	.07	.03			.15	.22	6
7		.24	.31	.05	.71	.02	.12	.01				.15	7
8	.10	.16	.66	.04	.05	.19	.40	.12				.01	8
9	.18		.62	.09		.39		.01	.09			1.34	9
10	.01	.17	.02	.10	.06				.20			.01	10
11		.27	.53		.03	.65			.03		.19	.31	11
12	.03	.07	.12				.22		.35		.01	.37	12
13		.36	.22						.15	.10	.02	.51	13
14		.09	.68				.02		.05	.31	.18	.37	14
15	.06	.03	.23				.01	.04	.02	.04	.01	.04	15
16	.01		.04				.02		.10		.02		16
17		.47	.08						.18			.33	17
18		.02	.09									.35	18
19		.08	.18				.18		.03		.19	.05	19
20		.24	.23			.02	.02		.04			.16	20
21		.52	.05			.16	.03			.04		.06	21
22		.21	.03		.13	.07	.09	.05		.54			22
23		.06	.10		.17	.02	.01			.11		.01	23
24	.01		.03	.03	.02		.04	.02		.10	.12		24
25	.04		.11					.19		.39		.08	25
26			.14				.04	.02		.05	.20	.58	26
27	.04		.03								.01	.28	27
28		.04			.07					.05	.36	1.29	28
29	.05		.12							.26	.16		29
30	.09		.08							.05	.44	.49	30
31	.01				.09		.07					.04	31
Total	.83	3.17	4.85	.79	1.86	1.76	2.20	1.17	1.24	2.04	2.63	7.70	YEAR'S TOTAL 30 24
Rain Days.	15	18	27	9	13	11	18	14	11	12	19	25	192

W.7,000, XI. 13

82

990
~~127~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Watford
in the County of Hertfordshire 2 Exd H
by J. Hopkinson

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·51	·17	·03		·02				·18	·04	·12	·40	1
2	·23	·25	·29	·09		·03		·83	·03	·04		·17	2
3	·50		·04	·12			·05	·25	·04		·01	·31	3
4	·05											·39	4
5	·03	·49						·01		·04		·28	5
6	·20	·05		·35			·81					·21	6
7	·11	·33	·06				·43	·02				·29	7
8	·10	·57	·02	·05			·02	·05			·01		8
9		·10		·12		·05		·08			·19	·63	9
10	·35		·01					·12				·08	10
11	·02		·05								·80	·01	11
12	·09	·01		·23	·38			·17		·03	·43	·02	12
13	·01	·61			1·30								13
14		·03					·89	·07	·08			·68	14
15	·22	·01			·02		·01	·26			·15	·18	15
16	·01	·52					·71	·01				·11	16
17		·33			·55		·07			·01			17
18		·20	·09		·06						·03	·01	18
19		·03	·01				·15						19
20	·39	·01		·09								·17	20
21	·13				·05		·02					·04	21
22	·84	·27	·33				·71		·01			·28	22
23	·01	·35	·10				·12		·53	·41		·31	23
24			·07		–	·02	·42		·45	·09		·23	24
25				·05		·05	·19			·07		·15	25
26		·13				·15	·16		·02			·50	26
27		·01				·28	·15			·42		·10	27
28		·10	·01			·16			1·15	·19			28
29					–	·04	·26	·18			·15	·01	29
30	·04	X				1·04			·01	·11	·14	·02	30
31	·01	X		X		X		·02	X	1·10	X	·17	31
Total	3·85	4·57	1·11	1·10	2·38	1·82	5·17	2·07	2·50	2·55	2·03	5·75	YEAR'S TOTAL 34·90
Rain Days.	20	21	13	8	7	9	17	13	10	12	10	26	166

W. 8,000. X. 14.

Dl W Dl 961 ~~124~~

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

Kept at Watford

in the County of Hertfordshire

by J. Hopkinson

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·17		·01		·39	·03			·10	·03	·29		1
2	·51	·05	·09		·20	·03			·16	·39	·02		2
3		·52	·06		·01		·01		·16	·28	·23		3
4	·26	·08		·01		·40	·02		·01	·11	·45		4
5	·02	·01	·01	·02	·04	·12				·10	·69		5
6	·01	·05	·46	·19	·01	·20	·40			·04	·54		6
7	·11		·22		·18	·10	·27			·02	·58	·03	7
8			·01		·38	·02					·01	·34	8
9			·03		·28					·10		·04	9
10		·15	·16	·05		·22	·17			·01		·11	10
11	·05	·10	·05	·16	·01	·13			·01			·08	11
12	·02	·04	·13	·06	·30	·15	·04	·28	·01	·07		·01	12
13		·42	·28	·09		·04	·23	·48		·02			13
14		·46		·02	·10			·24		·06		·15	14
15		·21	·40				·06	·26		·01			15
16	·01	·02	·33	·14	·03		·11	·14		·01			16
17	·10	·11		·14			·02	·26	·31	·52		·01	17
18		·08	·04	·08				·23	·18	·02	·68		18
19	·11	·03	·17	·24					·40		·67	·12	19
20	·19		·18	·05							·01	·50	20
21	·02		·79				·20					·40	21
22		·05	·04		·02	·02				·06		·55	22
23	·03	·43				·06		·02		·01	·04	·08	23
24		·02	·02		·08	·22		·04		·12	·03	·40	24
25		·62	·05					·22		·10	·09	·01	25
26		·18				·09		·06		·06			26
27	·09	·01	·94			·05		·37	·08	·15	~~·01~~		27
28		·31	·34			·11		·03	·23	·03	·02	·20	28
29		·07				·26		1·37		·36		·18	29
30		X			·10	·03		·05		·38			30
31		X		X		X		·05	X	·10	X	·03	31
Total	1·70	4·02	4·81	1·25	2·13	2·28	1·53	4·10	1·65	3·16	4·35	3·24	YEAR'S TOTAL 34·22 ✓
Rain Days.	15	23	23	13	15	19	11	16	11	26	15	18	205 ✓

W. 8,000. X. 15.

81

927
115

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Watford, Weetwood

in the County of Hertfordshire

by J. Hopkinson

Lat. ______ Long. ______

Time of Observation ______

Nearest Railway Station ______

Diameter of Funnel of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·33				·82	·05		·11	·01	1
2				·24		·04		·08			·09		2
3				·01				·37		·32	·25		3
4		·16	·20					·08		·39			4
5	·26		·02	·21				·10	·14	·07	·13		5
6			·07			·08			·10	·04	·08		6
7	·29		·01	·01		·19	·15			·37		·02	7
8	·25			·14			·86	·67		·37	·18	·09	8
9	·02		·05	·09				·10	·01		·08	·10	9
10	·26		·18	·29				·10		·01	·02	·01	10
11	·10	·01	·35	·06					·01	·44			11
12	·11		·08	·02	·01			·31		·59			12
13	·15		·04	·01				·18	·03				13
14	·01			·22				·12		·06	·01	·02	14
15	·05			·03			·01	·01		·04			15
16		·10		·23	·15	·74	·10			·84		·28	16
17	·01	·20		·11	·62	·03	·24	·04	·47	·33			17
18	·05	·05		·06	·06	·10	·17	·02	·36	·10			18
19	·01	·15	·06		·01	·02			·44		·02		19
20	·03	·16	·04		·56	·02	·01	·07			·04		20
21	·02		·02	·02	·01	·09				·02	·02		21
22			·15					·10		·07			22
23		·08	·01		·13			·14				·02	23
24		·05	·03			·03		·07		·34	·04	·05	24
25		·02	·01								·09		25
26			·10			·02		·20	·04		·39	·02	26
27			·03					1·06				·07	27
28			·05			1·71		·26				·01	28
29			·02		·13	·03	·87	·17		·53		·12	29
30	·02	×	·25				1·27	·16		·01		·01	30
31	·08	×	·09	×		×	·40	·02	×	·01	×	·01	31
													YEAR'S TOTAL
Total	1·72	·98	1·86	2·08	1·68	3·10	4·08	5·25	1·65	4·95	1·55	·84	29·74
Rain Days.	17	10	22	17	9	13	10	24	10	20	15	15	182

W. 8,000, VIII. 16

8/ 12 ~~113~~

FORM A.
BRITISH RAINFALL.

27.1.19

REGISTER OF RAINFALL IN 1918

Kept at Watford

in the County of Hertfordshire

by J. Hopkinson

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·06		·24				·01			·19	·04	1
2		·04		·13				·23		·01	·18	·26	2
3		·01	·03	·01	·52			·03	·08		·50	·02	3
4		·07	·07	·02				·03	·35	·02	·55	·03	4
5		·02	·01		·08			·14	·05	·09		·01	5
6	·10	·24		·30	·14			·04	·01			·11	6
7	·03	·10		·09	·11			·02	·23	·09	·13		7
8	·01			·01					·19	·03	·05	·02	8
9	·02	·08		·06		·07	·32		·36	·16		·15	9
10	·03			·05			·38		·08	·01		·31	10
11				·02	·07		·33		·07	·46	·07	·09	11
12		·08			·20		·22		·06	·01			12
13	·01	·01		·01	·17		·20		·30			·11	13
14	·26		·02	·01		·22	·06		·25	·17		·17	14
15	1·20			·80		·04	·24		·01			·14	15
16	·18			·63		·02			1·01	·04		·01	16
17	·20		·01	·35	·12	·16	·15	·05	·01			·15	17
18	·59			·01		·23	·17	·01	·30	·13		·09	18
19	·09	·02	·02	·08		·10	·20		·04	·05		·17	19
20	·02	·15		·78		·03	·06		·10	·18	·01	·08	20
21	·17	·02		·75					·39	·03	·01	·04	21
22	·06				·22		·18		·06			·12	22
23	·02				·50		·64	·03	·01			·01	23
24		·16				·02	·03		·08		·16		24
25						·01	·14	·34	·01		·03	·01	25
26							·19	·03		·02	·15	·19	26
27		·02		·07			·06	·25	·07		·10	·04	27
28		·07	·18			·07		·01			·20	·17	28
29									1·31		·01	·01	29
30			·34						·04		·05	·04	30
31	~~·01~~		·07							·08		·02	31
Total	2·99	1·15	·75	4·42	2·13	·97	3·57	1·22	5·47	1·58	2·39	2·61	YEAR'S TOTAL 29·25
Rain Days.	17	16	9	20	10	11	17	14	26	17	16	28	201

W. 8,000, VIII. 16

W. 1806 coordy Observer

2.11.20

5 JAN 20

REGISTER OF RAINFALL ~~IN~~ 1919

Kept at Weetwood, Watford,
in the County of Herts
by John & Kate Hopkinson

RAIN GAUGE.
Lat. Long.
Time of Observation 9. a. m
Diameter 5 inch
Height of top above Ground 1·3
" " Sea Level

NOTE.—Full instructions respecting the measurement of rain are given in "*The British Rainfall Organization—Rules for Rainfall Observers*," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	57		02		16		27	01		02	01	1·13	1
2	27		03		08		25		18	18	17	32	2
3	36		33		02		15	01	06		05	29	3
4	09	01	40			07	04	05	07		02	12	4
5	01	29	72						15		02	31	5
6	04		09		01						02	05	6
7	04		47								06		7
8	19		08	55									8
9	02		02	03	14						09		9
10	09		09	01						02	02	09	10
11	04		10	23						04	01		11
12	01		09	12		09	29			04	05		12
13	01	01		·33			07						13
14	32	04	11	55			05		40			02	14
15	34	02		16							03	58	15
16	17	65		01							09	04	16
17		80									24	03	17
18		13	10					04	05		10	11	18
19	05	15	82			25	31	20	06		15		19
20	37	11	11			68	04	27	01		01		20
21	27	40	02			05	14				02	17	21
22		18				02	10		18		02	36	22
23				18		05	16	05	18	03	02		23
24								07		26	02	02	24
25	03	01		10	02	03		62		01	12	05	25
26	06	23	12	10				03	08			47	26
27	87	03	01	1·16				48			02	02	27
28			19	04				72		02	16	28	28
29	05		01	11				26		15	08	02	29
30			05	22		19				03	34	51	30
31			01				02	12		01		(·05)	31
Totals	4·27	3·06	3·99	3·40	·43	1·43	1·89	2·93	1·42 ~~2·02~~	·81	1·94	5·04	30.64
Total ~~from Jan. 1~~	23	15	23	16	6	9	13	14	11	12	26	22	190

K/4,000/11/02. EDWARD STANFORD, LONG ACRE, W.C. PRICE 3D.

Total in year ~~31. 21~~ inches 30.64

Days 190.

cnd g Herts NHS -

828

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Weetwood, Watford

in the County of Herts

by Kate Hopkinson

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ....

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				-63	-17		-32	-01	-01	-39		-32	1
2			-01	-02			-46	-54	-08	-01		-13	2
3		-11		-07			-14		-10	-04		-03	3
4				-05	-03		-12	-15	-01	-37		-09	4
5			-05		-12		-60	-05	-02			-02	5
6		-03	-25				-38	-02				-06	6
7			-02	-18			-12						7
8	-13	-04		-23	-02		-14	-08				-02	8
9	-42	-01		-06			-01	-01					9
10	-43	-09	-08				-14						10
11	-18		-08	-22	-05	-05	-17					-10	11
12	-06			-15		-05	-01				-03		12
13	-09	-01	-08	-30		-60		-	-03		-06		13
14	-03	-01	-37	-20		-45	-10		-17	-29	-31	-04	14
15	-02	-05	-17	-23			-06		-30	-07	-07	-02	15
16	-03			-35		-05			-06	-08		-01	16
17					-19		-02		-30			-03	17
18	-07				-02			-62	-17			-04	18
19	-09			-11		-07		-05					19
20	-07	-10		-21		-52			-04			-05	20
21							-49		-47			-14	21
22	-02			-27			-01		-10			-24	22
23							-82	-02				-44	23
24	-02		-13									-06	24
25	-01	-06	-05	-01	-02		-32						25
26	-07		-11		-04	-01	-07	-02				-04	26
27	-39	-08			-14	-27					-59	-19	27
28	-41		-23	-28	-08	-02	-12				-03	-01	28
29	-22	-02	-02	-04			-06				-17	-39	29
30	-06			-02	-01	0-6	-42		-26	-01	-23	-26	30
31	-05				-02					~~-40~~ 20		-11	31
Total	2·84	0-61	1-65	3-63	0.91	2-15	5.10	1-57	2·12	1-46	1-49	2·84	Year's Total 26-37
Days with ·01 in. or more	21	12	14	20	13	11	23	11	15	9	8	24	181
Days with ·04 in. or more	15	7	11	17	7	9	19	6	11	7	6	17	132

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Watford
Park Road.
Hertfordshire
1911–1920

1913 missing

el His Soc

AINFALL IN 1911

FORM A2.
BRITISH RAINFALL.

18 MAR 1912

Rain Gauge
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

sured daily at 9 a.m., and the result entered to the onform to this almost universal rule, he is earnestly anuary of the following year in the space provided tructions for the measurement of rain, l particulars as to the British Rainfall bservers," sent post-free on application to ,W.

Jan. 1, following.

							July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
							.05	.09					1
2	.06			.33	.17						.21	.17	2
3		.01			.18						.10	.07	3
4	.04	.03		.07						.14	.12	.40	4
5	.01		.07	.02						.03		.01	5
6	.40		.08								.01	.51	6
7	.03									.12	.35	.26	7
8	.15		.21	.02							.09	.14	8
9	.07										.01	.05	9
10	.03	.05	.18	.01							.01	.50	10
11	.21		.01		1.73						.66		11
12	.02		.45						.02		.22		12
13	.01		.05		.76				.46	.62		.35	13
14		.03	.03		.14							.42	14
15		.05	.16							.03	.06	.01	15
16			.01			.20					.39	.06	16
17			.05			.17					.20	.22	17
18		.13	.03			.30					.35	.25	18
19		.02				.22			.13	.06	.27	.17	19
20	.01	.05	.01					.45	.13	.02	.01	.71	20
21	.02	.10						.77		.61		.08	21
22	.08		.04			.03				.18		.53	22
23		.09	.22			.56			.19			.20	23
24		.12	.02			.12		.03		.75		.19	24
25			.01	.07		.15	.29		.01	.01		.01	25
26		.09		.14	.02	.11	.02	.02		.16	.01	.31	26
27		.39	.09	.07			.06		.11		.03	.14	27
28		.37		.29				.09			.05		28
29						.18	.13		23	.25	.01		29
30			.01	.05	.03			.07		.18		.01	30
31					1.03								31
Total	1.17	1.53	1.73	1.65	4.06	2.04	.55	1.52	1.28	3.16	3.16	5.77	TOTAL for year 27.62
No. of Rain Days.	15	14	19	11	8	10	5	7	8	14	20	25	156

W. 8,000, X. '11.

l His Soc

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
18 MAR 1912

EJRM

Kept at Watford 19 Park Road

in the County of Herts

by E J Glinon J Hopkinson

RAIN GAUGE	Pattern
	Diameter of top ... in.
	Height of top above Ground ... ft. ... in.
	,, ,, ,, Sea Level ... ft.
Time of Observation	
Nearest Railway Station	Name
	Distance ... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03			.58			.05	.09					1
2	.16			.33	.17						.21	.17	2
3		.01			.18						.10	.07	3
4	.04	.03		.07						.14	.12	.40	4
5	.01		.07	.02						.03		.01	5
6	.40		.08								.01	.51	6
7	.03									.12	.35	.26	7
8	.15		.21	.02							.09	.14	8
9	.07										.01	.05	9
10	.03	.05	.18	.01							.01	.50	10
11	.21		.01		1.73						.66		11
12	.02		.45						.02		.22		12
13	.01		.05		.76				.46	.62		.35	13
14		.03	.03		.14							.42	14
15		.05	.16							.03	.06	.01	15
16			.01			.20					.39	.06	16
17			.05			.17					.20	.22	17
18		.13	.03			.30					.35	.25	18
19		.02				.22			.13	.06	.27	.17	19
20	.01	.05	.01					.45	.13	.02	.01	.71	20
21	.02	.10						.77		.61		.08	21
22	.08		.04			.03				.18		.53	22
23		.09	.22			.56			.19			.20	23
24		.12	.02			.12		.03		.75		.19	24
25			.01	.07		.15	.29		.01	.01		.01	25
26		.09		.14	.02	.11	.02	.02		.16	.01	.31	26
27		.39	.09	.07			.06		.11		.03	.14	27
28		.37		.29				.09			.05		28
29						.18	.13		.23	.25	.01		29
30			.01	.05	.03			.07		.18		.01	30
31					1.03								31
Total	1.17	1.53	1.73	1.65	4.06	2.04	.55	1.52	1.28	3.16	3.16	5.77	TOTAL for year 27.62
No. of Rain Days.	15	14	19	11	8	10	5	7	8	14	20	25	156

W. 8,000, X. '11.

3 x M2

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL. 2- JAN 1913

Kept at 19 Park Rd Watford

in the County of Hertford 2

by Edward John Slinn

Rain Gauge { Pattern Negretti & Zambra
Diameter of top 5 in.
Height of top above Ground — ft. 17 in.
" " " Sea Level 263 ft.

Time of Observation 9·30 am

Nearest Railway Station { Name Watford
Distance 700 yds Direction SE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			06			15	08		05	27		15	1
2			08	01	03		27	03					2
3	05		14			28	02	27	02			08	3
4	29		57		20	19		05			26		4
5	23	12	14			04		32	01		03		5
6	54	02						27	02			09	6
7	01		01		03	52	02	13				06	7
8	44	32	24					14	01			02	8
9	10	16		05		13	02	07				26	9
10		03						16			07	15	10
11	10	25	01			01			02		03	16	11
12	06	17	11		06	07					10		12
13						04			01	02	13	02	13
14			06		03			03		04	01	02	14
15	01	02	11		18	37		05				20	15
16	28		07		05	01		13		10	03		16
17	34		30			11		09				01	17
18	16		15					39			02	14	18
19	14	09	16			01	30	69		01	01		19
20	02		20				01	36		32			20
21	01	07	29		27			09		13	04		21
22	33	18	10		13		14	20		01		05	22
23	34	29	35				13	33			16	14	23
24	40	02				01		05				06	24
25						16		53			27	53	25
26		02					06	23		45	46	31	26
27			02			03				30		19	27
28		05				02	06	13	02	41	41	33	28
29		03				46	06	20	1·64	17	03	01	29
30					38	01	12	01	86	31			30
31			29		06		20	13				06	31
Total	3·85	1·84	3·46	·06	1·42	2·62	1·49	5·08	2·66	2·54	2·06	3·04	TOTAL for year 3012
No. of Rain Days.	19	16	21	2	11	19	14	26	10	13	16	22	189

3012

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

8 - JAN 1915

REGISTER OF RAINFALL IN 1914

2

Kept at 19 Park Rd Watford

in the County of Hertford

by Edward John Slim

Lat. Long.

Time of Observation 9·30 am

Nearest Railway Station Watford

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level B M 263 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

	Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	1								12			05	04	1
	2	01		~~[illegible]~~			01	12	21			03	18	2
	3			03	01	22		12	02			07		3
	4	17		01	25	08			11			31	38	4
	5	01		08	14	20	06	63	25				~~[illegible]~~	5
	6		11	02		05	17	05	02			19	22	6
	7		23	30	05	65	02	17	02				13	7
15	8	05	15	68	04	04	14	32	10				01	8
01	9	17	01	53	10		38			10			1·31	9
	10	01	16		09	05			01	19				10
	11		25	51			55			03		20	30	11
	12	01	06	12				23		31		02	37	12
	13		35	27				04		15	12	03	49	13
	14		09	53							33	13	38	14
	15	07	01	22					02	04	02	01	05	15
	16			03				01		15		02		16
	17		46	09						13			33	17
	18			08				01					33	18
	19		07	27				19				14	09	19
	20		23	16			02	01		03			12	20
	21		50	04			28			03	04		05	21
	22		26	02		13	07	08	04		50			22
	23		07	10		18	01				10			23
	24			03	02			05	01		08	12		24
	25	03		10					18		37		10	25
	26			14				04	03		05	17	57	26
	27	03		03								04	26	27
	28		03			06					04	37	1·35	28
	29	04		14							25	15		29
	30			06							05	43	48	30
	31					08		07					03	31 ✓
	Total	·60	3·04	4·59	·70	1·74	1·71	2·14	1·14	1·16	1·95	2·48	7·57	YEAR'S TOTAL 28·82
	Rain Days.	11	17	26	8	11	11	14	14	10	12	18	23	177 ✓

W. 7,500, XI. ·12

989

FORM A.
BRITISH RAINFALL
3 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at 19 Park Rd. Watford

in the County of Hertford 2

by Edward John Slinn

Lat. Long.

Time of Observation 9·30

Nearest Railway Station Watford Junction

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level B.M. 263 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	48	17	04		03		01		18	05	09	38	1
2	23	23	29	12		03	05	85		04		19	2
3	50		04					26				30	3
4	03			11								38	4
5	03	48								04		26	5
6	20	05		33			81	01				22	6
7	12	32	07				46	03				29	7
8	04	52	01	03			01	06					8
9		12		08		03		09			18	65	9
10	27		02					03				09	10
11	02		03							01	88	01	11
12	09	06		25	45			18		01	35	03	12
13		58			1·07			01					13
14		03			01		87	09				65	14
15	18				03		01	20			15	14	15
16	01	57					69					09	16
17		29			53		09						17
18		19	03		04								18
19		03					16						19
20	38		04	09								17	20
21	13	01					04						21
22	82	20	33				66		01			30	22
23	02	36	08			02			50	41	01	32	23
24			07			01	33		45	10		25	24
25			01	05		05	15			07	01	14	25
26		12				10	17		02			49	26
27						28	18			42		08	27
28		12				16			1·09	17			28
29						03	28	13			11	01	29
30	04	X				99				12	17	02	30
31	01	X		X		X		04	X	1·10	X	15	31
Total	3·60	4·45	1·06	1·06	2·16	1·70	4·97	1·98	2·25	2·54	1·95	5·61	YEAR'S TOTAL 33·33
Rain Days.	19	19	13	8	7	10	17	13	6	12	9	24	157

W. 8,000. X. 14.

Esc FW. 960

FORM A.
BRITISH RAINFALL.
2 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at 19 Park Rd Watford
in the County of Hertford
by Edward John Elvin

Lat. Long.
Time of Observation 9·30
Nearest Railway Station Watford Junction
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level B.M. 263 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	14		01		36	05			11	03	28		1
2	47	01	09		19				15	37	02		2
3		48	06				02		14	27	22		3
4	24	10	01			40	03		02	11	47		4
5	03	01		01	03	12	01			10	63		5
6		05	33	20		20	38			03	41	02	6
7	12		28		10	09	29				62		7
8			05		42	02					01	34	8
9					17					10		03	9
10		17	10	07		19	19					02	12) 10
11	05	09	07	16		12						02	11
12	02	03	04	07	27	16	03	20		07		02	01) 12
13		42	37	10	02	04	13	45	01	01			13
14		43	03	03	10			23		06		14	14
15		18	36				06	25		01			15
16		04	34	14	03		15	11					16
17	09	08		04			02	25	31	41			17
18		08	04	09				19	18	03	62		18
19	10	03	17	24					30		61	11	19
20	18		20	08							01	51	20
21	02		60				15					40	21
22		05	03		03	01				05		55	22
23	02	33				08		01			04	08	23
24		11			05	11		03		12	03	38	24
25		60	04		04			23		09	10		25
26		12				09		05		07			26
27	09	01	85			06		34	10	14			27
28		29	34			11			21	01		20	28
29		07				20		1·37	01	40	01	19	29
30		X		01	09	11		06		34			30
31		X		X		X		05	X	10	X	03	31
Total	1·57	3·78	4·41	1·24	1·90	2·16	1·46	3·82	1·54	2·92	4·08	3·13	YEAR'S TOTAL 32·01
Rain Days.	13	23	22	13	14	18	12	15	11	22	15	16	194

W. 8,000. X. 15.

926

FORM A. BRITISH RAINFALL.

2. JAN. 1918

REGISTER OF RAINFALL IN 1917

Kept at 19 Park Rd. Watford

in the County of Hertford

by Edward John Slinn

Lat. Long.

Time of Observation 9-30 a m

Nearest Railway Station Watford Junction

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level B.m. 263 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				30				88			11		1
2				23		05		09	06		13		2
3				03				37		31	23		3
4		16	17					08		38	11		4
5	24		01	18					15	08			5
6			07			06			10	02	09		6
7	29					18	14			38		02	7
8	29			17			86	68		37	15	07	8
9	03		04	11			02	08	01		08	12	9
10	23		17	28				11			03	01	10
11	09	01	37	05					02	42			11
12	17		09	02	01			31		59	01		12
13	06		04					13	03				13
14				23				12		06		01	14
15	05						02			03			15
16	02	10		22	13	62	10			80		29	16
17		01		11	63		22	03		31			17
18	05	10		08	06	12	14	03	47	11			18
19	01	16	05		01	02			26				19
20	04	14	05		52		01	06	42		07		20
21	03		02	02	03	01				02	03		21
22			11			11		10		07			22
23		08			12			12					23
24		05				03		5		33	05	04	24
25		02	04								12		25
26			06			03		19	06		28		26
27								96				06	27
28			02			1·63		23				01	28
29					10	05	86	18		49		11	29
30	04	X	23				73	16				01	30
31	03	X	06	X		X	42	02	X	1	X	01	31
Total	1·67	·83	1·60	2·03	1·61	2·91	3·52	4·98	1·58	4·78	1·49	·76	YEAR'S TOTAL 27·76
Rain Days.	16	10	17	14	9	12	11	22	10	18	14	12	165

W. 8,000, VIII. 16

Etd F.F.E.

11

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
8. 1. 19

Kept at 19 Park Rd. Watford
in the County of Hertford
by Edward John Sluis

Lat. Long.
Time of Observation 9·30
Nearest Railway Station Watford Junction
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level BM 263 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				21							18	04	1
2		10		13				23		01	22	25	2
3		01	03	01	50			03	07		50	02	3
4		06	06	02				03	34	02	44	01	4
5		02			08			15	07	07			5
6	11	22		30	15			03	01			10	6
7	02	11		10	11	01		01	18	09	12		7
8	02	02		01					19	06	08	02	8
9		06		05		08	37		35	14		15	9
10	04			05			39		08			29	10
11				02	05		35		08	45	07	09	11
12		07			19		22		07			01	12
13	01				17		17		17			10	13
14	24		01			26	08		35	17		18	14
15	1·05			73		03	25		01			13	15
16	20			72		03			90	03		01	16
17	19			27	15	15	16	04	NM			14	17
18	58					22	15		31	17		09	18
19	09	02	02	09		01	17		06	05		17	19
20	02	13		93		03	07		10	14		01	20
21	18	01		55					38	04		01	21
22	05				22		11		07			18	22
23	03				44		73	03	01			05	23
24		15				02	08		07		17		24
25						01	10	24	06		05		25
26							20	03	NM	03	12	17	26
27				09			06	24	06		12	05	27
28		07	17			09		01	–		19	17	28
29			01						1·21		01	01	29
30		X	32						04		05	03	30
31		X	07	X		X			X	08	X	01	31
Total	2·83	1·05	·69	4·28	2·08	·94	3·66	1·07	5·24	1·55	2·32	2·49	YEAR'S TOTAL 28·20
Rain Days.	15	14	8	17	10	12	17	12	25	15	14	27	186

W. 8,000, IX. 17.

874

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at 19 Park Rd.

in the County of Watford Herts

by Edward John Slimm

Lat. .... Long. ....

Time of Observation 9·30

Nearest Railway Station Watford Junction

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level BM 263 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	54	04	02		15		25			03	01	1·13	1
2	27		02		08		03		18	14	16	21	2
3	37		31		02		22		07		05	27	3
4	10	07	32			08	15	06	06		01	12	4
5	01	30	73				04		14		02	28	5
6	03		08		01						01	05	6
7	03		43								05		7
8	18		09	03							01		8
9	01		01	03	15						08		9
10	10		08	02						01	03		10
11	04		10	23			28				01	11	11
12	01		10	02		08	08			03	01	01	12
13	01	04		33						03		01	13
14	31	02		50			05		35				14
15	34	03	12	15						01	02	51	15
16	16	63		01							08	04	16
17	01	73	01								22	03	17
18		09	09					06	05		09	10	18
19	07	15	80			23	29	15	05		09		19
20	35	10	10			72	04	28	01		01	01	20
21	26	39	02			06	16	01			02	10	21
22	01	17				01	07		74		01	36	22
23						05		05	17	01	01		23
24				20		03	16	07		25	12	04	24
25	03			11	01			59				02	25
12 26	12	22	12	20				01	06			44	26
27	1·01	02	02	93				45			02	02	27
28			12	04				70		02	16	26	28
29	04			12				27		14	08	02	29
30		×	06	22		15		12		03	36	47	30
31		×	01	×		×	01		×		×	02	31
Total	4·41	3·00	3·76	3·14	·42	1·41	1·83	2·82	1·88	·70	1·74	4·63	YEAR'S TOTAL 29·74
Rain Days.	25	15	23	16	6	9	14	13	11	11	26	24	193

W, 6,500, VII. 18. W W C

Max daily fall 1·13 in on Dec 1.

Ex. 1506

874

JAN 20

Hertfordshire Natural History Society.

Register of Rainfall in 1919

At 19 Park Road Watford Herts

Latitude

Longitude

Rain Gauge. Diameter of Funnel 5"

Height of top above Ground 1.' 6"

Height of top above Sea-level BM 263

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	54	04	02		15		25			03	01	1.13	1
2	27		02		08		03		18	14	16	21	2
3	37		31		02		22		07		05	27	3
4	10	07	32			08	15		06		01	12	4
5	01	30	73						14		02	28	5
6	03		08		01		04	06			01	05	6
7	03		43								05		7
8	18		09	03							01		8
9	01		01	03	15						08		9
10	10		08	02						01	03		10
11	04		10	23			28				01	11	11
12	01		10	02		08	08			03	01	01	12
13	01	04		33						03		01	13
14	31	02		50			05		35				14
15	34	03	12	15						01	02	51	15
16	16	63		01							08	04	16
17	01	73	01								22	03	17
18		09	09					06	05		09	10	18
19	07	16	80			23	29	15	05		09		19
20	35	10	10			72	04	28	01		01	01	20
21	26	39	02			06	16	01			02	10	21
22	01	17				01	07		74		01	36	22
23						05		05	17	01	01		23
24				20			16	07		25	12	04	24
25	03			11	01	03		59				02	25
26	12	22	12	20				01	06			44	26
27	1·01	02	02	93				45			02	02	27
28			12	04				70		02	16	26	28
29	04			12				27		14	08	02	29
30			06	22		15		12		03	36	47	30
31			01				01					02	31
Total	4·41	3·00	3·76	3·74	·42	1·41	1·83	2·82	1·88	·70	1·74	4·63	29·74
Days	25	15	23	16	6	9	14	13	11	11	26	24	193

Total in Year 29·74 Days 193

Signed Edward John Slinn Date 1 January 1920

(The rain should be measured at 9 a.m. and entered to the previous day.)

827

3 JAN 192

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at 19 Park Rd. Watford
in the County of Hertford
by Edward John Slinn

Lat. Long.
Time of Observation 9·30
Nearest Railway Station Watford Junction
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
„ „ „ „ Sea Level AM 263 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				60	15		29			37		30	1
2			01				40	59	07			12	2
3		09		06			10		09	03		01	3
4		05		05			11	13	01	32		09	4
5			03		02		58	05				03	5
6			25		11		35	02	02		01	04	6
7	01		02	17			14						7
8	10	02		23	01		12	07					8
9	37			06									9
10	37	07	07			04	14						10
11	16		06	19	05	05	16					09	11
12	06		01	13		58	01				04		12
13	09		06	31					02		03		13
14	01		37	17		51	11		16	29	26		14
15	01	05	15	22			05		03	07	06		15
16				30		15			05	07			16
17	02			01	17		01		28			08	17
18	03							60	17			03	18
19	11			11		05		05				02	19
20	06	09		22		51			02			03	20
21							48	03	45			13	21
22	02			25					08			22	22
23							77					41	23
24	01		12	01								05	24
25	01	06	05		03		29						25
26			10	01	05	02	06					04	26
27	39	09		27		15					56	13	27
28	39	01	20	03	13	01	10				03	01	28
29	17		01		02		06				15	33	29
30	04	×		01	01	05	41		26		22	23	30
31	03	×		×	01	×			×	18	×	10	31
TOTAL	2·46	·53	1·51	3·41	·76	2·12	4·74	1·54	1·71	1·33	1·36	2·49	YEAR'S TOTAL 23·96
Days with ·01 in. or more	21	9	15	21	12	11	21	8	14	7	9	21	169
·04	12	7	10	16	6	9	19	6	9	6	6	15	121

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

R 19 11.

FORM A2.
BRITISH RAINFALL.

17 - FEB 1912

HERTS

WATFORD - LONDON ORPHAN ASYLUM

1911-1920

Kept at London Or

in the County of H

by Rev. O. C.

f top 5 in. 1

op above Ground ~~23~~ ft. — in.

" Sea Level 231 ft.

n 9 a.m.

tation Name Watford Junc.
Distance about 200 yds Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03		·01	·61			·04	·07					1
2	·07			·31	·17							·17	2
3					·19						·08	·06	3
4	·04	·03	·08	·06						·10	·15	·41	4
5	·01			·03						·04	·01	·04	5
6	·42		·06								·01	·46	6
7	·04									·11	·41	·30	7
8	·16		·20								·09	·14	8
9	·08		·01	·04							·02	·06	9
10	·03	·05	·19		·03						·01	·49	10
11	·22		·01		·78						·65	·02	11
12	·02		·42		·08				·03		·22	·02	12
13			·05		·30				·44	·62	·01	·31	13
14		·04	·02		·17							·29	14
15		·06	·14		·01					·02	·05	·15	15
16			·01			·21				·01	·40	·09	16
17	·02		·06			·20					·23	·24	17
18		·15	·04			·29					·34	·15	18
19						·23			·14		·25	·27	19
20	·01	·06	·01					·48	·17	·68}	·01	·69	20
21	·02	·13						·76				·09	21
22	·09					·06				·33		·54	22
23	·01	·09	·24			·56			·19		·01	·21	23
24		·12	·02			·08		·02		·59		·20	24
25		·05	·04	·07	·01	·22	·27		·01	·27		·02	25
26		·04	·01	·17	·02	·10	·02	·03		·15		·33	26
27		·41	·08	·04			·03		·11		·03	·15	27
28		·37		·27	·01			·07			·06	·02	28
29			·01	·07		·18	·12		·23	·28	·01		29
30			·01	·01	·03	·02		·05	·02	·17	·01	·02	30
31					1·45					·01			31
Total	1·27	1·60	1·72	1·68	3·25	2·15	·48	1·48	1·34	3·38	3·06	5·94	TOTAL for year 27·35
No. of Rain Days.	16	13	22	11	13	11	5	7	9	15	22	28	172

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

II - FEB 1912

REGISTER OF RAINFALL IN 1911.

Kept at London Orphan Asylum

in the County of Herts Watford 2

by Rev. O. C. Cockrem.

RAIN GAUGE Pattern Syl.
Diameter of top 5 in.
Height of top above Ground ~~24~~ 1 ft. — in.
" " " Sea Level 231 ft.

Time of Observation 9 a.m.

Nearest Railway Station Name Watford Junc.
Distance abt 2000 Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03		·01	·61			·04	·07					1
2	·07			·31	·17							·17	2
3					·19						·08	·06	3
4	·04	·03	·08	·06						·10	·15	·41	4
5	·01			·03						·04	·01	·04	5
6	·42		·06								·01	·46	6
7	·04									·11	·41	·30	7
8	·16		·20								·09	·14	8
9	·08		·01	·04							·02	·06	9
10	·03	·05	·19		·03						·01	·49	10
11	·22		·01		·78						·65	·02	11
12	·02		·42		·08				·03		·22	·02	12
13			·05		·30				·44	·62	·01	·31	13
14		·04	·02		·17							·29	14
15		·06	·14		·01					·02	·05	·15	15
16			·01			·21				·01	·40	·09	16
17	·02		·06			·20					·23	·24	17
18		·15	·04			·29					·34	·15	18
19						·23			·14		·25	·27	19
20	·01	·06	·01					·48	·17	·68}	·01	·69	20
21	·02	·13						·76				·09	21
22	·09					·06				·33		·54	22
23	·01	·09	·24			·56			·19		·01	·21	23
24		·12	·02			·08		·02		·59		·20	24
25		·05	·04	·07	·01	·22	·27		·01	·27		·02	25
26		·04	·01	·17	·02	·10	·02	·03		·15		·33	26
27		·41	·08	·04			·03		·11		·03	·15	27
28		·37		·27	·01			·07			·06	·02	28
29			·01	·07		·18	·12		·23	·28	·01		29
30			·01	·01	·03	·02		·05	·02	·17	·01	·02	30
31					1·45					·01			31
Total	1·27	1·60	1·72	1·68	3·25	2·15	·48	1·48	1·34	3·38	3·06	5·94	TOTAL for year 27·35
No. of Rain Days.	16	13	22	11	13	11	5	7	9	15	22	28	172

W. 8,000, X. '11.

Cowdly Hopkins on 5.III.13

FORM A.
BRITISH RAINFALL.

27 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at London Orphan Asylum, Watford
in the County of Herts. 2
by Rev Dr A. C. Cockrem

Lat. 51·39 Long. 0°·24
Time of Observation 9 a.m.
Nearest Railway Station Watford Junction
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept. Oct	Oct. Sep	Nov.	Dec.	Date.
1			·08			·17	·08	·02	·28	·06		·18	1
2			·13	·02		·08	·26	·26	·01			·01	2
3	·07		·13	·02	·03	·19	·03	·05			·01	·05	3
4	·30		·59		·19	·24		·34		·02	·25	·01	4
5	·23	·11	·11			·05		·24		·01	·03	·01	5
6	·73	·03	·01					·18		·03		·09	6
7		·01	·02		·04	·50	·01	·20			·01	·05	7
8	·44	·33	·23			·01	·02	·05				·02	8
9	·09	·18		·05		·10		·16	·02			·24	9
10		·03	·01	·01				·01	·01	·01	·07	·15	10
11	·08	·28				·02			·01	·02	·02	·15	11
12	·07	·14	·11		·06	·08					·08	·01	12
13		·01	·01			·04			·02	·01	·12	·03	13
14			·03		·02				·04		·01	·03	14
15		·02	·14		·18	·40		·09	·01		·01	·21	15
16	·27		·09		·06	·01		·14	·09		·04	·01	16
17	·18		·29			·11		·10				·02	17
18	·16		·16					·24			·02	·15	18
19	·13	·12	·17			·01	·33	·70	·01		·01		19
20	·04	·01	·17				·02	·40	·29		·01		20
21	·02	·05	·34		·23			·09	·11		·03		21
22	·37	·19	·10		·14		·13	·16	·01		·01	·05	22
23	·36	·31	·34		·01		·10	·44	·01	·01	·16	·15	23
24	·44	·02	·01					·06				·16	24
25	·01	·01				·16		·56			·24	·61	25
26		·05				·01	·04	·24	·43		·54	·23	26
27			·02			·02			·14			·22	27
28		·06				·01		·22	48 ·14	·02	·42	·39	28
29		·07				·34	·10	·04	·30	1·51	·02		29
30					·37	·01	·08	·01	·01	·95			30
31					·03		·17	·13				·06	31
Total	4·02	2·03	3·29	·10	1·36	2·59	1·34	5·16	2·48	2·65	2·11	3·29	YEAR'S TOTAL 30·45
Rain Days.	18	20	23	4	12	21	13	26	~~20~~ 19	11	21	26	215

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.
26 JAN 19

REGISTER OF RAINFALL IN 19~~14~~ 1913

Kept at London Orphan Asylum Watford
in the County of Herts 2
by Rev Dr Cockrem

Lat. 51° 39′ Long. 0° 24′
Time of Observation 9 am
Nearest Railway Station Watford Junction
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·13	·14	·07					·21		·09	·16	1
2	·02	·12	·02	·01	·05		·11		·02	·01	·05		2
3	·04		·03	·17	·66		·01			·01		·05	3
4	·13	·01	·02	·01	·10		·17			·06	·05	·06	4
5	·10					·01	·08		·04	·03	·01	·03	5
6		·04	·07		·07	·18	·02		·01	·14	·02	·08	6
7		·18			·10	·04	·02			·73	·05		7
8			·05		·11	·10				·10	·04		8
9		·17	·01	·01	·02	·01	·01		·03		·03	·07	9
10			·03	·07			·33				·49		10
11	·72			·46	·01			·12		·38	·37		11
12					·02			·03			·38		12
13	·06		·01						·06		·24		13
14	·08	·03	·10	·09			·42	·09		·13	·15		14
15	·17	·04	·27	·38			·13		·13		·01		15
16	·09		·37	} ·37					·03				16
17	·05	·03	·07				·14		·01		·02	·14	17
18	·03		·25	·14	·03						·02		18
19	·38		·09			·01	·13		·18			·02	19
20	·11		·05	·04						·57	·01		20
21	} ·43	·02	·13	·05	·01					·13	·52		21
22			·12	·01			·02	·15	·19				22
23			·01			·02			·03			·14	23
24	·02		·03	·04		·02		·03					24
25		·02	·01	·19							·01	·01	25
26		·03	·18	·12				·08		·64		·31	26
27			·03	·09						·05		·03	27
28	·25		·24	·17					·01	·09	·01		28
29	·05		·09	·56	·36			·09		·04		·01	29
30	·30			·02				·06		·31			30
31			·05					·35					31
Total	3·06	·82	2·47	3·04	1·54	·39	1·59	1·00	·95	3·42	2·57	1·11	YEAR'S TOTAL 21·99
Rain Days.	20	12	26	22	12	8	13	9	13	16	20	13	184

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
27 JAN 1915

Kept at London Orphan Asylum Watford
in the County of Herts 2 /4 RL
by E. Hartley Parker. Headmaster.

Lat. 51°39 Long. 0°24′
Time of Observation 9 a.m.
Nearest Railway Station Watford Junct
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							·11	·01			·05	·04	1
2							·06	·17			·04	·14	2
3		·01	·04	·01	·21			·29			·02	·06	3
4	·19			·24	·07		·65	·01			·36		4
5			·09	·14	·17	·07	·09	·09			·01		5
6		·14			·05	·19	·12	·21			·25	·21	6
7		·22	·31	·05	·69	·03	·35	·02			·01	·12	7
8	·06	·17	·04	·08	·06	·18						·02	8
9	·16		·70	·09		·59		·12	·03			1·39	9
10	·02	·15		·06	·05				·02			·03	10
11		·25	·57			·60					·18	·27	11
12	·02	·07	·10				·22		·35	·01	·01	·42	12
13		·38	·33						·15	·09	·04	·46	13
14		·10	·45				·03			·28	·17	·38	14
15	·07		·23							·06	·03	·02	15
16			·04						·03		·01		16
17		·49	·09						·04	·01		·30	17
18			·08						·22			·37	18
19		·07	·19				·17				·16	·02	19
20		·22	·23			·02				·01		·05	20
21		·47	·05			·31				·03		·04	21
22		·07	·02		·14	·07	·07	·05		·50			22
23		·06	·10		·21	·03	·01	·01		·10			23
24	·01		·07	·02				·01		·06	·12	·02	24
25	·03		·17				·03	·12		·37	·01	·12	25
26			·09				·03	·03		·05	·18	·54	26
27	·04		·08								·01	·25	27
28		·03			·06					·04	·37	1·25	28
29	·04		·09							·26	·13		29
30		X	·11							·05	·41	·50	30
31		X		X		X			X		X	·10	31
Total	·64	2·90	4·24	·69	1·71	2·09	1·94	1·14	·84	1·92	2·57	7·12	YEAR'S TOTAL 27·83
Rain Days.	10	16	24	8	10	10	13	13	7	15	21	25	172

W. 8,000. X. 14.

Eng SW.

988

FORM A.
BRITISH RAINFALL.
27 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at London Orphan School, Watford
in the County of Herts
by Rev E. Hartley-Parker

Lat. 51° 39' Long. 0° 24'
Time of Observation 9 a.m.
Nearest Railway Station Watford Junction
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·46	·30	·18		·01					·05	·19	·43	1
2	·25	·23	·28	·01		·02		·51		·04		·04	2
3	·50		·05	·14	·01		·05	·25				·45	3
4	·05											·38	4
5	·05	·47								·05		·29	5
6	·20	·04	·01	·33			·75					·24	6
7	·15	·30	·06				·60					·33	7
8	·05	·54	·02	·03				·18					8
9		·10		·04				·01			·19	·66	9
10	·25		·01			·04		·03				·11	10
11	·03		·03								·89		11
12	·04	·01	·01	·31	·40			·16		·03	·42	·04	12
13		·64			1·41								13
14		·02			·01		·91	·04	·08				14
15	·11	·01			·02			·21			·09		15
16	·01	·50											16
17		·36			·56		·10	·01		·01			17
18		·19	·05		·05								18
19		·05					·18			·01	·09		19
20	·48		·01	·08								·18	20
21	·04	·03										·06	21
22	·92	·22	·33	·01			·71					·28	22
23	·02	·48	·10			·02	·15		·42	·42		·33	23
24	·01		·03			·01	·36		·47	·10		·38	24
25			·06	·05		·05	·12		·01	·03		·02	25
26		·11					·14					·49	26
27						·34	·38			·42		·07	27
28		·08				·08			1·19	·18	·01		28
29						·04	·25	·12			·12	·01	29
30	·01	X				·74				·16	·17	·02	30
31	·01	X		X		X			X	1·00	X	·20	31
Total	3·64	4·68	1·23	1·03	2·47	1·37	4·70	1·55	2·14	2·50	2·14	5·04	YEAR'S TOTAL 32·58
Rain Days.	20	20	15	9	8	9	13	10	5	13	9	21	152

W. 8,000. X. 15.

Exd YW

959

FORM A.
BRITISH RAINFALL.

28 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at London Orphan School Watford

in the County of Herts.

by Rev E. Hartley Parker.

Lat. 51°·39' Long. 0°·24'

Time of Observation 9 a.m

Nearest Railway Station Watford Junct

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15	·09			·43	·04			·15	·02	·33		1
2	·48		·01		·21				·11	·40	·01		2
3			·54				·01		·13	·31	·27		3
4	·24		·10			·45	·11		·01	·12	·44		4
5	·02		·10	·02	·03	·12				·10	·64		5
6		·28	·08	·21		·17	·44			·03	·44		6
7	·10	·18			·11	·07	·22				·73		7
8		·03			·40							·37	8
9					·19					·11		·02	9
10		·13	·13	·05		·19	·11					·03	10
11	·15	·04	·14	·16		·14							11
12	·01	·03	·03	·08	·30	·13	·03	·23		·06		·01	12
13		·40	·46	·08		·05	·15	·35		·03			13
14			·50	·02	·10			·26		·03		·16	14
15		·45	·19				·07	·24		·01			15
16		·36	·02	·14	·03		·16	·18					16
17	·09		·08	·03			·02	·02	·33	·46		·01	17
18	·01		·09	·09				·28	·19	·02	·69		18
19	·09	·19	·04	·26					·30		·68	·06	19
20	·20	·17		·05							·01	·74	20
21	·02	·76					·14					·27	21
22		·04	·03			·01				·04		·62	22
23	·02		·33			·06		·01			·04	·12	23
24			·17			·16		·04		·13	·02	·47	24
25			·55					·23		·07	~~·01~~ ·10		25
26			·14		·05	·09		·01		·06			26
27	·08	·97	·01			·14		·31	·12	·16			27
28		·43	·33			·12		·01	·20	·01		·22	28
29			·08			·21		1·70		·40	·02	·14	29
30		✕			·08	·05		·04		·41			30
31		✕		✕		✕		·05	✕	·11	✕	·04	31
Total	1·66	4·55	4·15	1·19	1·93	2·20	1·46	3·96	1·54	3·09	4·48	3·28	YEAR'S TOTAL 33·49
Rain Days.	14	16	23	12	11	17	11	16	9	22	14	15	180

W. 8,000, VIII. 16 Mar. Feb.

Any HG rcd   Crd   925

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

30. JAN 19

Kept at London Orphan School Watford
in the County of Herts
by Rev E. Hartley Parker

Lat. 51°·39' Long. 0'·24
Time of Observation 9 a.m.
Nearest Railway Station Watford Junction
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·28				·96	·04		·14	·01	1
2				·30	~~·05~~	·05		·06			·12		2
3				·02				·33		·28	·32		3
4		·15	·16					·10		·50			4
5	·25		·07						·18	·10	·14		5
6			·03			·03			·16	·22	·13		6
7	·34		·02	·21		·11	16			·48			7
8	·27			·17			·94	·83		·28	·18	·09	8
9			·04	·10			·03	·09			·08	·14	9
10	·30		·19	·30				·14				·04	10
11	·10	·01	·41	·10					·01	·49			11
12	·12	·01	·09	·01	·03			·17		·66	·03		12
13	·05		·05					·22	·02		·05		13
14	·02		·01							·09			14
15	·04						·02	·12		·05			15
16	·03	·12		·21	·12	·42	·09			·95		·19	16
17	·01	·01			·78		·21	overlooked during vacation ×	·53	·32			17
18	·06	·11		·23		·12	·18	×	·25	·12			18
19	·01	·14	·05	·12	·08	·03			·48				19
20	·02	·20	·03	·08	·58		·05	×			·06		20
21	·01				·02	·01				·03	·03		21
22			·20			·12		×		·07			22
23		·08			·15			×					23
24		·08				·04	·01	×		·34	·12	·05	24
25		·02	·03			·02					·07		25
26			·09					×	·05		·37	·03	26
27			·02									·06	27
28			·01			1·72		(1·65) ~~3·15~~					28
29					·07	·16	1·06	·18		·53		·14	29
30	·03	×	·24				1·40	·14		·05		·03	30
31	·02	×	·10	×		×	·36	·02	×		×		31
Total	1·68	·93	1·79	2·13	1·83	2·83	4·51	~~6·45~~ (4·95)	·72	5·56	1·84	·78	YEAR'S TOTAL 32·05
Rain Days.	17	11	19	13	8	12	12	(22)	9	18	14	10	(165)

(30·55)

W. 8,000, IX. 17.

10

FORM A.
BRITISH RAINFALL

1. 2. 19

REGISTER W OF DL RAINFALL IN 1918

[illegible]

Kept at London Orphan School Watford

in the County of Herts

by Rev E Hartley Parker

Lat. 51°·39' Long. 0°·24'

Time of Observation 9 a.m.

Nearest Railway Station Watford Junction

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·02		·22							·21	·06	1
2	·03	·10						·25			·24	·30	2
3		·03	·05	·13	·60			·03	·07		·53	·01	3
4		·07	·07	·03				·02	·47	·02	·47	·03	4
5		·03			·09			·15	·07	·10			5
6	·14	·22		·35	·14				·01			·12	6
7	·26	·12		·10	·17			·02	·13	·07	·16		7
8	·38	·04		·02					·18	·06	·07	·02	8
9	·21	·06		·07		·08	·39		·41	·17		·17	9
10				·07			·51		·06	·01		·32	10
11	·05			·02	·10		·33		·10	·50		·11	11
12		·09			·15		·23		·05			·01	12
13	·09				·22		·21		·16			·06	13
14				·02		·33	·06		·42	·17		·25	14
15	·96			1·27		·04	·15					·13	15
16	·45			·40		·04			1·05	·04		·07	16
17	·21			·35		·13	·14	·04					17
18	·65					·23	·11		·37	·24		·15	18
19	·10	·02		·09		·03	·20	·02	·06	·06	·04	·16	19
20	·02	·15	·02	1·12		·02	·07		·11	·17	·02	·01	20
21	·18	·01		·62					·41	·03	·01	·01	21
22	·09				·19		·11		·09			·24	22
23	·04				·42		·94	·03			·01	·02	23
24		·17					·01		·07		·09		24
25							·27	·25		·01			25
26							·11			·03	·20	·19	26
27				·11			·02	·02			·14	·19	27
28		·05	·17			·10		·27	·06		·24	·03	28
29									1·42			·01	29
30		X	·40						·04		·05	·05	30
31		X	·03	X		X		·02	X	·10	X		31
Total	~~4·16~~ 3·86	1·18	·74	4·99	2·08	1·00	3·86	1·12	5·81	1·78	2·48	2·72	YEAR'S TOTAL 31·62 ~~31·92~~
Rain Days.	16	15	6	17	9	9	17	12	22	16	15	25	149

W. 8,000, IX. 17.

~~Imp~~ EgRh Sep pt estd. Obs. agrees. 873

modified 2.III.20

FEB 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at London Orphan School Watford
in the County of Herts
by Rev E Hartley Parker

Lat. 51° 39' Long. 0° 24'
Time of Observation 9 a.m.
Nearest Railway Station Watford Junction
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft – in.
" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·60	·07		·01	·06		·03		·25	·05	·20	1·32	1
2	·31		·03		·20		·40		·12	·13	·01	·38	2
3	·43		·35		·01		·25		·07		·03	·29	3
4	·11	·06	·48			·02	·19	·08			·02		4
5		·28	·78				·08		·24		·02		5
6	·02		·09		·01		·02				·01		6
7	·04		·50				·01				·04	·06	7
8	·23		·09	·02							·08	·07	8
9	·03		·02	·02	·14						·01		9
10	·11		·07	·11						·01	·02	·01	10
11	·03		·12	·20			·20				·01		11
12			·10	·06		·10	·02			·03	·03	·01	12
13	·01	·04		·26			·05			·04		·01	13
14	·37	·01		·71			·02		·28			·01	14
15	·34	·02	·14	·06						·01	·10	·66	15
16	·12	·80							(not measured 16th – 28th)		·06	·02	16
17		·59									·25	·03	17
18		·14	·07					·04			·08	·12	18
19	·02	·18	·75			·23	·30	·14			·18		19
20	·45	·13	·07			·92	·29	·27					20
21	·39	·43	·02			·07	·21		(·60)		·02	·53 }	21
22				·03			·23			·01	·02		22
23				·30		·04	·02			·02	·02	·09	23
24				·04				·15		·30	·11	·02	24
25	·04	·01		·31		·03	·16	·65		·01		·08	25
26	·12	·24	·12	·26								·52	26
27	·57	·02	·02	·26				·86			·04	·02	27
28			·14	1·30		·02		·48				·31	28
29				·12				·31	·06	·15	·02	·02	29
30		X	·06	·26		·01				·02	·40	·45	30
31	·02	X	·01	X		X		·12	X		X	·10	31
TOTAL	4·36	3·02	4·03	4·33	·42	1·44	2·48	3·10	(1·62) ~~1·02+~~	·78	1·78	5·13	(32·49) YEAR'S TOTAL ~~31·89+~~
Days with ·01 in. or more	21	15	21	18	5	9	17	10	(11) ~~8~~?	12	24	24	(187)+

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

cnd for auth by summary sheets

Dec pl' est'd

826,

18 FEB 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at London Orphan School

in the County of Hertfordshire.

by John J. Jackson (per Hert: N.H. Soc'y)

Lat. ____ Long. ____

Time of Observation ____

Nearest Railway Station ____

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	-	-	·69	·05	-	·36	-	·18	·47	-	·73	1
2	-	-	-	-	-	-	·18	·71	-	-	·04	·15	2
3	-	·10	·01	·06	-	-	·42	-	-	·02	-	-	3
4	-	·01	-	·05	-	-	-	·15	-	·41	-	-	4
5	-	·04	-	-	·01	-	·78	·06	-	-	-	·15	5
6	-	-	·28	-	·15	-	·38	·03	-	-	·20	-	6
7	-	-	-	·24	-	-	·17	-	-	-	·01	·16	7
8	·02	·30	-	·22	-	-	·17	-	-	-	-	+	8
9	·07	-	-	-	-	-	-	·13	-	-	-		9
10	·40	·10	·08	·04	-	·04	·14	-	-	-	-		10
11	·62	-	·06	·20	-	·04	·22	-	-	-	-	(·25) +	11
12	·20	-	-	·16	-	·76	-	-	·02	-	·02		12
13	·09	·10	·11	·35	-	-	-	-	-	-	·03	readings lost.	13
14	·14	-	·29	·19	-	·98	·14	-	·52	·32	·33	+	14
15	·02	·05	(·56)	·31	-	-	-	-	-	·09	-	+	15
16	·02	-	-	·34	-	·14	-	-	-	·09	-	+	16
17	-	-	-	-	·21	-	-	-	-	-	-	+	17
18	·04	-	-	-	-	-	-	-	·90	-	-	+	18
19	·11	-	-	·14	-	·08	-	·71	·14	-	-		19
20	·06	·05	-	·25	-	·60	-	-	-	-	-	+	20
21	·06	-	-	-	-	-	·57	·03	·54	-	-	·24	21
22	-	-	-	·32	-	-	-	-	·11	-	-	·39	22
23	-	-	-	-	-	-	·77	·01	-	-	-	·49	23
24	·07	-	·14	-	-	-	-	-	-	-	-	·05	24
25	·02	·04	·06	-	·13	-	·09	-	-	-	-	-	25
26	·01	-	·11	-	·17	-	·32	-	-	-	-	·04	26
27	·07	(·29)	-	·30	-	·18	·15	-	-	-	·70	·18	27
28	·24	-	·18	·03	·14	-	·12	-	-	-	·05	-	28
29	·40	-	-	-	·02	-	·58	-	-	-	·19	·39	29
30	·26		·01	-	·02	-	·08	-	·33	-	-	·26	30
31	·05		-		-		-	-		-		·11	31
TOTAL	2·92	·88	1·89	3·89	2·90	1·82	5·64	1·83	2·74	1·40	1·57	(3·59) ~~3·34~~ +	YEAR'S TOTAL 30·07 ~~29·82~~ +
Days with ·01 in. or more	22	9	12	17	9	8	18	8	8	6	9	21 ~~13~~ +	147 ~~139~~ +
Days with ·04 in. or more	15	8	10	16	6	8	18	5	7	5	6	17 ~~14~~	121 ~~117~~

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.

2 JAN 1912

R 1.

WATFORD
COLNE VALLEY W.W.
HERTS
1911 - 1920

Kept at The Colne
New Bu

in the County of Hert

by C.P.Sinclair

riffin & Sons
----in.
ve Ground One -- ft. Two in.
Sea Level 200 --- ft.
15 a.m.
Name Bushey
Distance 566 yds. Direction S.W.

IMPORTANT NO … ld the result entered to the previous day. If an … niversal rule, he is earnestly requested to add the r … year in the space provided for it at the end of t … rement of rain, the selection and pla … British Rainfall Organization are given … n application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	-	-	.52	-	-	.03	.06	-	-	-	-	1
2	.07	-	-	.30	.22	-	-	-	-	-	.23	.17	2
3	.01	-	-	-	.17	-	-	-	-	.01	.08	.08	3
4	.04	.02	.07	.02	-	-	-	-	-	.04	.13	.40	4
5	.01	-	-	-	-	-	-	-	-	.04	-	.02	5
6	.40	-	.09	-	-	-	-	-	-	-	.02	.49	6
7	.03	-	.01	. 04	-	-	-	-	-	.08	.35	.26	7
8	.15	-	.21	-	-	-	-	-	-	-	.13	.15	8
9	.05	-	-	-	-	-	-	-	-	-	.01	.04	9
10	.04	.05	.18	.01	-	-	-	-	-	-	-	.42	10
11	.18	-	-	-	.35	-	-	-	-	-	.66	.03	11
12	.02	-	.41	-	.12	.01	-	-	.01	-	.25	.02	12
13	-	-	.03	-	.33	-	-	-	.44	.66	-	.31	13
14	-	.04	.02	-	.12	-	-	-	-	-	-	.40	14
15	-	.04	.09	-	-	-	-	-	-	.02	.04	.02	15
16	-	-	-	-	-	.29	-	-	-	-	.38	.07	16
17	-	-	.05	-	-	.18	-	-	-	-	.29	.19	17
18	-	.13	.03	-	-	.31	-	-	-	.09	.34	.29	18
19	-	-	-	-	-	.30	-	-	.15	.02	.25	.16	19
20	.01	.05	-	-	-	-	-	.55	.09	-	-	.71	20
21	.02	.12	-	-	-	.02	-	.71	-	.72	-	.07	21
22	.08	-	.03	-	-	.04	-	-	-	.11	-	.52	22
23	-	.07	.21	-	-	.61	-	-	.20	.01	-	.19	23
24	-	.13	.01	-	-	.18	.01	.04	-	.88	-	.21	24
25	-	.05	-	.07	-	.21	.25	-	.01	.01	-	-	25
26	-	.04	-	.17	.02	.06	.03	.02	-	.16	.02	.33	26
27	-	.41	.09	.04	-	-	.02	-	.12	-	.04	113	27
28	-	.36	-	.25	.02	-	-	.06	-	-	.04	-	28
29	-		-	.08	-	.17	.11	-	.22	.27	-	-	29
30	-		-	-	.04	.04	-	.03	-	.15	-	.01	30
31	-				1.28		-	-		-		-	31
Total	1.13	1.51	1.53	1.50	2.67	2.42	.45	1.47	1.24	3.27	3.26	5.69	TOTAL for year 26.14
No. of Rain Days.	15	13	15	10	10	13	6	7	8	16	17	26	156

W. 8,000, X. '11.

C.P.Sinclair

R 1.

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at The Colne Valley Water Works.
New Bushey,

in the County of Hertfordshire. 2

by C.P.Sinclair.

RAIN GAUGE
riffin & Sons.
Diameter of top 5 - - - - in.
Height of top above Ground One - - ft. Two in.
" " " Sea Level 200 - - - ft.

Time of Observation 9 -15 a.m.

Nearest Railway Station
Name Bushey
Distance 566 yds. Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02	-	-	.52	-	-	.03	.06	-	-	-	-	1
2	.07	-	-	.30	.22	-	-	-	-	-	.23	.17	2
3	.01	-	-	-	.17	-	-	-	-	.01	.08	.08	3
4	.04	.02	.07	.02	-	-	-	-	-	.04	.13	.40	4
5	.01	-	-	-	-	-	-	-	-	.04	-	.02	5
6	.40	-	.09	-	-	-	-	-	-	-	.02	.49	6
7	.03	-	.01	.04	-	-	-	-	-	.08	.35	.26	7
8	.15	-	.21	-	-	-	-	-	-	-	.13	.15	8
9	.05	-	-	-	-	-	-	-	-	-	.01	.04	9
10	.04	.05	.18	.01	-	-	-	-	-	-	-	.42	10
11	.18	-	-	-	.35	-	-	-	-	-	.66	.03	11
12	.02	-	.41	-	.12	.01	-	-	.01	-	.25	.02	12
13	-	-	.03	-	.33	-	-	-	.44	.66	-	.31	13
14	-	.04	.02	-	.12	-	-	-	-	-	-	.40	14
15	-	.04	.09	-	-	-	-	-	-	.02	.04	.02	15
16	-	-	-	-	-	.29	-	-	-	-	.38	.07	16
17	-	-	.05	-	-	.18	-	-	-	-	.29	.19	17
18	-	.13	.03	-	-	.31	-	-	-	.09	.34	.29	18
19	-	-	-	-	-	.30	-	-	.15	.02	.25	.16	19
20	.01	.05	-	-	-	-	-	.55	.09	-	-	.71	20
21	.02	.12	-	-	-	.02	-	.71	-	.72	-	.07	21
22	.08	-	.03	-	-	.04	-	-	-	.11	-	.52	22
23	-	.07	.21	-	-	.61	-	-	.20	.01	-	.19	23
24	-	.13	.01	-	-	.18	.01	.04	-	.88	-	.21	24
25	-	.05	-	.07	-	.21	.25	-	.01	.01	-	-	25
26	-	.04	-	.17	.02	.06	.03	.02	-	.16	.02	.33	26
27	-	.41	.09	.04	-	-	.02	-	.12	-	.04	113	27
28	-	.36	-	.25	.02	-	-	.06	-	-	.04	-	28
29	-		-	.08	-	.17	.11	-	.22	.27	-	-	29
30	-		-	-	.04	.04	-	.03	-	.15	-	.01	30
31	-				1.28		-	-		-		-	31
Total	1.13	1.51	1.53	1.50	2.67	2.42	.45	1.47	1.24	3.27	3.26	5.69	TOTAL for year 26.14
No. of Rain Days.	15	13	15	10	10	13	6	7	8	16	17	26	156

W. 8,000, X. '11.

C. P. Sinclair

Ex M

FORM A2.
BRITISH RAINFALL.

10 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at New Bushey, Watford

in the County of Hertfordshire. 2

by The Colne Valley Water Co.

RAIN GAUGE
Pattern J. J. Griffin & Sons.
Diameter of top 5" in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 200 ft.

Time of Observation 9·15 a.m.

Nearest Railway Station
Name Bushey.
Distance 566 yards Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·04	—	—	·15	·10	—	·06	·28	—	·20	1
2	—	—	·06	—	—	·05	·24	—	·01	—	—	·03	2
3	·05	—	·10	·01	·01	·20	·02	·24	—	—	·02	·01	3
4	·26	—	·56	—	·14	·31	—	·05	—	—	·26	—	4
5	·28	·10	·12	—	—	·02	—	·34	—	—	·03	·01	5
6	·56	·04	—	—	—	·04	—	·24	·03	—	—	·10	6
7	·01	—	—	—	·03	·50	·03	·22	—	—	—	·04	7
8	·46	·33	·26	—	—	—	—	·15	·01	—	—	·01	8
9	·04	·18	—	·04	—	·12	·03	·05	—	—	—	·23	9
10	—	·03	·01	—	—	—	—	·29	—	—	·08	·16	10
11	·10	·31	—	—	—	·03	—	·01	·02	—	·02	·15	11
12	·06	·10	·12	—	·13	·09	—	—	—	—	·04	·01	12
13	—	—	—	—	—	·02	—	—	—	·03	·10	·03	13
14	·01	—	·02	—	—	—	—	·02	—	·04	—	·04	14
15	·01	·02	·16	—	·21	·49	—	·14	—	—	·03	·22	15
16	·30	—	·08	—	·05	·02	—	—	—	·08	·06	·01	16
17	·41	—	·30	—	—	·09	—	·08	—	—	—	·01	17
18	·05	—	·14	—	—	—	—	·12	—	—	·03	·14	18
19	·12	·08	·16	—	—	·01	·40	·46	—	—	·01	—	19
20	·03	—	·14	—	—	—	·03	·42	—	·39	—	—	20
21	·01	·06	·42	—	·20	—		·09	—	·12	·04	—	21
22	·41	·21	·09	—	·23	—	·12	·14	—	·02	—	·04	22
23	·31	·33	·36	—	—	—	·14	·40	—	·02	·18	·16	23
24	·34	·01	—	—	—	—	·01	·06	—	—	—	·13	24
25	—	—	—	—	—	·19	—	·55	—	—	·26	·42	25
26	—	·02	—	—	—	—	·05	·24	—	·45	·39	·21	26
27	—	—	—	—	—	·03	—	—	—	·20	—	·20	27
28	—	·03	—	—	—	—	·04	·14	·02	·44	·44	·44	28
29	—	·02	—	—	—	·40	·16	·25	1·50	·19	·03	—	29
30	—	I	—	—	·38	·04	·04	·14	·85	·24	—	—	30
31	—	I	·31	I	·03	I	·19	—	I	·02	I	·05	31
Total	3·85	1·84	3·54	·05	1·41	2·83	1·63	4·99	2·50	2·58	2·05	3·11	TOTAL for year 30·41
No. of Rain Days.	20	16	19	2	10	19	15	25	8	14	14	25	190

O. J. Sinclair

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

22 JAN 1914

Ex D.S.

REGISTER OF RAINFALL IN 1913

Kept at The Colne Valley Water Works
New Bushey
in the County of Watford, Herts 2
by

Lat 51° 38' 55"N Long. 0° 22' 50" W
Time of Observation 9-15 a.m.
Nearest Railway Station Bushey (L & N.W.R.)
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 1' ft. 2" in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·03	·11	·14	·0~~4~~ 7	–	–	–	–	·18	–	·09	·04	1
2	·02	·12	·02	–	·04	–	·10	–	·01	·02	·05	·01	2
3	·02	·01	·03	·18	·60	–	–	–	–	–	–	·05	3
4	·24	–	·01	–	·10	–	·12	–	–	·12	·05	·06	4
5	·11	–	–	–	–	·04	·10	–	·09	·03	–	·04	5
6	–	–	·04	·02	·0~~4~~ 7	·10	·14	–	·02	·35	·03	·09	6
7	·01	·19	–	–	·0~~4~~ 7	·03	·02	·02	–	·46	·04	·02	7
8	–	–	·04	·02	·10	·19	–	–	–	·09	–	–	8
9	–	·14	–	–	·02	·02	·01	–	·03	–	·05	·0~~4~~ 7	9
10	–	–	·04	–	–	–	·35	·06	–	–	·46	–	10
11	·45	–	–	·4~~4~~ 7	·01	–	–	·13	–	140	·46	–	11
12	–	·02	–	–	·02	–	–	–	–	–	·35	–	12
13	·04	–	·02	–	–	–	–	·03	·04	·02	·31	–	13
14	·08	·02	·09	·10	–	–	·50	·10	–	·13	·08	–	14
15	·15	·04	·21	·39	–	–	·10	–	·15	–	–	–	15
16	·09	–	·36	·14	–	–	–	–	·06	–	–	–	16
17	·03	·03	·02	·19	–	·02	·14	·01	–	–	·02	·11	17
18	·02	–	·29	·04	·02	–	·01	–	–	–	·05	–	18
19	·35	–	·02	–	·02	·01	·12	–	·24	–	–	·03	19
20	·12	–	·04	·05	–	–	–	–	–	·54	·01	–	20
21	–	–	·16	·03	·02	–	·03	–	–	·15	·51	–	21
22	·45	–	·22	·02	–	–	–	·14	·23	–	–	–	22
23	–	–	·02	–	–	·01	–	·05	·01	–	·01	·16	23
24	·03	–	·01	·03	–	·01	–	·04	–	–	·02	–	24
25	–	·03	–	·14	–	–	–	–	–	–	–	–	25
26	–	·03	·18	·12	–	–	–	·08	–	·61	·01	·2~~4~~ 7	26
27	–	–	·03	·10	–	–	–	–	–	·04	–	–	27
28	·29	–	·24	·16	–	–	–	–	–	·04	–	–	28
29	·03		·08	·55	·35	–	–	·08	–	·04	–	·02	29
30	·24		–	·03	–	–	–	·55	–	·24	·12	–	30
31	–		·06		–		–	·46		·02		–	31
Total	3·16	·~~44~~ 77	2·43	2·91	1·44	·43	1·~~4~~4 7	1·81	1·09	3·42	2·~~9~~5 7	·9~~8~~ 7	YEAR'S TOTAL 22·92
Rain Days.	20	11	24	20	13	9	13	13	11	14	19	13	183

W. 7,500, XI. 12

C. F. Sinclair

Ex 8L

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.
13 JAN 1915

Kept at *The Colne Valley Water Works* New Bushey

in the County of *Watford Herts.*

by

2

Lat. 51° 38′ 55″ N Long. 0° 22′ 50″ W

Time of Observation 9 a.m.

Nearest Railway Station Bushey & Oxhey L & N.W.R.

Diameter of Rain Gauge 5″ in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·04	–	–	–	–	·30	–	–	–	·04	1
2	·02	–	–	–	–	·02	·11	·19	–	–	·05	·13	2
3	–	–	·04	·02	·23	–	·05	·01	–	–	·01	·01	3
4	·18	–	·02	·2~~4~~7	·10	–	–	·08	–	–	·38	·38	4
5	·02	–	·04	·13	·16	·06	·58	·19	–	–	·01	–	5
6	–	·14	·01	–	·05	·25	·10	·02	–	–	·18	·23	6
7	–	·13	·29	·04	·49	–	·16	·02	–	–	–	·15	7
8	·05	·18	·64	·06	·05	·15	·31	·13	–	–	–	·01	8
9	·16	–	·60	·08	–	·65	–	·01	·11	–	–	1·26	9
10	–	·18	·01	·11	·05	–	–	·01	·20	–	–	·05	10
11	–	·22	·54	–	–	·62	–	–	·04	–	·23	·24	11
12	·02	·05	·12	–	–	·01	·20	–	·25	·01	·02	·48	12
13	–	·35	·24	–	–	–	–	–	·15	·08	·05	·48	13
14	–	·09	·80	–	–	–	·04	–	–	·32	·12	·33	14
15	·04	·03	·20	–	–	–	·01	–	·03	·03	·01	·04	15
16	–	–	·03	–	–	–	·04	·02	·18	–	·02	–	16
17	–	·49	·06	–	–	–	–	–	·09	–	·01	·32	17
18	–	·01	·10	–	–	–	–	–	–	–	–	·31	18
19	–	·05	·24	–	–	–	·16	–	–	–	–	·11	19
20	–	·21	·11	–	–	–	·01	–	·02	·01	·01	·13	20
21	–	·49	·05	–	–	·26	–	–	–	·04	–	·06	21
22	–	·03	·02	–	·29	·04	·04	–	–	·42	–	–	22
23	–	·09	·10	–	·21	·03	·01	·04	–	·08	·01	·01	23
24	–	–	·09	·02	–	–	·02	–	–	·09	·12	–	24
25	·04	–	·10	–	–	–	·01	·13	–	·36	–	·15	25
26	–	–	·11	–	–	–	·09	·02	–	·05	·22	·55	26
27	·04	–	·04	–	–	–	–	–	–	–	·04	·25	27
28	–	·03	–	–	·05	–	–	–	–	·04	·33	1·15	28
29	–	~~–~~	·16	–	–	–	–	–	–	·24	·15	–	29
30	–	×	·05	–	–	–	–	–	–	·03	·46	·45	30
31	–	×	–	×	·11	×	·05	–	×	–	×	·02	31
Total	·60	2·~~48~~77	4·88	·46	1·49	2·12	2·02	1·14	1·04	1·80	2·43	~~9~~7·34	YEAR'S TOTAL 28·~~9~~75
Rain Days.	9	14	28	8	11	10	18	14	9	14	20	26	184

W. 8,000. X. 14.

12.JAN.1915

C. P. Sinclair
Secretary & Genl. Mant.

Evered, F.W.

987

FORM A.
BRITISH RAINFALL.

10 FEB 1916

REGISTER OF RAINFALL IN 1915

Kept at The Colne Valley Water Works

in the County of Hertfordshire

by The Colne Valley Water Co.

Lat. 51°38′55″N. Long. 0°22′50″W.

Time of Observation 9-15 a.m.

Nearest Railway Station Bushey ([illegible]

Diameter of Funnel of Rain Gauge 5″ in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·48	·17	·03	-	·03	·02	-	-	-	·05	·15	·39	1
2	·25	·25	·29	·13	-	-	-	·58	-	·04	-	·18	2
3	·47	-	·04	·11	-	-	·02	·25	-	-	·02	·30	3
4	·02	-	-	-	-	-	·01	·01	-	-	-	·33	4
5	·03	·43	-	-	·02	-	-	·02	-	·06	-	·32	5
6	·21	·05	-	·29	-	-	·83	·06	-	-	-	·23	6
7	·10	·34	·06	-	-	-	·53	·02	-	-	·01	·28	7
8	·04	53	·01	·04	-	-	·01	·09	-	-	-	·01	8
9	-	·05	-	·08	-	·05	-	·05	-	-	·23	·64	9
10	·30	·01	-	-	-	-	-	·05	-	-	-	·12	10
11	·03	-	·04	-	·01	-	-	·01	-	·01	·90	·03	11
12	·07	·04	·01	·21	·47	-	-	·11	-	·03	·42	·06	12
13	-	·70	-	-	1·10	-	-	-	-	-	-	-	13
14	·01	·02	-	-	-	-	·95	·25	·06	-	-	·69	14
15	·1~~9~~7	·01	-	-	·03	-	-	·50	-	-	·19	·12	15
16	-	·50	-	-	·01	-	79	·02	-	-	-	·05	16
17	·02	·29	-	-	·58	-	·05	-	-	-	-	-	17
18	·01	·19	·04	-	·05	-	-	-	-	-	-	-	18
19	-	·06	·01	-	-	-	·16	-	-	·02	·02	-	19
20	·42	-	-	·09	·02	-	-	-	-	-	-	·18	20
21	·05	·05	-	-	·01	-	·03	-	-	-	-	·05	21
22	·84	·15	·35	-	-	-	·64	-	·01	-	-	·23	22
23	-	·30	·09	-	-	·02	·22	-	·21	·48	-	-	23
24	-	·01	·08	-	-	·01	·30	-	·46	·10	-	·30	24
25	-	-	-	·05	-	·04	·25	-	-	·06	-	·30	25
26	-	·12	-	-	-	-	·21	-	·01	-	-	·51	26
27	-	-	-	-	-	·42	·35	-	-	·43	-	·03	27
28	-	·07	-	-	-	·04	·01	-	1·11	·11	-	-	28
29	-		-	-	-	·05	·30	·11	-	·01	·15	·03	29
30	-		-	-	-	·35	=	-	-	·14	·23	-	30
31	·03		-		-		-	·05		1·15		·21	31
Total	3·55	4·34	1·05	1·00	2·33	1·00	5·66	2·18	1·86	2·69	2·32	5·79	YEAR'S TOTAL ~~[illegible]~~
Rain Days.	19	22	12	8	11	9	18	16	6	14	10	24	169

W. 8,000. X. 15.

C. S. Sinclair

33-77

3

Exd CSE

958

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

11 JAN 1917

Kept at Bushey

in the County of Hertfordshire

by The Colne Valley Water Company

Lat. 51° 38' 55" N Long. 0° 22' 50" W.

Time of Observation 9.15 a.m.

Nearest Railway Station Bushey & Oxhey L.N.W.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·15	–	–	–	·31	·04	–	–	·15	–	·25	–	1
2	·37	·02	·09	–	·21	·01	–	–	·20	·37	·02	–	2
3	–	·50	·06	–	–	–	·02	–	·04	·28	·31	–	3
4	·23	·04	·01	–	–	·42	·04	–	·02	·14	·50	–	4
5	·02	–	–	–	·05	·10	·01	–	–	·10	·61	–	5
6	–	·05	·03	·24	–	·08	·42	–	–	·05	·40	–	6
7	–	–	·30	–	–	·06	·13	–	–	–	·66	·03	7
8	–	·04	·05	–	·16	·02	–	–	–	–	–	·29	8
9	–	–	·03	–	·31	–	–	–	–	·08	–	–	9
10	·01	·17	·09	–	·24	·30	·07	–	·02	·02	–	·13	10
11	·04	·10	·04	·23	–	·22	–	–	–	–	–	·09	11
12	·03	·02	·03	·02	·27	·16	·03	·20	–	·06	–	–	12
13	–	·43	·42	·11	·01	·06	·17	·58	–	–	·02	–	13
14	–	·43	·03	·02	·11	–	–	·36	–	–	–	·12	14
15	–	·18	·37	–	–	–	–	·17	–	·06	–	–	15
16	–	·01	·31	·13	·05	–	·21	·15	–	–	–	–	16
17	·10	·09	–	·05	–	–	·01	·67	·27	·43	–	·02	17
18	–	·10	·05	·11	–	–	–	·23	·14	·03	·60	–	18
19	·09	–	·18	·28	–	–	–	–	·26	–	·43	·12	19
20	·18	–	·16	·04	–	–	–	–	–	–	·02	·58	20
21	·05	–	·58	–	–	–	·23	–	–	–	–	·35	21
22	–	–	·03	–	·02	·02	–	–	–	·05	–	·61	22
23	·02	·09	·01	–		·05	·01	–	–	·02	·05	·09	23
24	–	·12	·01	–	·06	·26	–	·03	–	·16	·04	–	24
25	–	·18	–	–	·04	–	–	·20	–	·04	·10	–	25
26	–	·20	·03	–	–	·09	–	·02	–	·06	–	–	26
27	·09	·10	·97	–	–	·17	–	·39	·11	·18	–	–	27
28	–	·28	·23	–	–	·08	–	·02	–	–	·03	·60	28
29	–	·08	–	–	–	·23	–	1·37	·15	·38	–	·13	29
30	–	X	–	–	·02	·01	–	·05	·06	·50	–	–	30
31	–	X	–	X	–	X	–	·06	X	·11	X	·04	31
Total	1·38	3·23	4·11	1·23	1·86	2·38	1·35	4·50	1·42	3·12	4·34	3·20	YEAR'S TOTAL 32·12
Rain Days.	13	21	24	10	14	19	12	15	11	20	15	14	188

W. 8,000, VIII. 16

C. P. Sinclair 9/1/17

924

FORM A.
BRITISH RAINFALL.
22 FEB 1918

REGISTER OF RAINFALL IN 1917

Kept at The Colne Valley Water Works
Aldenham Road, New Bushey
in the County of Herts.
by

Lat. 51° 38' 55" N Long. 0° 22' 55" W
Time of Observation 9.15 am
Nearest Railway Station Bushey & Oxhey.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1" ft. 14 in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	·64	-	-	-	·80	-	-	·11	-	1
2	-	-	·02	·20	-	·07	-	·06	-	-	·13	-	2
3	-	-	-	-	-	-	-	·21	-	·39	·22	-	3
4	-	·13	·17	-	-	-	·06	·08	-	·30	-	-	4
5	·24	-	·02	-	-		-	-	·25	·09	·10	-	5
6	-	-	-	-	-	·03	-	-	-	-	·10	-	6
7	·29	-	-	-	-	·13	·15	-	-	·35	-	-	7
8	·26	-	-	-	-	-	·88	·87	-	·29	·14	-	8
9	·04	-	·11	·46	-	-	·07	·10	·02	-	·08	·22	9
10	·28	-	·17	·31	-	-	-	·11	-	-	·04	-	10
11	·09	-	·40	·19	-	-	-	-	-	·45	-	-	11
12	·09	-	·06	·03	·04	-	-	·09	-	·49	-	-	12
13	-	-	-	-	-	-	-	·20	-	-	-	-	13
14	·06	-	-	·22	-	-	-	·23	·02	·10	-	-	14
15	-	-	-	-	-	-	·09	-	-	·04	-	·05	15
16	-	·12	-	·23	·20	·33	·15	-	·02	·76	-	·23	16
17	-	-	-	·12	·62	-	·20	-	·48	·23	-	-	17
18	·05	·12	-	·07	·08	·21	·14	-	·26	·10	-	-	18
19	-	·23	·13	-	-	·05	-	-	·38	-	-	-	19
20	-	·10	-	-	·60	-	-	-	-	-	·08	-	20
21	·05	-	-	-	·02	·03	-	-	-	·03	-	-	21
22	-	-	·13	-	-	·13	-	-	-	·06	-	-	22
23	-	·09	-	-	·14	-	-	·20	-	-	-	·08	23
24	-	·07	-	-	-	·05	-	-	-	·31	-	-	24
25	-	·03	-	-	-	-	-	-	-	-	·13	-	25
26	-	-	·06	-	-	·03	-	·20	-	-	·34	-	26
27	-	-	·03	-	-	-	-	·85	-	-	-	-	27
28	-	-	·04	-	-	1·46	-	·22	-	-	-	-	28
29	-		-	-	·08	·07	·97	-	-	·31	-	-	29
30	·02		-	-	-	-	1·35	·19	-	-	-	·22	30
31	-		-		-		·37	-		-		-	31
Total	1·47	·89	1·34	2·47	1·78	2·59	4·43	4·41	1·43	4·30	147 1·53	·80	YEAR'S TOTAL 38 27·44
Rain Days.	11	8	12	10.	8.	12	11	15	7	16.	11	5.	126.

FOR THE COLNE VALLEY WATER Coy
A. P. Sinclair
SECRETARY.

W. 8,000, IX. 17.

9

FORM A.
BRITISH RAINFALL
2. 19

REGISTER OF RAINFALL IN 1918

Kept at The Colne Valley Water Works

in the County of Herts.

by

Lat. 51° 38' 55N. Long. 0° 22' 50" W.

Time of Observation 9·15 a.m.

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. 14 in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	-												
1	-	·05	-	·31	-	-	-	-	·02	-	·19	·09	1
2	-	-	-	·10	-	-	-	·25	-	·01	-	·23	2
3	-	·08	·04	·02	·54	-	-	-	·06	·01	·66	-	3
4	-	·07	·06	-	-	-	-	-	·46	·01	·43	·02	4
5	-	·02	·01	-	·08	-	--	·25	·09	-	-	-	5
6	·13	·19	-	·30	·13	-	-	-	·01	·07	-	·08	6
7	-	·12	-	·09	·12	·01	-	·02	-	·06	·13	-	7
8	-	·04	-	·02	-	-	~~trace~~	-	·34	·05	·05	·01	8
9	·02	-	-	·06	-	·05	·40	-	·36	11	-	·18	9
10	·03	·08	-	·05	-	-	·44	-	·08	Trace	·01	·31	10
11	-	-	-	·02	-	-	·28	-	·11	·35	·06	·09	11
12	-	·07	-	-	·24	-	·20	-	·09	-	-	-	12
13	·01	·01	-	-	·19	-	·07	-	·15	-	·01	·04	13
14	·24	-	·02	·01	-	·29	·15	-	-	·16	-	-	14
15	·50	-	-	·54	-	-	·11	-	·32	-	-	·29	15
16	-	-	-	·61	-	·10	-	-	·93	·06	-	·01	16
17	·32	-	-	·24	·10	·15	·14	-	·01	-	-	·12	17
18	·56	-	-	·07	-	·21	·09	·05	·34	·05	-	·11	18
19	-	·02	·04	-	-	·01	·16	·01	·04	-	·01	·12	19
20	·10	·12	-	1·00	-	·02	-	-	·10	·21	-	·01	20
21	·16	·01	-	·55	-	-	·08	-	-	·04	-	-	21
22	-	-	-	-	·18	-	·09	-	·50	-	-	·17	22
23	-	-	-	-	·37	-	·75	·04	·01	-	-	·04	23
24	-	·14	-	-	-	·02	·01	-	·04	-	·08	-	24
25	-	-	-	-	-	·01	·11	·16	-	·01	·03	-	25
26	-	-	-	-	-	-	·29	·02	-	-	14 ~~·74~~	5 ·18	26
27	·03	·01	·01	-	-	-	·02	·24	-	·01	·11	·03	27
28	-	·06	·21	·09	-	·08		·01	[illegible]	-	·16	-	28
29	-	~~-~~	[illegible]	-	-	-	-	-	1.22	-	·11 ~~·04~~	·15	29
30	-		·35	-	-	-	-	-	·03	-	-	·02	30
31	-		·02		-		-	-		·12		·01	31
Total	2.10	1·09	·76	4·08	1·95	·95	3·39	1·05	5·31	1·33	2·18	2·28	YEAR'S TOTAL 26·44
Rain Days.	11	16	10	17	9	11	16	10	22	16	15	22	195

C. S. Sinclair, General Manager

W, 6,500, VII. 18. W W C

cwd [illegible] H. 1886 recordy obs.

872

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at The Colne Valley Water Works Bushey,

in the County of Hertfordshire

by

Lat. 51° 38' 55"N Long. 0° 22' 50"W.

Time of Observation

Nearest Railway Station Bushey

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.53	~~---~~ .03	---	.02	.13	---	.22	.14	---	.02	---	1.03	1
2	.29	~~.05~~	.03	---	.12	---	.03	---	.21	.18	---	.13	2
3	.39	---	.30	---	---	---	.09	---	.08	---	---	.25	3
4	---	.07	.37	---	.02	.07	.17	---	.04	---	---	.13	4
5	.11	.29	.57	---	---	---	.09	---	.14	---	.27	.27	5
6	.02	---	.07	.02	---	---	---	---	---	---	.04	.03	6
7	.11	---	.44	---	---	---	---	---	---	---	---	---	7
8	.17	---	---	.02	---	---	---	---	---	---	.03	---	8
9	.05	---	.03	.04	---	---	---	---	---	---	.04	.12	9
10	.12	---	.06	.02	---	---	---	---	---	.01	.02	---	10
11	---	---	.10	.23	.16	---	.25	---	---	---	.01	---	11
12	.04	---	.07	---	---	.06	.08	---	---	.04	.02	Trace	12
13	.01	.02	---	.27	---	---	---	---	---	.05	---	.01	13
14	.31	~~.06~~ .03	---	.60	---	---	.07	---	.24	---	--- ~~Trace~~	.02	14
15	.25	.04	---	.20	---	---	---	---	---	---	snow	.58	15
16	.10	.66	.12	---	---	---	---	---	---	---	.09	.04	16
17	Trace	.40	---	---	---	---	---	---	---	---	.20	.01	17
18	---	.07	.09	---	---	---	---	.02	---	---	.09	.08	18
19	.06	.18	.91	---	---	.25	.28	.09	---	.01	.10	---	19
20	.34	.09	.11	---	---	.73	.14	.21	---	---	---	---	20
21	.26	.37	.02	---	---	.07	.11	---	.03	---	---	.10	21
22	---	.18	---	---	---		.09	.01	.54	---	.03	.32	22
23	---	---	---	Trace	---	.04	.14	---	.14	---	.02	---	23
24	---	---	---	.19	---	Trace	---	.12	---	.28	.11	.03	24
25	---	---	---	.11	---	.01	---	.51	---	---	---	.04	25
26	.14	.20	.12	---	---	---	---	---	.08	---	---	.39	26
27	.31	.02	.03	.94	---	---	---	.46	---	---	---	.02	27
28	---	Trace	.09	.03	---	---	---	.70	---	---	.25	.29	28
29	.02		---	.07	---	---	---	---	---	.11	.04	.03	29
30	---		.05	.22	---	.14	---	.10	---	.02	.35	.35	30
31	.01		---		---		.01					.01	31
TOTAL	3.64	~~2.65~~ 2·65	3.58	2.98	.43	1.37	1.77	2.36	1.50	.72	1.71	4·28	~~YEAR TOTAL~~ ~~26.95~~ 26·99 163
Days with ·01 in. or more	21	14	19	15	4	8	13	10	9	9	17	23	

FOR THE COLNE VALLEY WATER Co.

GENERAL MANAGER.

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

29 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at ~~COLNE~~ COLNE VALLEY WATER WORKS NEW BUSHEY,
in the County of Herts.
by Colne Valley Water Company

Lat. 51°38'55" Long. 0°22'50"
Time of Observation 9.30 a.m.
Nearest Railway Station Bushey & Oxhey
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	~~Trace~~	..02	~~Trace~~	.50	.13	-.-	.19	~~Trace~~	--	.49	~~Trace~~	.29	1
2	-	-	01 ~~.01~~	-	-	-	.33	.60	-	.03	-	.11	2
3	-	.01	-	.10	-	~~Trace~~	08	-	.08	.02	-	.01	3
4	~~Trace~~	-	-	.05	-	-	01	.14	.07	.38	-	.05	4
5	-	-	.05	~~Trace~~	.04	-	.63	.04	.02	-	-	.04	5
6	--	-	.20	-	.12	-	.36	.05	-	-	-	.03	6
7	-	.05	~~Tr. snow~~	.20	-	-	.16	-	-	-	~~Trace~~	.03	7
8	.07	- -	.01	.20	-	-	.20	.11	-	-	-	-	8
9	.32	-	-	.04	.03	-	~~Trace~~	.02	-	-	-	-	9
10	.35	.07	.06	-	-	.05	.23	~~Trace~~	-	-	-	-	10
11	.18	-	-	.20	-	.04	.14	-	-	-	-	-	11
12	.06	~~Trace~~	-	.15	.09	.55	.01	-	-	-	.01	.06 ~~(snow)~~	12
13	.08	m	05 ~~.05~~	.15	-	-	-	-	.01	-	.01	.01 ~~(snow)~~	13
14	.01	-	.50	.18	-	.55	08	-	.17	.52	.25	-	14
15	~~Trace~~	.06	.13	.33	-	-	01	-	.25	.10	.05	-	15
16	"	-	-	.22	01 ~~.01~~	.13	-	-	.12	.07	-	-	16
17	.02	~~Trace~~	-	-	.17	-	-	-	.03	~~Trace~~	~~Trace~~	.04	17
18	.02	m	-	.01	-	-	- ~~Trace~~	51 ~~.51~~	,13	-	-	.02	18
19	.08	-	-	.13	-	-	-	.04	-	-	-	.03	19
20	.06	.08	-	.24	-	.59	-	-	.02	-	-	.03	20
21	~~Trace~~	-	-	~~Trace~~	-	-	.47	.02	.58	-	-	.08	21
22	-	-	-	.28	-	-	.01	-	-	-	-	.23	22
23	~~Trace~~	-	-	-	-	-	.83	-	-	-	-	.40	23
24	-	-	.11	.01	-	-	-	-	-	-	-	.03	24
25	~~Trace~~	.03	.11	.01	05 ~~.05~~	-	.25	-	-	-	02 ~~.02~~	-	25
26	.08	-	.11	-	.02	-	.07	-	-	~~Trace~~	-	.05	26
27	.21	.04	-	.23	-	-	- ~~Trace~~	-	-	-	55 ~~.55~~	.13	27
28	.43	.03	.15	.03	-	.16	.08	-	-	-	02 ~~.02~~	.01	28
29	.28	-	.03	-	.04	.01	.06	-	.28	-	15 ~~.15~~	.29	29
30	-		-	-	.01	.04	.48	-	-	-	24 ~~.24~~	.23	30
31	-		-		.02		-	-		.18		.10	31
TOTAL	2.25	0.39	1 .52	3.26	0.73	2.12	4. 68	1.53	1.76	1. 79	1.30	2.30	YEAR'S TOTAL 23·63
Days with ·01 in. or more	15	9	13	20	12	9	19	9	11	8	9	23	157
Days with ·04 in. or more	12	5	10	16	7	8	16	7	7	6	5	14	113

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

P. Sinclair

Watford

Oxley, Grange.
Hertfordshire
1912 – 1920

LL IN 1912

FORM A.
BRITISH RAINFALL.
14 JAN 1913

Kep

in t

by J

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Bushey
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ft.

pre … daily at 9 a.m. and the result entered to the
rec … n to this almost universal rule, he is earnestly
for … of the following year in the space provided
the … ons for the measurement of rain,
Or … ulars as to the British Rainfall
Dr … s," sent post-free on application to

Jan. 1, following.

Date.								Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1									·08	·29		·19	1
2									·01				2
3	·05		·09				·02	·25	·01			·08	3
4	·32		·59		·14	·33		·08			·28		4
5	·32		·13					·22			·03		5
6	·56					·07		·47				·07	6
7		·01	·03			·56	·04	·15	·06			~~·07~~	7
8	·46	·45	·23		·02			·11				07	8
9	·02	·18		·03		·05	·02					·20 ~~07~~	9
10		·04						·26			·10	·11 ~~20~~	10
11	·09	·30				·08						·16	11
12	·06	·12	·14		·15	·10					·07	~~16~~	12
13						·01				·01	·09	·04	13
14			·02		·02			·01		·07		~~04~~	14
15	·01	·03	·12		·21	·44		·04			·01	·24	15
16	·30		·07		·02	·04		·18		·09	·07	~~·24~~	16
17	·38		·33			·08		·09				·01	17
18	·26		·17					·09				·15	18
19	·12	·08	·16				·39	·44				~~18~~	19
20	·03		·14		·18		·04	·21		·39			20
21	·01	·07	·45					·10		·09	·04		21
22	·39	·25	·04		·17		·13	·06		·01		·04	22
23	·35	·35	·37				·16	·45		·02		·15	23
24	·37	·01						·15			·19	·14	24
25						·09		·22			·29	·60	25
26		·02					·05	·59		·47	·38	·22	26
27										·20		·23	27
28		·05				·01	·01	·04		·51		·41	28
29					1·31	·24	·16	·35	1·34	·17	·42		29
30					·42	·05		·04	1·07	·21	·02		30
31			·33		·07		·17	·13		·05		~~3·71~~	31
Total	4·10	1·97	3·60	·03	2·71	2·36	1·68	4·73	2·57	2·58	1·99	3·11	YEAR'S TOTAL 31·43
Rain Days.	18	15	19	1	11	16	13	24	6	14	13	18	168

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.
14 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at The Gardens, Oxhey Grange, Watford.

in the County of Hertfordshire 2

by J. Leslie for J. Doyle Penrose Esqr. J.P.,

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Bushey

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·09			·03	·17		·08	·29		·19	1
2		·01	·10			·18	·32		·01				2
3	·05		·09				·02	·25	·01			·08	3
4	·32		·59		·14	·33		·08			·28		4
5	·32		·13					·22			·03		5
6	·56					·07		·47				·07	6
7		·01	·03			·56	·04	·15	·06			~~·07~~	7
8	·46	·45	·23		·02			·11				07	8
9	·02	·18		·03		·05	·02					·20 ~~·07~~	9
10		·04						·26			·10	·11 ~~·20~~	10
11	·09	·30				·08						·16	11
12	·06	·12	·14		·15	·10					·07	~~·16~~	12
13						·01				·01	·09	·04	13
14			·02		·02			·01		·07		~~·04~~	14
15	·01	·03	·12		·21	·44		·04			·01	·24	15
16	·30		·07		·02	·04		·18		·09	·07	~~·24~~	16
17	·38		·33			·08		·09				·01	17
18	·26		·17					·09				·15	18
19	·12	·08	·16				·39	·44				~~·10~~	19
20	·03		·14		·18		·04	·21		·39			20
21	·01	·07	·45					·10		·09	·04		21
22	·39	·25	·04		·17		·13	·06		·01		·04	22
23	·35	·35	·37				·16	·45		·02		·15	23
24	·37	·01						·15			·19	·14	24
25						·09		·22			·29	·60	25
26		·02					·05	·59		·47	·38	·22	26
27										·20		·23	27
28		·05				·01	·01	·04		·51		·41	28
29					1·31	·24	·16	·35	1·34	·17	·42		29
30					·42	·05		·04	1·07	·21	·02		30
31			·33		·07		·17	·13		·05		~~3·11~~	31
Total	4·10	1·97	3·60	·03	2·71	2·36	1·68	4·73	2·57	2·58	1·99	3·11	YEAR'S TOTAL 31·43
Rain Days.	18	15	19	1	11	16	13	24	6	14	13	18	168

W. 7,500, XI. ·12

cod for ht. W.D. 25.11.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

17 FEB 1914

Kept at The Gardens Oxhey Grange. Watford

in the County of Herts.

by John Leslie

2

Lat. Long.

Time of Observation 9 AM

Nearest Railway Station Bushey & Oxhey

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·08	·10	·19	·14					·19				1
2	·02	·14	a trace		·03		·10		·03		·07	·17	2
3			·05	·22	·58					·02	·08	·01	3
4	·26				·14		·12					·04	4
5	·11			·02			·07		·10	·10	·04	·09	5
6		·05	·04		·07	·11			·03	·03	·005		6
7		·17			·04		·01	·01		·29	·03	·11	7
8				·01	·08					·50	·07	·01	8
9		·18	·02		·03				·05	·08			9
10			·03	·07	·01		·31	·05			·02	·04	10
11	·70			·47	a trace			·08			·53		11
12					·02					·43	·49		12
13	·06							·02	·06	·01	·35	a trace	13
14	·07	·02	·11	·08				·12	·15		·38		14
15	·16		·25	·33			·60			·12	·07		15
16	·09		·30	·21									16
17	·02	·06	·04	·12			·14	a trace					17
18			·22	·13	·01		·01		·24		·02	·11	18
19	·34		·11				·12				·07		19
20	·10		·08	·05								·03	20
21			·19	·03						·53	·005		21
22	·45		·12	·07					·22	·15	·55		22
23								·23	·02				23
24	·02			·02				·07				·17	24
25				·18		·02					·005		25
26			·18	·12				·07			a trace		26
27				·09						·66		·23	27
28	·31		·31	·18						·12	·005		28
29			·10	·59	·37			·08		·07			29
30	·26			·05				·06		·03		·01 snow	30
31			·04					·45		·24			31
Total	3·05	·72	2·38	3·18	1·38	·13	1·48	1·24	1·09	3·38	2·79	(–) 1·02	YEAR'S TOTAL 21·84
Rain Days.	16	7	18 ~~19~~	21	11 ~~12~~	2	9	11 ~~12~~	10	16	16 ~~19~~	13 ~~15~~	~~156~~

W. 7,500, XI. 12 by the word "a trace" I mean not measurable 149

Dear Sir

I have always been in the habit of Measuring the rainfall at 9 A.M. and Mark it in, on the date of taking.

Say that I marked this Morning Feb 16th it means the rainfall for the 24 hours ending 9 AM this morning

Yours J Leslie

CX ML

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.
5 - JAN 1915

Kept at The Gardens, Oxhey Grange, Watford

in the County of Hertford 2

by John Leslie

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Bushey

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 300? ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·02

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·04			·12		·04				·46	1
2			·05			·005		·18			·05	·04	2
3	·02			·005				·32			·04	·13	3
4			·03	·005	·23		·18						4
5	·19		·01	·26	·03			·06			·37	·32	5
6	·01		·09	·14	·15	·07	·56	·08					6
7		·12			·06	·17	·02	·01			·14	·20	7
8		·20	·33	·12	·54	·13	·07						8
9	·04	·25	·65	·02	·04	·15	·33	·14				·14	9
10	·16		·66	·14		·53			·11		·01	1·37	10
11		·15	·01	·11	·06			·05				·01	11
12		·23	·54			·63			·23		·28	·22	12
13	·02	·06	·13				·21		·24		·01	·40	13
14		·35							·15	·08	·07	·52	14
15		·10	·88				·04			·38	·05	·31	15
16	·07	·03	·19						·04	·05	·09	·03	16
17			·03				·04				·01		17
18		·50	·06						·23			·27	18
19		·005	·10									·36	19
20		·06	·26				·18		·01		·16	·09	20
21		·24	·14									·13	21
22		·49	·04			·22				·02		·06	22
23		·03	·03		·35	·04	·08	·04		·41			23
24		08	·13			·03				·08			24
25			·08				·005			·09	·13		25
26			·04							·34			26
27	·04		·11					·15		·05	·23	·62	27
28	03		·04								·01	·26	28
29					·06					·05	·38	1·26	29
30	·06		·13							·24	·15		30
31			·09							·04		·41	31
	-	·04	-	-	12	-	04	-	-	-	·46	·02	YEAR'S TOTAL
Total	·64	~~2·895~~ 2·935	~~4·89~~ 4·85	·80	~~1·52~~ 1·64	~~2·095~~ 1·975	~~1·715~~ 1·755	~~1·07~~ 1·03	1·01	1·83	~~2·18~~ 2·64	~~7·61~~ 7·17	~~28·255~~ 28·275
Rain Days.	10	~~16~~ 17	27 26	~~8~~ 7	~~9~~ 10	~~11~~ 9	~~11~~ 12	~~10~~ 9	7	12	~~17~~ 18	22	159

W. 8,000. X. 14.

Exd for W.D. 8.III.16

Ex: MIL

984

FORM A.
BRITISH RAINFALL.

18 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Oxhey Grange Watford

in the County of Hertfordshire 2

by John Leslie

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Bushey

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 295 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·16

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·005	·03				·23		·05		1·26	·20	1
2	·46	·17	·01		·02		·005		·18		·24	·35	2
3	·27	·20	·30					·49		·07		·17	3
4	·44		·05	·24		·01	·02	·23				·33	4
5	·03							·20				·32	5
6	·04	·41								·07		·29	6
7	·22	·05		·28			·79	·05				·23	7
8	·11	·30		·01			·55	·03				·25	8
9	·04	·46	·01	·01			·01						9
10		·06		·07		·05		·13		·005	·28	·64	10
11	·32							·02				·12	11
12	·02		·04								·78	·03	12
13	·09			·19	·47			·16		·015	·46	·02	13
14		·66			1·33								14
15		·08					1·0	·35	·06			·64	15
16	·17				·04		·02	·35			·19	·15	16
17	·01	·47					·75	·02				·05	17
18		·31			·63		·06						18
19		·17	·07		·06						·01		19
20		·07					·16						20
21	·36			·07	·02							·19	21
22	·03	·03										·05	22
23	·89	·11	·34				·65					·18	23
24		·31	·10			·01	·27		·20	·47		·25	24
25	·01		·02				·45		·47	·15		·17	25
26			·07	·06		·03	·23		·005	·04		·15	26
27		·11					·64					·42	27
28						·44	·55			·41		·10	28
29			·005			·03			1·16	·09			29
30		×					·23	·11			·13		30
31	·05	×		×		×			×	·03	×	·03	31
	·005	·03	–	–	–	·23	–	·05	–	1·26	·20	·16	YEAR'S TOTAL
Total	~~3·58~~	~~3·975~~	~~1·045~~	·93	2·57	~~·57~~	~~6·615~~	~~2·14~~	~~2·125~~	~~1·35~~	~~3·35~~	~~5·33~~	~~33·58~~ ✓
	3·565	4·00	1·015			·80	6·385	2·19	2·075	2·61	2·29	5·29	33·72
Rain Days.	~~19~~ 18	~~18~~ 18	~~12~~ 11	8	7	~~6~~ 7	~~18~~ 16	~~12~~ 13	~~7~~ 6	~~10~~ 10	8	24	14~~9~~6

W. 8,000. X. 15.

W 8L entd by Hopkinson

956

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Oxhey Grange, Watford
in the County of Hertfordshire
by John Leslie

Lat. Long.
Time of Observation 9. A.M.
Nearest Railway Station Bushey
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground one ft. in.
" " " " Sea Level 295 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·17	·05			·30	·08			·14	·03	·23		1
2		·01	·11		·20				·11	·39			2
3		·39	·07				·02		·18	·28	·34		3
4	·25	·04				·41	·08		·03	·16	·41		4
5	·01	·01	·01	·05	·04	·11				·09	·71		5
6	·0	·05	·30			·05	·24			·07	·31		6
7	·08	·005	·31		·15	·07	·31				·72	·03	7
8					·27	·04				·01		·26	8
9	·01				·21	·09				·04		·03	9
10		·18	·12	·06		·37	·05			·04	·005	·03	10
11	·04	·08	·03	·15		·24						·09	11
12	·03	·03	·04		·23	·15	·02	·19					12
13		·41	·42	·16	·01	·03		·07		·06			13
14		·48		·01	·11			1·10		·05		·13	14
15		·23	·33				·23	·17					15
16		·005	·31	·14	·04		·01	·04					16
17	08			·03				1·04	·25	·44			17
18		·13	·05	·09				·24	·14	·03	·67		18
19	·13		·19	·32					·31		·80		19
20	·16		·16	·03							·04	·45	20
21	·03		·65				·19					·53	21
22		·06	·06		·01	·005				·02		·56	22
23	·02	·33				·03				·03	·04	·11	23
24			·005			·25				·10	·03	·30	24
25		·60	·09		·08			·20		·08	·10	·09	25
26		·03				·08		·02		·06			26
27	·07	·14	1·09			.15 ·05		·40	·08	·21			27
28		·32	31			·15			·16	·01		·20	28
29		·07				·24		1·64		·38	·03	·14	29
30						·05		·07		·52			30
31								·02		·11		·03	31
Total	1·08	3·65	4·655	1·04	1·65	2·595	1·15	5·20	1·40	3·21	4·435	2·98	YEAR'S TOTAL 33·045
Rain Days.	13	21 ~~22~~	20	10	12	18 ~~19~~	9	13	9	23	14	15	17~~9~~7

W. 8,000, VIII. 16

922

FORM A.
BRITISH RAINFALL.

16 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at The Gardens Oxhey Grange Watford

in the County of Herts

by John Leslie

Lat. Long.

Time of Observation 9. A.M.

Nearest Railway Station Bushey

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 295 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H: R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								1·10	·05		·08		1
2				·53		·05		·08					2
3				·05				·24		·24	·32		3
4		·19	·21				·05	·10		·05			4
5	·27		·02						·16	·09	·13		5
6			·08	·25		·02			·10	·03	·06		6
7	·27					·13	·12			·34			7
8	·17			·10			·78	·82		·27	·20	·11	8
9			·03	·05			·21	·15			·08	·12	9
10	·30		·17	·16				·11			·02		10
11	·11		·38	·27					·005	·50			11
12	·09		·06	·01				·07		·49			12
13	·02		·08					·17			·01		13
14	·03			·24				·07		·03		·03	14
15	·03						·10	·05					15
16	·04	·10		·21		·24	·21			·83		·33	16
17		·01		·08	·85		·12		·52	·26			17
18	·05	·07		·06	·08		·25	·06	·23	·11			18
19	·005	·08	·05	·01		·06			·48				19
20	01	·27	·02		·46						·03		20
21	·04		·01	·01	·09	·01			·67		·04		21
22			·10			·15		·05		·06			22
23		·09			·13	·02		·15			·005		23
24		·06				·01		·08		·34	·03		24
25		·02									·04		25
26			·09			·005		·15	·06			·04	26
27								·92				·06	27
28			·01			1·57		·19				·02	28
29			·02		·05	·08	1·01	·03		·25		·14	29
30	·02	✕	·28				1·41	·10		·06	·02		30
31		✕	·06	✕		✕	·32		✕		✕	·02	31
Total	1·455	·89	1·67	2·03	1·66	2·345	4·58	4·69	2·275	3·95	1·065	·87	YEAR'S TOTAL 27·48
Rain Days.	15	9	17	14	6	12	11	20	9	16	12	9	150

6

WD Oxhey H 7.1.03 30.IV.19 WD

Ec 81 Corr. for Snow - obs. agrees.

7

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

5. 2. 19

Kept at Oxhey Grange Gardens, Watford.

in the County of Herts.

by John Leslie

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·08	·02					·01	·06	·11	·04	1
2				·49				·005				·06	2
3				·12				·26		·01	·08	·27	3
4			·03		·54			·11	·05	·01	·62	·01	4
5			·06	·03				·02	·46		·42	·02	5
6	·27		·005		·07			·16	·11	·10			6
7				·28								·08	7
8	·27			·08	·27					·06	·06		8
9								·03			·11	·01	9
10		·06		·05			·12			·20		·19	10
11	·30			·04			·58					·36	11
12	·11			·02	·07		·24		·10	·37	·06	·10	12
13	·09				·21		·22						13
14	·02				·20		·10		·18				14
15	·03		·03			·25	·14		·37	·18		·36	15
16	(1·03)			·49			·12					·10	16
17	·04			·77					·87	·04		·01	17
18				·26	·19		·13	·03				·12	18
19	·05						·07		·35	·05		·11	19
20	·005		·03	·05			·20		·05	·04		·09	20
21	·01			·82			·08		·08	·26	·005	·01	21
22	·04	·15		·77					·44	·05			22
23		·02			·15		·06		·10			·18	23
24					·33	·01	·74	·03	·02				24
25		·14				·19	·01		·05		·08		25
26							·10	·17			·01		26
27							·29	·05		·02	·17	·16	27
28						·01	·01	·25	·05		·12	·03	28
29			·25	·10		·41		·01			·15	·15	29
30		✕							1·33			·02	30
31	·02	✕	·37	✕		✕			✕		✕	·02	31
Total	~~1·285~~ 2·285	~~·37~~	~~·855~~	4·39	2·03	·87	~~3·21~~	~~1·125~~	~~4·62~~	~~1·45~~	~~1·995~~	~~2·50~~	YEAR'S TOTAL ~~24·7~~
Rain Days.	~~14~~ 13	5 ~~4~~	7 ~~8~~	~~16~~ 15	9	5	17	12	17	14	13 ✓	~~23~~ 22	~~152~~ 149
	(2·285)	·45	·795	4·37	2·03	·87	3·21	1·135	4·67	1·50	1·925	2·46	(25·70)

W. 8,000, IX. 17.

Ans 3.v.19

The Gardens, Oxhey Grange,
Watford, Herts.,

2nd May 1919

Mr. Salter

Dear Sir,

With regard to snow fall on Jan 15th I am sorry that there should have been any mistake, but in all probality it should be as you suggest 1·03.

I am yours sincerely

John Leslie.

P.S. ~~could~~ Does your Society supply note books in which to note down observations on the weather? If so, I should be pleased to purchase one.

J. L.

cnd for auth Sey Sinclair.

1211 870

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

2 FEB 20

Kept at *The Gardens, Oxhey Grange, Watford*
in the County of *Hertfordshire*
by *John Leslie*

Lat. ...... Long. ......
Time of Observation *9 A.M.*
Nearest Railway Station *Bushey & Oxhey*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. ...... in.
" " " " Sea Level *295* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·56	·03		·005	·09		·27				07	1·18	1
2	·29	·01			·17		·03	·02	·21	·03	·15	·13	2
3	·35		·35		·01		·15			·16	·04	·27	3
4	·10		·31			·07	·11	·12	·09		·01	·14	4
5	·01	·28	·63				·06		·14		·02	·28	5
6	·01		·09	·005								·02	6
7	·03		·51								·03		7
8	·14		·05	·02							03		8
9	·04		·03	·015	·16						09		9
10	·13		·07	·03								·04	10
11	05		·10	·22			·20					·10	11
12			·04	·01			·14			·05	·03		12
13	·01			·18						·04		·02	13
14	·47	·03		·62			·07		·28				14
15	·25	·03	·10	·22								·59	15
16	·11										·11		16
17		·59									·24	·03	17
18		·09	·07					·02			·10	·07	18
19	·05	·18	·95			·21	·40	·07	·05	·005	·11		19
20	·34	·12	·12			·76	·13	·29	·06		·01	·09	20
21	·28	·36	·02				·10		·04		·01	·07	21
22		·20				·05	·14	·005			·01	·36	22
23						~~·02~~	·10	·04	·45		·01		23
24				·17				·08	·14		·09	·01	24
25	·03					·01	·14	·49		·27			25
26	·11	·21	·13	·16				·07				·44	26
27	·85	·02	·05	1·01				·37	·09		·01	·02	27
28			·15	·02				·87		·01	·23	·29	28
29	·04			·07				·24		·10	·09	·05	29
30			·03	·22		·14		·09		·01	·21	·42	30
31			·03									02	31
TOTAL	4·25	2·15	3·83	2·975	·43	1·26	2·04	2·~~2~~775	1·55	·675	1·70	4·64	YEAR'S TOTAL 28·275 ~~27·775~~
Days with ·01 in. or more	22	13	20	15	4	7	14	13	10	~~6~~ 9	22	22	179

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

822

24 JAN 1921

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at The Gardens, Oxhey Grange Watford

in the County of Hertfordshire

by John Leslie

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Bushey & Oxhey

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 295 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·62	·15		·25			·61	·01	·28	1
2			·005				·30	·52	·06		·01	·15	2
3		·08					·05		·16	·03		·03	3
4				·07				·12				·04	4
5		·02					·71	·02	·06			·03	5
6			·22		·16		·47	·04				·04	6
7			·01	·22			·15					·03	7
8	·05	·03		·25	·05		·21	·12					8
9	·40			·04				·01					9
10	·50	·05	·08				·14						10
11	·24		·06	·19		·07	·30					08	11
12	·06			·15	·03	·60	·01						12
13	·01		·15	·21							·07		13
14	·01	·02	·29			·39	·05		·11	·41	·25	·05	14
15	·01	·04	·17	·22			·01		·34	·13	·06		15
16				·20		·14			·15	·11			16
17	·01				·20				·35			·03	17
18	·08							·57	·12			02	18
19	·06			·10				·09				·02	19
20	·05	·06		·32		·64						·03	20
21							·48	·08	·53			·08	21
22				·31					·08			·27	22
23	·005						1·02					·42	23
24			·11								·02	·05	24
25		·03	·10	·005			·25						25
26	·07		·12		·02		·08					·03	26
27	·24	·07		·24		·14	·08				·58	·17	27
28	·41	·01	·15	·09	·11		·09				·02	·03	28
29	·23		·03		·04	·01					·19	·32	29
30	·04				·01	·04	·65		·26		·23	·25	30
31	·04									·16		·13	31
TOTAL	2·515 ✓	·41 ✓	1·495	3·235	·77 ✓	2·03 ✓	5·30 ✓	1·57 ✓	2·22 ✓	1·45 ✓	1·44 ✓	2·58	YEAR'S TOTAL 25·015
Days with ·01 in. or more	18 ✓	10 ✓	12 ✓	15 ✓	9 ✓	8 ✓	19 ✓	9 ✓	11 ✓	6 ✓	10 ✓	23	150
Days with ·04 in. or more	14 ✓	5 ✓	10	15 ✓	6 ✓	7 ✓	17 ✓	7 ✓	11 ✓	5 ✓	6 ✓	14	117 ✓

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

HERTS

WELWYN - BRIDGE HOUSE

1911 - 1916

FORM A2.
BRITISH RAINFALL.
8 JUL 1912

REGI 11

Kept at Welwy

in the County of N

by B. Wilf

in.

ve Ground ft. in.

Sea Level ft.

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02			·24		·00	·01	·03				·01	1
2	·08			·36	·15		·02				·19	·16	2
3		·02		·01	·16	·05				·08	·07	·06	3
4	·06	·06	·12	·09						·10		·42	4
5	·01	·01		·02						·04	·01	·15	5
6	·29		·05									·46	6
7	·03		·02							·12	·34	·30	7
8	·17		·21								·17	·18	8
9	·18		·01	·04							·02	·02	9
10	·02	·10	·12								·06	·47	10
11	·28				·19						·41	·01	11
12			·58						·04		·25	·01	12
13			·08		·11				·41	·58	·02	·26	13
14			·04		·54							·47	14
15		·05	·39							·03	·06	·03	15
16			·01			·31					·40	·08	16
17						·18					·13	·20	17
18	·01	·15	·07			·33					·70	·25	18
19					·02	·10			·04	·04	·36	·10	19
20	·02	·03	·03					·43	·21	·05		·68	20
21		·27				·01		·29		·56	·02	·16	21
22	·12	·02	·13			·11				·07		·55	22
23		·18	·28			·97			·32			·16	23
24		·09	·07			·05	·02			·69		·21	24
25		·05		·06			·16			·01		·02	25
26			·01	·18		·25	·03			·12	·07	·18	26
27		·36		·02					·16			·09	27
28		·35		·28			·03	·11			·08		28
29				·03		·21	·15		·32	·23			29
30				·05	·08			·01	·01	·17		·01	30
31					·31								31
Total	1·29	1·74	2·22	1·38	1·59	2·57	·42	·87	1·51	2·89	3·66	5·70 ~~5·47~~	TOTAL for year 25·84
No. of Rain Days.	13	14	17	12	8	12	7	5	8	15	18	28	~~157~~

156

W. 8,000, X. '11.

✓

FORM A2.
BRITISH RAINFALL.
8 JUL 1912

REGISTER OF RAINFALL IN 1911

Kept at Welwyn

in the County of Hertford 3

by B. Wilfred Thomas

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02			·24		·00	·01	·03				·01	1
2	·08			·36	·15		·02				·19	·16	2
3		·02		·01	·16	·05				·08	·07	·06	3
4	·06	·06	·12	·09						·10		·42	4
5	·01	·01		·02						·04	·01	·15	5
6	·29		·05									·46	6
7	·03		·02							·12	·34	·30	7
8	·17		·21								·17	·18	8
9	·18		·01	·04							·02	·02	9
10	·02	·10	·12								·06	·47	10
11	·28				·19						·71	·01	11
12			·58						·04		·25	·01	12
13			·08		·11				·41	·58	·02	·26	13
14			·04		·57							·47	14
15		·05	·39							·03	·06	·03	15
16			·01			·31					·40	·08	16
17						·18					·13	·20	17
18	·01	·15	·07			·33					·70	·25	18
19					·02	·10			·04	·04	·36	·10	19
20	·02	·03	·03					·43	·21	·05		·68	20
21		·27				·01		·29		·56	·02	·16	21
22	·12	·02	·13			·11				·07		·55	22
23		·18	·28			·97			·32			·16	23
24		·09	·07			·05	·02			·69		·21	24
25		·05		·0,6			·16			·01		·02	25
26			·01	·18		·25	·03			·12	·07	·18	26
27		·36		·02					·16			·09	27
28		·35		·28			·03	·11			·08		28
29				·03		·21	·15		·32	·23			29
30				·05	·08			·01	·01	·14		·01	30
31					·31								31
Total	1·29	1·74	2·22	1·38	1·59	2·57	·42	·87	1·51	2·89	3·66	~~5·47~~ 5·70	TOTAL for year 25.84
No. of Rain Days.	13	14	17	12	8	12	7	5	8	15	18	28	~~157~~ 156

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

3 FEB 1913

Kept at Bridge House, Welwyn
in the County of Hertford
by B. Wilfred Thomas

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Welwyn
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·05	·01		·01	·05		·11	·32		·18	1
2		·04	·06	·01		·31	·49		·02	~~·02~~		·01	2
3	·08	·02	·06		·02	·17		·28	·01			·09	3
4	·29		·73		·19	·12		·04			·35		4
5	·17	·12	·25					·10	·03			·02	5
6	·28	·05			·02	·01		·31			·05	·05	6
7	·02					·83		·45					7
8	·38	·34	·21			·03		·24	·03			·06	8
9	·04	·10		·11		·34	·01	·03				·24	9
10		·05						·14	·13		·17	·09	10
11	·09	·33						·01	·08			·13	11
12	·10	·07	·12			·25	·02				·12		12
13			·01			·02		·15			·26	·03	13
14					·02	·01		·01	~~·10~~	·10		·04	14
15		·05	·11		·10	·25		·04				·18	15
16	·32		·03		·05	·07		·05			·04		16
17	·58		·28			·12		·06				·02	17
18	·05		·15					·15	~~·01~~	·07	·06	·13	18
19	·23	·03	·12				·30	·47					19
20	·02	·03	·21				·01	·09	[illegible]	·32			20
21	~~·12~~	·05	·49		·11			·17		·11	·07		21
22	·62	·13	·07		·01		·14	·14		·03	·15	·02	22
23	·47	·41	·35		·01		1·54	·50				·21	23
24	·31	·02					·01	·18			·00		24
25						·17		·60			·31	1·25	25
26							·15	·47		·45	·54		26
27							·02			·22			27
28		·07	·02				·06	·05	·10	·51	·34	·20	28
29		·02				·28	·21	·28	1·43	·15	·02		29
30					·12	·67		·02	1·00			·08	30
31			·14		·06		·25	·26					31
Total	4·05	1·93	3·46	·13	·71	3·69	3·26	5·29	2·94	2·28	2·48	3·03	YEAR'S TOTAL 33·25
Rain Days.	17	18	19	3	11	17	14	27	10	10	~~15~~ 13	22	181

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.
6 FEB 1914

Exa BH

Kept at Bridge House, Welwyn

in the County of Hertford 3

by B. W. Thomas

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge ....in.
Height of top of Gauge above Ground ....ft. ....in.
" " " " Sea Level ....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·16	·08	·07					·34		·19	·03	1
2	·01	·17			·01		·17		·03	·15	·09		2
3	·01		·10	·05	·82						·01	·08	3
4	·32		·13		·05		·16			·39	·04	·07	4
5						·01	·18		·07	·09	·02		5
6		·04	·06		·16	·28	·08			·23			6
7		·21		·02	·14	·01	·16	·05		·38	·03		7
8		·01			·16	·16				·15	·07	·10	8
9		·22	·02	·03	·03	·04			·12		·03	·11	9
10			·04	·23			·65				·33		10
11	·58			·52	·01			·35		·35	·32		11
12					·02			·01		·01	·37		12
13				·01				·02	·04		·34		13
14	·12		·09	·04			·49	·08		·15	·17		14
15	·11		·26	·27			·22		·22				15
16	·09		·38	·16					·05		·01		16
17	·03		·05	·07		1·45						·20	17
18	·01			·23					·15		·09		18
19	·12		·07	·01			·04		·44				19
20	·30		·05	·03			·10			·32			20
21	·03		·15	·23						·15	·46		21
22	·41		·27				·01	·09	·22				22
23						·07		·21	·01			·10	23
24				·02			·01						24
25				·22		·01							25
26		·05	·30	·15				·14		·70		·03	26
27			·02	·06						·02	·05		27
28	·26		·22	·09						·18			28
29	·05			·46	·64			·11		·05			29
30	·32			·03				·07		·20	·12	·21	30
31	·01							·41		·02			31
Total	2·81	·86	2·29	3·00	2·04	2·33	2·27	1·52	1·69	3·54	2·74	·93	YEAR'S TOTAL 26·02
Rain Days.	18	7	17	22	10	8	12	11	11	17	18	9	160

W.7,000, XI. 13

Ex 8f

REGISTER OF RAINFALL IN 19*14*

FORM A.
BRITISH RAINFALL.
11 JAN 1915

Kept at Welwyn
in the County of Hertfordshire
by B. Wilfred Thomas

3

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01		·01				·14	·33			·06		1
2			·02	·02			·07	·18			·07	·17	2
3			·03		·18		·48	·05			·02	·01	3
4	·15		·01	·27	·01			·21			·41	·48	4
5			·07	·30		·04	·57	·87			·02		5
6		·13			·03	·04	·08	·02			·18	·27	6
7		·28	·24	·05	·31	·01	·02					·36	7
8		·18	·94	·07	·08	·32	·18	·12				·01	8
9	·34		·70	·06	·01	·36		·01	·03		~~·03~~	1·12	9
10	·10	·14	·07	·06	·08	·00			·15		~~·15~~	·02	10
11		·24	·37		·14	·75			·06		·39	·42	11
12		·05	·11				·02		·40		~~·40~~	·43	12
13		·41	·19						·20	·22	~~·20~~	·57	13
14		·06	·39				·03			·36	·18	·71	14
15	·10	·03	·22							·03	·04	·06	15
16			·04				·06		·02		·02		16
17		·42	·04						·21		~~·21~~	·22	17
18		·07	·08									·30	18
19			·16			·56	·03		·03		·23	·04	19
20		·23	·36						·03		~~·03~~	·12	20
21		·47	·12			·31		·07		·02			21
22		·02	·01		·23	·07	·07	·04		·69			22
23		·04	·09		·12		·31			·16		·04	23
24			·04	·02	·01		·10			·06	·14		24
25	·01		·17					·14		·38	·01	·13	25
26			·03					·08		·03	·21	·54	26
27	·11		·02								·03	·25	27
28		·03			·02						·48	1·40	28
29	·04		·06							·38	·17		29
30		X	·06							·05	·35	·30	30
31		X		X	·11	X	·04		X		X	·04	31
Total	·86	2·80	4·65	·85	1·33	2·52	2·20	2·12	1·13	2·38	3·01	8·01	YEAR'S TOTAL 31·86
Rain Days.	8	16	28	8	13	~~1~~9	15	12	9	11	18	24	17[illegible]

W. 8,000. X. 14.

cnd 9·III·16 ~~Jt.~~ FW

1032

FORM A.
BRITISH RAINFALL.

9-FEB 1916

REGISTER OF RAINFALL IN 1915

Kept at Bridge House Welwyn Herts

in the County of Hertfordshire

by Dr. B. Wilfred Thomas

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Welwyn

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 3 in.

" " " " Sea Level 216 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·50	·12	·12		·04				·15	·06		·35	1
2	·28	·29	·23	·13		·02		1·03	·03	·04	·10	·14	2
3	·41		·02	·18			·22	1·06	·01			·20	3
4	·09	·51						·44		·03		·51	4
5	·03			·02				·03		·07		·25	5
6	·21		·05	·29			1·19	·07				·08	6
7	·10	·41	·02	·02			·44	·02				·23	7
8	·03	·32	·14										8
9		·05		·04		·04		·05			·24	·70	9
10	·30		·05					·27				·15	10
11	·01		·02		·01						·80	·03	11
12	·08	·07		·33	·47			·31		·13	·75		12
13	·04	·53			1·86				·02				13
14		·07					·75	·03	·04			·51	14
15	·24				·05			·11				·13	15
16	·05	·50					·72	·67				·04	16
17		·36			·44		·25						17
18		·12	·18		·04						·09		18
19		·09					·15			·01			19
20	·32			·04								·39	20
21	·18	·02					·02	·01		·01		·06	21
22	1·03	·05	·44				·52					·21	22
23	·01		·18				·10		·24	·41		·35	23
24			·09				·96		·29	·05		·33	24
25				·05			·05			·06		·18	25
26		·11				·01	·08					·41	26
27		·04	·01			·14	·14			·48		·12	27
28		·19				·23			1·39	·14			28
29							·06	·22			·13	·08	29
30	·03	✕				·42					·08		30
31	·08	✕		✕		✕		·03	✕	1·10	✕	·19	31
Total	4·02	3·85	1·55	1·10 1·10	2·91	·86	5·65	4·35	2·17	2·59	2·19	5·64	YEAR'S TOTAL 36·98
Rain Days.	20	18	13	9	7	6	15	15	8	13	7	23	154

W. 8,000. X. 15.

✓

1005

FORM A.
BRITISH RAINFALL.

1 JAN 191

REGISTER OF RAINFALL IN 1916

Kept at Bridge House, Welwyn
in the County of Hertfordshire
by Dr. B. Wilfred Thomas

Lat. ...... Long. ......
Time of Observation 9 a. m.
Nearest Railway Station ......
Diameter of Funnel of Rain Gauge 5 ins.
Height of top of Gauge above Ground 2 ft. 3 ins.
" " " " Sea Level 216 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·12		·01			·01			·11	·07	·26		1
2	·71		·22		·21	·04	·01		·05	·41	·05		2
3		·47	·30				·01		·30	·24	·29		3
4	·32	·10				·45				·07	·48		4
5	·04	·02		·06	·02	·11				·08	·51		5
6		·07	·36	·31		·06	·32			·05	·53		6
7	·11		·20		·10		·06			·03	·45	·02	7
8					·41	·01						·31	8
9					·33	·05				·07		·05	9
10	·01	·20	·17	·09		·30	·02		·02		·02	·07	10
11	·09	·13	·06	·13		·12						·09	11
12	·03	·02		·02	·47	·18	·15	·16		·15			12
13	·02	·70	·11	·17	·15	·10	·25	·30					13
14		·38		·02	·07			·33		·07			14
15		·12	·50				·01	·53		·04			15
16		·02	·17	·16	·06		·11	·11		·05			16
17	·11	·08		·18			·05	·13	·37	·43			17
18			·05	·17				·28	·19	·03	·68		18
19	·06	·02	·18	·09					·32		·80	·15	19
20	·28		·41	·06				·03			·03	·40	20
21	·02		1·06				·13					·48	21
22	·02	·09	·02		·04					·01	·01	·46	22
23		·43				·07		·04		·01		·09	23
24		·04						·02		·07	·04	·08	24
25		·53	·13		·05			·18		·20	·09		25
26		·13	·02					·06	·01	·07		·26	26
27		·08	1·08			·30		·17	·08	·19			27
28		·41	·50			·21				·17		·09	28
29		·13				·22		1·55	·01	·49		·13	29
30		X			·19	·04		·14		·33		·02	30
31		X		X		X			X	·07	X	·01	31
Total	1·94	4·17	5·55	1·46	2·10	2·27	1·12	4·03	1·46	3·40	4·24	2·71	YEAR'S TOTAL 34·45
Rain Days.	14	21	19	12	12	16	11	15	10	24	14	16	184

W. 8,000, VIII. 16

[illegible] 1

REGIS

—

HERTS
WIDFORD
1918-1919

FORM A.
BRITISH RAINFALL
10 3.19

Kept at Widford ...g. —

in the County of Herts ...n Widford

Rain Gauge 8 in.

by Ralph Abbott above Ground ft. 9 in.

" Sea Level ft.

IMPORTANT NOTI... and the result entered to the previous day. If an Observer prefers not to conform ... universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
9. am

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
											.09		
1	.~~33~~	.		.18				.10			.41		1
2	.~~22~~	0.6	0.4	.02				.17					2
3	.~~10~~	0.3						.04			.48		3
4			0.7		.51			.01	.20				4
5	.15	0.8			.09			.14	.41	.11			5
6	.	0.4		.29									6
7		.11		.03	.08				.	.13			7
8	.10	0.9				.06		.01	.20		.13		8
9	.03								.36				9
10				.05			.63					.65	10
11	.05				.09		.19			.29	.05	.16	11
12		.14			.12		.19		.06			.04	12
13		.02			.19		.10						13
14	.16			.02		.14				.24		.29	14
15				1.03			.11		.37			.05	15
16				.37									16
17						.04			.16			.18	17
X 18 X	1.26			.29		.14	.67			.03		.45	18
19	.42		.18	.13		.09	.08		1.20	.03			19
20	.07	.10		.34		.05	.29			.09		.11	20
21	.04			.10		.04	.		.05	.03			21
22	.03				.07	.01	.05						22
23	.03				.50		.53	.03	.38			.21	23
24		.15			.20		.05				.08	.02	24
25							.04	.13	.12		.23		25
26					.25		.47			.06	.12		26
27								.23				.16	27
28		.07	.30	.16		.06							28
29									1.00			.07	29
30		✗	.40							.06	.03		30
31		✗		✗		✗			✗		✗	.09	31
Total	2.34	.89	.99	3.01	2.10	.63	3.40	.86	4.51	1.07 1.0[illegible]	1.62	2.48	YEAR'S TOTAL 23.90
Rain Days.	14	11	5	13	10	9	13	9	12	10	9	13	128

X X Result of snow of previous 3 days.

Amwell 1

REGIS

FORM A.
BRITISH RAINFALL.
10 3. 19

Kept at Widford

in the County of Herts

by Ralph Abbott

Lat. Long.

Time of Observation

Nearest Railway Station Widford

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 9. am

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
											.0.9		
1	. ~~33~~	.		.18				.10			.41		1
2	. ~~22~~	0.6	0.4	.02				.17					2
3	. ~~10~~	0.3						.04			.48		3
4			0.7		.51			.01	.20				4
5	.15	0.8			.09			.14	.41	.11			5
6	.	0.4		.29									6
7		.11		.03	.08				.	.13			7
8	.10	0.9				.06		.01	.20		.13		8
9	.03								.36				9
10				.05			.63					.65	10
11	.05				.09		.19			.29	.05	.16	11
12		.14			.12		.19		.06			.04	12
13		.02			.19		.10						13
14	.16			.02		.14				.24		.29	14
15				1.03			.11		.37			.05	15
16				.37									16
17						.04			.16			.18	17
X 18 X	1.26			.29		.14	.67			.03		.45	18
19	.42		.18	.13		.09	.08		1.20	.03			19
20	.07	.10		.34		.05	.29			.09		.11	20
21	.04			.10		.04	.		.05	.03			21
22	.03				.07	.01	.05						22
23	.03				.50		.53	.03	.38			.21	23
24		.15			.20		.05				.08	.02	24
25							.04	.13	.12		.23		25
26					.25		.47			.06	.12		26
27								.23				.16	27
28		.07	.30	.16		.06							28
29									1.00			.07	29
30		X	.40							.06	.03		30
31		X		X		X			X		X	.09	31
Total	2.34	.89	.99	3.01	2.10	.63	3.40	.86	4.51	1.07	1.62	2.48	YEAR'S TOTAL 23.90
Rain Days.	14	11	5	13	10	9	13	9	12	10	9	13	128

X X Result of snow of previous 3 days.

W. 6,500, VII. 18. W W & S

Cox. A.C.G. corr for anth from surrounding stns & obss. .918

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

16 FEB 20

Kept at Widford
in the County of Herts
by Ralph Abbott.

Lat. Long.
Time of Observation 9 o'clock
Nearest Railway Station Widford
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground ft 8 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·05		·05	·24		·31			·05		·20	1
2					·27		·19		·19			·87	2
3			·20				·03		·10		·13	·25	3
4						·08	·27		·10			·21	4
5	·03		·15				·05					·17	5
6			·37					·18				·21	6
7											·13	·08	7
8	·09		·15	·04							·06		8
9	·02		·27	·05									9
10	·03		·09								·08	·03	10
11	·19		·01	·09						·04	·04		11
12			·06	·25			·31			·06			12
13			·12	·03		·03	·03			·01	·02		13
14	·07			·25			·15		·11	·09			14
15	·19			·38									15
16	·15		·05	·12							·21	·13	16
17	·14	·62	·01								·20	·07	17
18									·01			·02	18
19		·75	·04	·02		+	·08		·03			·02	19
20	·24	·10	·40			+ (1·09)	·11	·21			·15	·06	20
21			·02			+	·24	·29			·09		21
22	·31	·44					·05		·44				22
23		·02	·02				·03		·06	·07		·33	23
24							·03		·13		·18		24
25				·19	·07							·02	25
26				·10			·05	·51				·02	26
27		·09		1·50		·01		·98				·33	27
28	·22	·05	·15	·09		·01		·09			·07	·04	28
29	·39		·05	·05				·11		·11	·18	·27	29
30	·03					·14					·20	·30	30
31										·02		·03	31
TOTAL	2·10	2·12	2·16	3·21	·58	~~·27~~ 1·36	1·93	2·37	1·17	·39	~~1·54~~ 1·74	~~3·66~~ 3·46	YEAR'S TOTAL ~~21·50~~ 22·59
Days with ·01 in. or more	14	8	17	15	3	~~5~~ 9	15	7	9	8	13	21	~~135~~ 139

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

HERTS.

WILLIAN — ROTLEY COURT

1911 – 1920

E.12

FORM A2.
BRITISH RAINFALL.

1 JAN 1912

REC 911

Kept at Rotley Cour

in the County of Hertf

by Wm H. Bend

owden- rain

op 5 in.

above Ground 1 ft. 6 in.

„ Sea Level 360 ft.

9.30

ion { Name ~~Hertford~~ Hitchin
Distance 3½ m. Direction West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·16				·04					1
2	·06	·04		·19	·08			·01			·11		2
3				·01	·14	·48		·02		·01	·05		3
4		·03	·12	·12		~~·48~~				·18		·22	4
5		·07		·01				·02		·05		·50	5
6	·27		·10									·38	6
7										·16		·20	7
8	·21		·12							·01	·35	·16	8
9	·15			·05									9
10		·10	·06							·01	·10	·34	10
11	·05				·14	·01					·38		11
12	·20		·41						·02	·18	·31		12
13	·03		·10		·38				·22	·02		·39	13
14			·05		·33							·43	14
15		·03	·13							·03	·06		15
16	·01		·08			·16					·27		16
17						·04					·08	·18	17
18		·14				·01					·41	·12	18
19						·18			·09	·07	·25		19
20	·02							·52	·12				20
21	·02	·08						·36		·38		1·12	21
22	·06		·36			·11				·05			22
23		·24	·28			1·07			·18		·01		23
24		·03	·01			·11				·57		·27	24
25		·04		·06		·19	·26						25
26		·03		·16		·08	·04			·13	·02	·10	26
27		·24	·05						·13		·01		27
28	·01	·15		·19	·04						·04	·06	28
29						·15	·15		·18	·16			29
30					·02				·01	·18		·02	30
31					·97								31
Total	1·09	1·22 ~~·95~~	1·87.	·95 ·95	2·10	2·59 ✓	·45	·97	·95	2·13	2·45 2·43	4·49 4·49	TOTAL for year 21·26 21·26
No. of Rain Days	12.	13.	13.	9.	8.	~~13~~ 12	3.	6.	8.	16.	15	15.	131.

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

1 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Rotley Court - Hitchin
in the County of Hertfordshire 4
by Mr H. Bendixson.

RAIN GAUGE
Pattern Snowden - rain
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 360 ft.

Time of Observation 9.30

Nearest Railway Station
Name ~~[illegible]~~ Hitchin
Distance 3½ m. Direction West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·16				·04					1
2	·06	·04		·19	·08			·01			·11		2
3				·01	·14	·48		·02		·01	·05		3
4		·03	·12	·12		~~·48~~				·18		·22	4
5		·07		·01				·02		·05		·50	5
6	·27		·10									·38	6
7										·16		·20	7
8	·21		·12							·01	·35	·16	8
9	·15			·05									9
10		·10	·06							·01	·10	·34	10
11	·05				·14	·01					·38		11
12	·20		·41						·02	·18	·31		12
13	·03		·10		·38				·22	·02		·39	13
14			·05		·33							·43	14
15		·03	·13							·03	·06		15
16	·01		·08			·16					·27		16
17						·04					·08	·18	17
18		·14				·01					·41	·12	18
19						·18			·09	·07	·25		19
20	·02							·52	·12				20
21	·02	·08						·36		·38		1·12	21
22	·06		·36			·11				·05			22
23		·24	·28			1·07			·18		·01		23
24		·03	·01			·11				·57		·27	24
25		·04		·06		·19	·26						25
26		·03		·16		·08	·04			·13	·02	·10	26
27		·24	·05						·13		·01		27
28	·01	·15		·19	·04						·04	·06	28
29						·15	·15		·18	·16			29
30					·02				·01	·18		·02	30
31					·97								31
Total	1·09	1·22 ~~·96~~	1·87	·95 ·95	2·10	2·59 ✓	·45	·97	·95	2·13	2·45 2·45	4·49 4·49	TOTAL for year 21·26 21·26
No. of Rain Days	12.	13.	13.	9.	8.	~~13~~ 12	3.	6.	8.	16.	15	15.	131.

9,000, IX. '10.

[illegible] 5.III.13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

2 JAN 1913

Kept at Roxley Court - Willian
in the County of Hertfordshire 4
by Wm H. Bendixson.

Lat. Long.
Time of Observation 9. 30 a.m.
Nearest Railway Station Hitchin. G.N.R.
Diameter of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·04.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01	·01		·04	·02		·11	·36		·16	1
2			·04			·17	·70		·02			·08	2
3	·09	·04	·05	·04	·41	·10		·25	·04				3
4			·57		·12	·11					·37		4
5	·27	·08	·32				·02				·08	·01	5
6	·21	·02			·03	·06	·10	·41				·05	6
7						·80						·03	7
8	·41	·30	·16			·01		·27	·13			·03	8
9	·01	·06		·06		·24	·02		·11			·21	9
10	·12	·02	·16					·40			·15		10
11			·01			·02			·04				11
12	·10	·06	·08		·02	·10		·02			·08	·06	12
13						·07	·02	·16			·15		13
14		·02	·01		·04	·03		·02		·03			14
15		·01	·15		·15	·17		·01			·01	·05	15
16	·24		·01		·05	·08		·04			·04		16
17	·48		·17			·06		·04					17
18	·03		·19					·23			·04	·13	18
19	·18	·06	·14				·34	·44	·02		·01		19
20			·40		·04		·03	·14		·23			20
21		·01	·34		·28			·29		·23	·06		21
22	·72	·07	·13		·06		·07	·31		·05			22
23	·52	·53	·23				·82	·31		·02	·13	·02	23
24	·21						·07	·11					24
25						·13		·62			·30	·77	25
26		·02					·22	·46		·30	·16	·19	26
27		·01				·02	·11	·02		·22		·15	27
28							·02		·12	·36	·33	·28	28
29						·14	·14	·38	·96	·22			29
30					·21		·04	·20	·62	·14			30
31			·07				·19			·01			31
Total	3·59.	1·31	3·24 3·24	·11	1·41.	2·35	2·93	5·13	2·17	2·17 2·17	1·91.	2.22	YEAR'S TOTAL 28·54 28·54
Rain Days.	14.	15.	20.	3.	11.	18.	17.	22	10.	12.	14	15.	171.

W. 7,500, XI. 13

✓ H DL cnd for arith (Hopkinson —)

FORM A. BRITISH RAINFALL
2 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Roxley House - Willian
in the County of Hertfordshire
by Mr. H. Beckison

4

Lat. .... Long. ....
Time of Observation 9. 30. a. m.
Nearest Railway Station Hitchin
Diameter of Rain Gauge 5. in.
Height of top of Gauge above Ground one ft. 6 in.
" " " " Sea Level 370. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·13	·07	·11					·30		·13	·03	1
2	·04	·13			·34		·17		·07		·02		2
3	·05		·05	·05	·66		·04					·21	3
4	·13				·06					·64	·01	·11	4
5	·09						·18			·06	·01		5
6			·08		·13	·15	·10		·03	·26		·04	6
7		·19					·02			·46	·11		7
8			·01	·01	·36					·13			8
9				·04		·22			·14		·02	·08	9
10							·40				·40		10
11	·70			·38	·03					·17	·27		11
12					·13			·01			·32		12
13								·03	·03		·35		13
14	·10	·01	·06	·01			·60	·04		·19	·13		14
15	·11	·02	·16	·13			·11		·03				15
16	·04		·35	·43					·04				16
17	·04	·02	·06	·16		·81	·05				·02	·11	17
18	·01		·16	·14			·04				·04		18
19	·25		·09			·03	·11		·63			·04	19
20	·14		·10	·01						·30			20
21	·06		·11	·14	·02				·01	·12	·38		21
22	·37		·20	·04			·01	·07			·02		22
23			·01					·03				·08	23
24	·03			·01		·03							24
25				·15		·12				·01			25
26		·03	·24	·11				·12		·56		·13	26
27		·01	·04	·05						·03			27
28	·13		·37	·09						·13		·04	28
29			·10	·46	·35			·11				·01	29
30	·25			·04				·09		·17		·02	30
31			·27					·64		·02	·16		31
Total	2·54	·54	2·53	2·43	2·08	1·36	1·83	1·14	1·28	3·25	2·39	·90	YEAR'S TOTAL ~~22·28~~ 22·27
Rain Days.	17.	8.	19.	19.	2·08 9.	1·36 6.	12.	9.	9.	3.25 15.	2·39 16.	12	151.

W.7,000, XI. 13

cordly A Hy Hopkinson 9·III·15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Kept at Rotley House - Willian

in the County of Hertfordshire 4

by Mr H. Bunderson

Lat. Long.

Time of Observation 9. 30 a.m.

Nearest Railway Station Hitchin G. N. R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 375 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·04

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							·71	·18			·09	·01	1
2	·02			·03			·04		·05		·05	·16	2
3			·03	·02	·11		·52	·15	·15		·15	·01	3
4	·20.		·01 ·01	·20	·02			·13			·48	·24	4
5			·03 ·03	·27	·06		·48						5
6		·08			·03	·10	·09	·01			·01	·11	6
7	·08	·16	·20	·13	·28		·05	·03				·31	7
8		·10	·68 ·68	·18	·03	·37	·03					·01	8
9	·26		·48 ·48	·18	·02	·50						·85	9
10		·15	·02 ·02	·08	·05								10
11		·12 ·12	·31 ·31		·01	·42					·24	·30	11
12	·03	·03 ·03	·08 ·08						·45	·03	·04	·41	12
13		·20 ·20	·15 ·15							·30		·35	13
14		·03 ·03	·36 ·36				·03			·52	·13	·50	14
15	·09		·19 ·19									·15	15
16	·08	·01 ·01	·03 ·03				·02				·05	·01	16
17		·39 ·39	·03						·07	·01		·16	17
18		·01 ·01	·05 ·05									·45	18
19			·19 ·19			·01	·01				·22	·04	19
20		·20 ·20	·21 ·21				·01		·01				20
21		·43 ·43	·08 ·08			·30						·06	21
22		·06 ·06	·02 ·02	·02	·25	·01	·07	·03		·68			22
23		·16 ·15	·04 ·04		·15					·15			23
24			·08 ·08	·01			·04			·11	·09		24
25	·05	·01	·11 ·11					·10		·30		·16	25
26			·09 ·09				·01			·03	·09	·38	26
27	·06	·04	·02 ·02									·14	27
28					·05					·08	·56	1·54	28
29	·03		·08								·10		29
30		X	·01		·17		·04			·01	·23	·34	30
31		X		X		X			X		X	·04	31
Total	·85	2·17	3·58.	1·12.	1·29.	1·71.	2·15.	·63.	·73.	2·22.	2·53.	6·73	YEAR'S TOTAL 25·65
Rain Days.	10	2·17 17	26	10	1·23 13	7	2·15 15	7	5	11	15	24	160

W. 8,000. X. 14.

cwd for auth 9·III·16 FW - L.N.

1053

FORM A.
BRITISH RAINFALL.
3 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Rotley House - William
in the County of Hertfordshire 4
by Mrs Evelyn Benedixson

Lat. Long.
Time of Observation 9. 30 a.m.
Nearest Railway Station Hitchin
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 370. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·49.	·06	·06		·07				·11	·01	·04	·33	1
2	·27.	·32	·18	·15		·03		·64	·04	·02	·02	·10	2
3	·40.		·01	·10			·11	·11	·06		·02	·12	3
4	·08.							·06			·03	·58	4
5	·03.	·43								·05		·22	5
6	·18.	·02		·18			1·13			·02		·05	6
7	·06.	·25	·09				·37	·05				·37	7
8		·29	·01	·02		·05	·04	·01					8
9		·03									·20	·46	9
10	·24		·06	·01				·07			·05		10
11	·01		·02		·02			·04			·80		11
12	·08			·36	·32			·13		·08	·59		12
13	·01	·47			1·16			·02					13
14		·05			·01		·32	·29	·03			·43	14
15	·19				·03			·01			·18	·07	15
16	·01	·33			·01		·50	·15				·13	16
17		·28			·17		·17						17
18		·07	·17								·07		18
19							·08						19
20	·24			·06								·09	20
21	·08	·12			·02		·02			·01			21
22	·92	·02	·42				·29					·04	22
23		·10	·27			·02	·07		·20	·20		·34	23
24	·02		·08			·09	·13		·21	·03			24
25				·03		·07				·02		·31	25
26		·08					·07					·26	26
27		·03	·02			·17	·10		·02	·40			27
28		·10					·02		·88	·12		·02	28
29						·21	·04	·18			·07	·07	29
30	·02	×				·02		·03			·04		30
31	·03	×		×		×			×	·62	×	·21	31
Total	3·36.	3·05. 3·05	1·39.	·91. ·91	1·81 1·81	·66	3·46	1·79.	1·55.	1·58	2·11.	4·20	YEAR'S TOTAL 25·87 25·87
Rain Days.	19.	18.	12.	8.	9.	8.	16.	14.	8.	12.	12.	19.	155.

W. 8,000. X. 15.

W. 383 [illegible] 1025

REGISTER OF RAINFALL IN 1916.

FORM A. BRITISH RAINFALL.

Kept at Rorley House - Willian
in the County of Hertfordshire
by W. Harald Bendixson

Lat. Long.
Time of Observation 9. 30
Nearest Railway Station Hitchin
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 370 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·02.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1					·12						·25		1
2	·31	·04	·04		·26	·03			·01	·37	·		2
3		·34	·14			·01	·01			·23	·12		3
4	·23	·06	·02			·29				·15	·32		4
5	·03	·		·07	·04	·29				·06	·36	·01	5
6		·05	·18	·25		·15	·29			·03	·43		6
7	·06		·16		·06		·11			·13	·49	·03	7
8	·05		·01		·36							·29	8
9			·13		·26								9
10			·16	·06		·17							10
11		·22	·04	·12	·04	·17						·02	11
12	·06	·02			·53	·20	·16	·10				·10	12
13	·01	·47	·19	·08		·06	·14	·06		·15		·11	13
14		·28	·08	·11				·03					14
15		·11	·36		·02		·04	·06		·06			15
16		·02		·13	·07		·11	·03		·05		·02	16
17	·06	·06	·13					·54	·22	·20			17
18		·06	·06	·33				·15	·11		·59		18
19	·02		·20	·05			·05	·06			·80	·13	19
20	·18		·46	·02							·07	·55	20
21			·86				·40.						21
22		·04	·02		·10					·03		·52	22
23	·07	·50				·03		·03			·03	·07	23
24						·24		·04		·05	·02	·40	24
25		·49	·11		·05			·16		·05	·07		25
26		·14	·08			·10				·07	·02	·01	26
27	·08					·50		·04	·03	·14			27
28		·35	·90			·15			·02	·02		·16	28
29		·11	·15			·11		·92		·29		·12	29
30	·01	✕			·03			·22.		·29			30
31		✕		✕	·02	✕			✕	·04	✕	·02	31
Total	1·11	3·36	4·48.	1·22	1·96	~~2·36~~ 2·50	1·31	2·44	·39	2·41	3·51.	2·5~~4~~6	YEAR'S TOTAL 27·~~23~~ 27·25
Rain Days.	13.	18.	22.	10.	14.	15.	9.	14.	5.	19.	13.	1~~5~~6	16~~7~~8

W. 8,000, VIII. 16

W DL end permits

993

FORM A.
BRITISH RAINFALL.
3. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Rotley House – Welliam

in the County of Hertfordshire

by Wm H. Bendison

Lat. Long.

Time of Observation 9. 30. a. m.

Nearest Railway Station Hitchin

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 370. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·03		·02				1·44	·04		·06		1
2		·02		·04		·04		·10			·10		2
3	·02			·03				·46		·64			3
4		·12	·04	·15				·13		·48	·08		4
5								·27	·22	·09	·13		5
6						·02			·02	·03		·02	6
7	·22					·01	·30			·38			7
8	·18			·11			1·36	·23		·20	·07		8
9	·03		·04	·15			·02	·54	·02			·17	9
10	·29		·13	·20				·20		·01			10
11	·06	·02	·51							·27			11
12	·07		·01	·09	·01			·10		·23	·02		12
13	·01		·02					·12		·02			13
14	·03			·05				·03			·01		14
15	·04						·03	·13		·02			15
16	·06	·08		·14	02	·04	·15			·80		·02	16
17	·01			·17	·60		·26	·06	·35				17
18	·03			·14	·04				·44	·24			18
19	·01	·12	·13	·06	·14	·01			·34				19
20	·04	·13	·09		·90			·02	·01		·11		20
21	·02			·01	·04								21
22			·08					·05		·19			22
23		·09			·08			·09		·05			23
24						·11		·11		·09	·04		24
25			·04				·03				·03		25
26		·03	·03					·32	·05		·28		26
27		·03				·08		·58					27
28						·52		·14					28
29			·21			·16	·53	·05				·22	29
30	·03	×					·87	·06					30
31	·02	×	·05	×		×	·32	·09	×	·24	×		31
Total	1·17	·67	1·38	1·36	1·83 ~~1·95~~	·99	3·87	5·32	1·49	3·98	·93	·43	YEAR'S TOTAL 23·(24) 23·42
Rain Days.	18	10	13	14	8	9	10	23	9	17	11	4	196 146

W. 8,000, IX. 17.

30.IV.19

~~W~~ E.F.E. Cor. for auth. - obsr. specs.

74

REGISTER OF RAINFALL IN 1918.

FORM A.
BRITISH RAINFALL.
9.1.19

Kept at Rotley House - Willian
in the County of Hertfordshire
by Mr Harold Bendixson

Lat. ...... Long. ......
Time of Observation 9.30 a.m.
Nearest Railway Station Hitchin
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 375 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·03									·14	·04	1
2		·10		·22				·12		·02	·04	·12	2
3		·02			·36			·09	·16		·55	·05	3
4			·04		·20			·04	·37		·28	·01	4
5		·01						·07	·08	·05		·05	5
6	·12	·08		·34	·07			·03		·01			6
7	·02	·09		·06	·05	·01			·03	·13	·19		7
8				·01			·03		·14	·01		·02	8
9						·07	·14		·36	·12		·08	9
10				·02	·04		·11		·01	·43	·03		10
11				·02			·21		·07		·03	·04	11
12	·06	·13			·23		·10						12
13		·03			·22		·03		·16	·01		·14	13
14				·06		·15	·08		·20	·20			14
15	1·16			1·00			·14					·11	15
16	·21			·61		·03			·96	·12			16
17	·08			·07	·11		·36					·10	17
18	·43					·14	·15	·01	·30	·04		·32	18
19	·05	·04	·08	·19		·05			·03	·05			19
20		·03		·43		·04	·04		·07	·06		·10	20
21	·08					·03			·85			·05	21
22	·05				·10		·05		·07			·20	22
23	·01				·59	·02	·30	·05	·01				23
24		·16							·10	·02	·11		24
25						·07	·06	·29			·10		25
26							·31	·02			·11	·15	26
27		·03	01				·09	·17	·10	·04	·12		27
28			·15	·13							·27	·10	28
29									1·49		·06		29
30		X	·31						·04		·09		30
31		X	·11	X		X			X	·05	X		31
Total	2·27 ✓	·75 ✓	·70 ✓	3·16 ✓	1·97 ✓	·61 ✓	2·20 ✓	·89	~~6·53~~ 5·60	1·36 ✓	2·12 ✓	1·68 ✓	YEAR'S TOTAL ~~24·24~~
Rain Days.	11 ✓	12 ✓	6 ✓	13 ✓	10 ✓	10 ✓	16 ✓	10 ✓	21 ✓	16 ✓	14 ✓	17 ✓	156 ✓

23·31

W. 6,500, VII. 18. w w c

PRINTED PAPER.

ADDITIONAL REMARKS.

I tore my annual book up: but it's seems to have been the addition that was wrong E. Buchanan

OPTIONAL OBSERVATIONS.

Max. Temp. in shade	° on the		
Min. ,, ,, ,,	° on the		
Temp. in shade, at or below	32° on		days.
,, on grass, ,, ,,	32° on		days.

SIGNED

No writing on this side of the line.

THE DIRECTOR,

British Rainfall Organization,

62, Camden Square,

LONDON, N.W.1.

24 RL

937

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Rotley House - Willian

in the County of Hertfordshire

by Mrs H. Bendixson

Lat. Long.

Time of Observation 9. 30

Nearest Railway Station Hitchin G.N.R.

Diameter of Funnel of Rain Gauge 6 in.

Height of top of Gauge above Ground 1 ft 6 in.

" " " " Sea Level 375 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·31			·07		·04	·33			·08		1·40	1
2	·21	·03	·02		·18		·25		·30	·04	·20	·11	2
3	·41		·28				·09		·03		·11	·17	3
4	·10		·30			·08	·29	·07	·01			·	4
5	·11	·23	·32				·20		·15		·01	·33	5
6	·03		·10		·06						·02	·04	6
7			·34								·09		7
8			·11	·09							·02		8
9				·06						·01	·05		9
10	·02		·06										10
11	·02		·08	·18			·50						11
12			·28	·01		·08	·08			·07	·06		12
13	·05			·36					·01	·07			13
14	·15			·18			·15		·12			·04	14
15	·33	·04	·09	·13							·02	·48	15
16	·03	·56		·06				·01		·03	·13		16
17		·28	·02	·09							·20		17
18		·32	·05					·15	·04		·03		18
19		·14	·59			·15	·11	·43	·12		·03		19
20	·23	·05	·06			·68	·42	·41					20
21	·39	·35					·61		·04			·06	21
22		·15					·07		·17		·03	·30	22
23			·04			·06	·03	·03			·02		23
24				·29		·02	·07	·02		·07	·03		24
25	·09				·02			·21					25
26	·16	·26	·11				·12	·16				·42	26
27	·68	·11		·72				·40		·01	·01	·08	27
28			·05			·02		·71		·02	·16	·27	28
29	·07			·09				·13		·21	·02		29
30		✕	·03	·30		·21		·06			·35	·36	30
31	·04	✕		✕		✕			✕	·02	✕	·02	31
TOTAL	3·43	2·52	2·93	2·63	·26	1·34	3·32	2·79	·99	·63	1·59	4·08	YEAR'S TOTAL 26·51
Days with ·01 in. or more	19.	12.	19.	14.	3.	9.	15.	13.	10.	11.	20.	14.	159.

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

JR BL [illegible] Herts NHS

89

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 192.

4 JAN 1921

Kept at Rotley House - William
in the County of Hertfordshire
by Wm. H. Bendixson

Lat. Long.
Time of Observation 9. 30 a.m.
Nearest Railway Station Hitchin
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 375. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·44			·62	·12		·21	·08		·94		·10	1
2	·10	·03		·12			·04	·09	·07	·04		·07	2
3	·34			·23	·01	·02	·15		·05	·06			3
4				·10			·07	·08	·04	·14		·03	4
5			·03		·06		·64	·03	·07			·06	5
6			·10		·10		·43					·01	6
7			·21	·07	·02		·11						7
8		·02		·33	·02		·13	·03					8
9				·20									9
10	·20		·04				·07					·03	10
11	·26		·04	·29	·05	·01	·08					·07	11
12	·04		·08	·07		·27					·16		12
13		·03	·05	·18		·03							13
14		·01	·20	·30		·10	·14		·09	·22	·25		14
15		·04	·20	·07					·20	·01	·02		15
16				·15						·05	·05		16
17	·04	·03		·04	·10	·06			·38				17
18	·02				·01			·54	·04			·13	18
19	·15			·13		·08		·04				·02	19
20		·09		·25		·45			·03				20
21							·33	·13	·26			·02	21
22				·16					·49				22
23							·50					·39	23
24	·03		·09	·02		·01							24
25	·01	·07	·05		·29		·30						25
26	·10	·02	·08	·02	·10		·04					·02	26
27	·18			·25		·27	·06				·48	·09	27
28	·45		·14		·28	·01	·03				·01	·01	28
29	·08		·07		·05							·21	29
30	·04	✕	·01		·03	·08	·37		·13		·16	·20	30
31		✕		✕	·02	✕			✕	·30	✕		31
Total	2·48 ~~2·68~~	·34	1·39	3·60 ~~3·38~~	1·26 1·26	1·39 1·39	3·70	1·02	1·85 ~~1·69~~	1·76	1·13.	1·46 ~~·46~~	Year's Total 21·38 ~~20·10~~.
Days with ·01 in. or more	~~8~~ 16	~~6~~ 9	15 ~~2~~	20 ~~2~~	15 ~~6~~	12 ~~5~~	18 ~~1~~.	8 ~~2~~.	12 ~~X~~	8 ~~X~~.	7 ~~2~~	16 ~~7~~	~~38~~. 156
Days with ·04 in. or more	13.	3.	13.	18.	9.	7.	17.	6	11 ~~10~~.	7.	5.	9.	~~117~~. 118